

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	49	PM ₁₀	1
2	Agra	Satisfactory	90	O ₃	6
3	Ahmedabad	Satisfactory	93	PM ₁₀	7
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	98	PM ₁₀	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Good	37	со	1
8	Ambala	Good	48	PM _{2.5}	1
9	Amravati	Satisfactory	56	PM ₁₀	2
10	Amritsar	Satisfactory	69	PM ₁₀	1
11	Anantapur	Good	44	PM ₁₀	1
12	Ankleshwar	Satisfactory	71	со	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	44	PM ₁₀	1
14	Arrah	Moderate	147	PM _{2.5}	1
15	Asansol	Good	48	PM ₁₀	1
16	Aurangabad (Bihar)	Satisfactory	66	со	1
17	Aurangabad (Maharashtra)	Satisfactory	66	PM ₁₀	3
18	Baddi	Moderate	127	PM ₁₀	1
19	Badlapur	Good	44	PM ₁₀	1
20	Bagalkot	Good	37	PM _{2.5}	1
21	Baghpat	Moderate	120	PM _{2.5}	1
22	Ballabgarh	Moderate	125	PM ₁₀	1
23	Banswara	Satisfactory	96	PM ₁₀	1
24	Baran	Moderate	107	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	39	O ₃	1
26	Baripada	Satisfactory	57	PM ₁₀	1
27	Barmer	Satisfactory	84	PM ₁₀	1
28	Bathinda	Moderate	115	PM _{2.5}	1
29	Begusarai	Moderate	141	PM ₁₀	1
30	Belapur	Good	47	PM ₁₀	1
31	Belgaum	Good	47	СО	1
32	Bengaluru	Good	48	PM ₁₀ , CO	11
33	Bettiah	Moderate	113	PM ₁₀	1
34	Bhagalpur	Satisfactory	96	CO, PM ₁₀	2
35	Bharatpur	Satisfactory	100	PM _{2.5}	1
36	Bhilai	Good	36	NO ₂	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	52	PM ₁₀	1
38	Bhiwani	Moderate	147	PM _{2.5}	1
39	Bhopal	Good	28	со	2
40	Bihar Sharif	Moderate	125	PM ₁₀	1
41	Bikaner	Moderate	116	03	1
42	Bilaspur	Satisfactory	71	PM ₁₀	1
43	Bileipada	Satisfactory	96	PM ₁₀	1
44	Bulandshahr	Satisfactory	95	PM ₁₀	1
45	Bundi	Moderate	140	PM ₁₀	1
46	Byrnihat	Poor	235	PM ₁₀	1
47	Chamarajanagar	Good	35	PM ₁₀	1
48	Chandigarh	Satisfactory	91	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Moderate	101	PM ₁₀	1
50	Charkhi Dadri	Satisfactory	100	PM ₁₀	1
51	Chennai	Satisfactory	62	NO ₂	7
52	Chhal	Good	48	03	1
53	Chhapra	Moderate	104	со	1
54	Chikkaballapur	Good	33	03	1
55	Chikkamagaluru	Moderate	115	PM ₁₀	1
56	Chittoor	Good	39	O ₃	1
57	Chittorgarh	Satisfactory	77	PM ₁₀	1
58	Churu	Moderate	118	PM ₁₀	1
59	Cuddalore	Moderate	190	NO ₂	1
60	Damoh	Good	15	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	169	PM ₁₀	1
62	Davanagere	Good	17	PM ₁₀	1
63	Dehradun	Satisfactory	58	СО	1
64	Delhi	Moderate	169	PM _{2.5}	30
65	Dewas	Satisfactory	60	PM ₁₀	1
66	Dharuhera	Moderate	138	PM _{2.5}	1
67	Dharwad	Good	45	PM ₁₀	1
68	Dhule	Satisfactory	85	PM ₁₀	1
69	Durgapur	Good	37	PM ₁₀	1
70	Eloor	Satisfactory	67	PM ₁₀	1
71	Faridabad	Moderate	185	PM _{2.5}	3
72	Firozabad	Satisfactory	96	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	45	SO ₂	1
74	Gandhinagar	Satisfactory	83	PM _{2.5} , PM ₁₀	3
75	Gangtok	Good	49	SO ₂	1
76	Gaya	Satisfactory	98	PM _{2.5}	3
77	Ghaziabad	Moderate	150	PM _{2.5} , PM ₁₀	4
78	Gorakhpur	Satisfactory	72	PM ₁₀	1
79	Greater Noida	Moderate	162	PM ₁₀	2
80	Gurugram	Poor	210	PM _{2.5}	3
81	Guwahati	Satisfactory	76	PM _{2.5} , PM ₁₀	4
82	Gwalior	Moderate	131	PM _{2.5}	4
83	Hajipur	Satisfactory	100	PM ₁₀	1
84	Hanumangarh	Moderate	135	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Good	45	03	1
86	Haveri	Good	36	со	1
87	Hisar	Satisfactory	87	PM _{2.5}	1
88	Howrah	Good	47	NO ₂	3
89	Hubballi	Moderate	119	со	2
90	Hyderabad	Satisfactory	65	PM ₁₀	13
91	Indore	Moderate	102	со	1
92	Jabalpur	Satisfactory	64	O ₃ , PM ₁₀	2
93	Jaipur	Moderate	118	PM ₁₀	6
94	Jaisalmer	Satisfactory	84	PM ₁₀	1
95	Jalandhar	Moderate	107	PM ₁₀	1
96	Jalgaon	Satisfactory	99	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	69	PM ₁₀	1
98	Jhalawar	Satisfactory	55	PM ₁₀	1
99	Jhunjhunu	Moderate	102	PM ₁₀	1
100	Jind	Moderate	166	PM _{2.5}	1
101	Jodhpur	Moderate	113	PM ₁₀	4
102	Kadapa	Good	38	PM _{2.5}	1
103	Kaithal	Moderate	111	PM ₁₀	1
104	Kalaburgi	Satisfactory	60	PM ₁₀	1
105	Kanchipuram	Good	39	PM ₁₀	1
106	Kannur	Satisfactory	78	PM ₁₀	1
107	Kanpur	Satisfactory	92	PM ₁₀	3
108	Karauli	Moderate	126	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	96	PM _{2.5}	1
110	Katihar	Moderate	127	со	1
111	Katni	Satisfactory	72	PM ₁₀	1
112	Keonjhar	Satisfactory	58	PM ₁₀	1
113	Khanna	Moderate	102	PM ₁₀	1
114	Khurja	Moderate	190	PM _{2.5}	1
115	Kishanganj	Good	50	PM ₁₀	1
116	Kochi	Satisfactory	78	PM ₁₀	1
117	Kohima	Good	42	SO ₂	1
118	Kolhapur	Good	36	PM ₁₀	2
119	Kolkata	Good	36	O ₃	7
120	Kollam	Satisfactory	99	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Abmedaggar, Akala, Araria

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	50	PM ₁₀	1
122	Korba	Good	41	NO ₂	2
123	Kota	Moderate	105	PM ₁₀	3
124	Kunjemura	Satisfactory	55	PM ₁₀	1
125	Kurukshetra	Satisfactory	81	PM _{2.5}	1
126	Latur	Good	48	PM ₁₀	1
127	Lucknow	Satisfactory	99	PM _{2.5}	6
128	Ludhiana	Moderate	132	PM ₁₀	1
129	Madikeri	Good	17	SO ₂	1
130	Maihar	Good	46	со	1
131	Mandi Gobindgarh	Good	50	PM ₁₀	1
132	Mandideep	Satisfactory	75	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Abmedaggar, Akala, Araria

- # Some stations have data available at 3PM

 * In case of a city with multiple monitoring loc-
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Moderate	131	PM ₁₀	1
134	Manesar	Moderate	135	PM ₁₀	1
135	Mangalore	Good	45	PM ₁₀	1
136	Manguraha	Satisfactory	87	03	1
137	Meerut	Satisfactory	90	PM _{2.5}	3
138	Moradabad	Moderate	105	PM _{2.5}	6
139	Motihari	Satisfactory	61	со	1
140	Mumbai	Satisfactory	73	PM ₁₀	20
141	Muzaffarnagar	Moderate	118	PM _{2.5}	1
142	Muzaffarpur	Moderate	167	O ₃ , CO	3
143	Mysuru	Satisfactory	56	O ₃	1
144	Nagaon	Moderate	118	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaur	Moderate	107	PM ₁₀	1
146	Nagpur	Good	47	CO, PM _{2.5}	4
147	Naharlagun	Good	28	PM _{2.5}	1
148	Nalbari	Good	45	PM _{2.5}	1
149	Nanded	Good	46	PM ₁₀	1
150	Narnaul	Satisfactory	99	PM _{2.5}	1
151	Nashik	Satisfactory	63	PM ₁₀	4
152	Navi Mumbai	Moderate	128	PM ₁₀	3
153	Nayagarh	Satisfactory	53	PM _{2.5}	1
154	Noida	Moderate	137	PM ₁₀	3
155	Ooty	Good	50	SO ₂	1
156	Pali	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake
- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palkalaiperur	Satisfactory	65	SO ₂	1
158	Panipat	Moderate	117	PM _{2.5}	1
159	Parbhani	Satisfactory	93	PM ₁₀	1
160	Patiala	Satisfactory	74	PM ₁₀	1
161	Patna	Moderate	137	PM ₁₀ , PM _{2.5}	6
162	Pimpri Chinchwad	Good	45	PM ₁₀	3
163	Pithampur	Satisfactory	66	PM ₁₀	1
164	Pratapgarh	Moderate	101	PM ₁₀	1
165	Prayagraj	Satisfactory	52	PM ₁₀	2
166	Puducherry	Satisfactory	60	PM ₁₀	1
167	Pune	Moderate	105	NO ₂ , PM ₁₀	6
168	Purnia	Satisfactory	68	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	61	PM ₁₀	4
170	Rairangpur	Satisfactory	61	PM ₁₀	1
171	Rajamahendravaram	Good	27	PM ₁₀	1
172	Rajgir	Satisfactory	55	PM ₁₀	1
173	Rajsamand	Moderate	136	PM ₁₀	1
174	Ramanagara	Satisfactory	63	03	1
175	Ratlam	Satisfactory	52	PM ₁₀	1
176	Rishikesh	Good	37	PM ₁₀	1
177	Rohtak	Moderate	108	PM _{2.5}	1
178	Rourkela	Satisfactory	72	PM ₁₀	1
179	Rupnagar	Moderate	133	PM ₁₀	1
180	Sagar	Satisfactory	51	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Satisfactory	84	PM _{2.5}	1
182	Samastipur	Satisfactory	86	СО	1
183	Sangli	Good	28	03	1
184	Sasaram	Good	40	PM ₁₀	1
185	Satna	Satisfactory	92	PM ₁₀	1
186	Sawai Madhopur	Moderate	156	PM _{2.5}	1
187	Shivamogga	Satisfactory	60	O ₃	1
188	Sikar	Satisfactory	98	PM ₁₀	1
189	Silchar	Good	5	NO ₂	1
190	Siliguri	Good	43	PM ₁₀	1
191	Singrauli	Satisfactory	62	PM ₁₀	1
192	Sirohi	Satisfactory	85	PM ₁₀	1


Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	42	PM ₁₀	1
194	Siwan	Moderate	194	PM ₁₀	1
195	Solapur	Satisfactory	91	PM ₁₀	3
196	Sri Ganganagar	Satisfactory	91	PM ₁₀	1
197	Srinagar	Moderate	112	PM ₁₀	1
198	Suakati	Poor	254	03	1
199	Surat	Satisfactory	69	PM ₁₀	1
200	Talcher	Satisfactory	58	со	1
201	Tensa	Satisfactory	70	PM ₁₀	1
202	Thane	Satisfactory	51	PM ₁₀	2
203	Thiruvananthapuram	Good	46	PM ₁₀	2
204	Thoothukudi	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Satisfactory	82	PM ₁₀	1
206	Tirupati	Good	44	NO ₂	2
207	Tirupur	Satisfactory	56	PM ₁₀	1
208	Tonk	Moderate	155	PM ₁₀	1
209	Tumakuru	Satisfactory	81	со	1
210	Tumidih	Good	41	03	1
211	Udaipur	Satisfactory	96	PM ₁₀	1
212	Ujjain	Satisfactory	64	со	1
213	Vapi	Satisfactory	56	со	1
214	Varanasi	Satisfactory	51	03	3
215	Vatva	Satisfactory	98	PM ₁₀	1
216	Vijayapura	Good	49	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Akola, Araria

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayawada	Good	42	O ₃	1
218	Visakhapatnam	Satisfactory	94	PM ₁₀	1
219	Vrindavan	Moderate	190	PM ₁₀	1
220	Yadgir	Good	29	СО	1
221	Yamunanagar	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Araria,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.