

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	178	PM _{2.5}	1
2	Agra	Very Poor	398	PM _{2.5}	1
3	Ahmedabad	Moderate	128	PM _{2.5}	1
4	Aizawl	Good	26	PM ₁₀	1
5	Ajmer	Moderate	114	PM _{2.5}	1
6	Alwar	Moderate	123	PM ₁₀	1
7	Amaravati	Poor	228	PM _{2.5}	1
8	Ambala	Poor	237	PM _{2.5}	1
9	Amritsar	Poor	216	PM _{2.5}	1
10	Ankleshwar	Poor	217	PM ₁₀	1
11	Asansol	Poor	275	PM _{2.5}	1
12	Aurangabad	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	60	PM ₁₀	1
14	Bahadurgarh	Very Poor	374	PM _{2.5}	1
15	Ballabgarh	Very Poor	314	PM _{2.5}	1
16	Bathinda	Poor	203	PM ₁₀	1
17	Bengaluru	Satisfactory	90	O ₃ , PM _{2.5} , PM ₁₀	10
18	Bhiwadi	Severe	415	PM _{2.5}	1
19	Bhiwani	Moderate	192	PM ₁₀	1
20	Bhopal	Moderate	119	PM ₁₀	1
21	Brajrajnagar	Poor	220	PM _{2.5}	1
22	Bulandshahr	Severe	416	PM _{2.5}	1
23	Chandigarh	Moderate	124	PM _{2.5}	1
24	Chandrapur	Moderate	152	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	320	PM _{2.5}	1
26	Chennai	Moderate	105	PM ₁₀ , PM _{2.5}	6
27	Chikkaballapur	Satisfactory	80	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	69	PM _{2.5}	1
29	Damoh	Moderate	193	PM _{2.5}	1
30	Delhi	Severe	423	PM _{2.5}	37
31	Dewas	Moderate	167	O ₃	1
32	Dharuhera	Severe	419	PM _{2.5}	1
33	Durgapur	Poor	269	PM ₁₀	1
34	Eloor	Good	46	PM _{2.5}	1
35	Ernakulam	Satisfactory	86	PM _{2.5}	1
36	Faridabad	Severe	408	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	251	PM _{2.5}	1
38	Gaya	Moderate	160	PM _{2.5}	2
39	Ghaziabad	Severe	440	PM _{2.5}	3
40	Greater Noida	Severe	448	PM _{2.5}	2
41	Gurugram	Very Poor	361	PM _{2.5}	4
42	Guwahati	Poor	295	PM ₁₀	1
43	Gwalior	Very Poor	398	PM _{2.5}	1
44	Hajipur	Poor	293	PM ₁₀	1
45	Haldia	Moderate	142	PM ₁₀	1
46	Hapur	Moderate	166	PM _{2.5}	1
47	Hisar	Very Poor	374	PM _{2.5}	1
48	Howrah	Poor	294	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	/ery Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	123	PM _{2.5}	1
50	Hyderabad	Moderate	160	PM _{2.5}	6
51	Indore	Moderate	199	PM ₁₀	1
52	Jabalpur	Poor	204	PM ₁₀	1
53	Jaipur	Moderate	148	PM _{2.5} , PM ₁₀	2
54	Jalandhar	Moderate	187	PM _{2.5}	1
55	Jind	Very Poor	377	PM _{2.5}	1
56	Jodhpur	Moderate	164	PM ₁₀	1
57	Jorapokhar	Poor	219	PM ₁₀	1
58	Kaithal	Poor	244	PM _{2.5}	1
59	Kalaburgi	Moderate	113	PM ₁₀	1
60	Kalyan	Poor	209	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	95	PM _{2.5}	1
62	Kanpur	Very Poor	345	PM _{2.5}	1
63	Karnal	Very Poor	319	PM _{2.5}	1
64	Katni	Poor	292	PM _{2.5}	1
65	Khanna	Moderate	174	PM _{2.5}	1
66	Kohima	Satisfactory	69	PM ₁₀	1
67	Kolkata	Poor	271	PM _{2.5} , PM ₁₀	7
68	Kollam	Moderate	147	PM _{2.5}	1
69	Koppal	Satisfactory	91	PM ₁₀	1
70	Kota	Moderate	157	PM _{2.5}	1
71	Kozhikode	Satisfactory	87	PM ₁₀	1
72	Kurukshetra	Very Poor	345	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Severe	406	PM _{2.5}	4
74	Ludhiana	Moderate	195	PM _{2.5}	1
75	Maihar	Moderate	126	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	151	PM _{2.5}	1
77	Mandideep	Moderate	165	PM ₁₀	1
78	Mandikhera	Very Poor	308	PM _{2.5}	1
79	Manesar	Very Poor	379	PM _{2.5}	1
80	Medikeri	Satisfactory	96	03	1
81	Meerut	Severe	404	PM _{2.5}	2
82	Moradabad	Severe	408	PM _{2.5}	1
83	Mumbai	Moderate	193	PM _{2.5} , PM ₁₀	18
84	Mysuru	Satisfactory	57	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	113	СО	1
86	Narnaul	Poor	296	PM _{2.5}	1
87	Nashik	Moderate	126	PM _{2.5}	1
88	Navi Mumbai	Poor	265	PM _{2.5}	3
89	Noida	Severe	441	PM _{2.5}	3
90	Pali	Satisfactory	98	PM ₁₀	1
91	Palwal	Moderate	185	PM _{2.5}	1
92	Panchkula	Moderate	167	PM _{2.5}	1
93	Panipat	Very Poor	305	PM _{2.5}	1
94	Patiala	Poor	259	PM _{2.5}	1
95	Patna	Very Poor	308	PM _{2.5} , PM ₁₀	6
96	Pithampur	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	182	PM _{2.5}	6
98	Raichur	Moderate	116	PM ₁₀	1
99	Rajamahendravaram	Moderate	175	PM _{2.5}	1
100	Ratlam	Moderate	130	PM ₁₀	1
101	Rohtak	Very Poor	370	PM _{2.5}	1
102	Rupnagar	Moderate	179	PM ₁₀	1
103	Sagar	Moderate	114	PM _{2.5}	1
104	Satna	Moderate	131	PM ₁₀	1
105	Shillong	Good	29	PM _{2.5}	1
106	Shivamogga	Satisfactory	88	PM ₁₀	1
107	Siliguri	Moderate	181	PM _{2.5}	1
108	Singrauli	Very Poor	371	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	200	PM _{2.5}	1
110	Solapur	Moderate	131	PM ₁₀	1
111	Sonipat	Very Poor	330	PM ₁₀	1
112	Talcher	Moderate	189	PM _{2.5}	1
113	Thane	Poor	247	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	69	PM ₁₀ , PM _{2.5}	2
115	Thoothukudi	Satisfactory	82	O ₃	1
116	Thrissur	Satisfactory	93	O ₃	1
117	Tirupati	Moderate	102	PM _{2.5}	1
118	Udaipur	Moderate	176	PM _{2.5}	1
119	Ujjain	Poor	217	PM _{2.5}	1
120	Vapi	Very Poor	321	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Very Poor	368	PM _{2.5}	1
122	Vatva	Poor	238	PM _{2.5}	1
123	Vijayapura	Satisfactory	56	со	1
124	Visakhapatnam	Poor	252	PM _{2.5}	1
125	Yadgir	Satisfactory	99	PM _{2.5}	1
126	Yamunanagar	Very Poor	317	PM _{2.5}	1

Possible Health Impacts

Good

Satisfactory

Moderate

Minimal Impact
Minor breathing discomfort to sensitive people
Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Gandhinagar, Kochi, Muzaffarnagar, Muzaffarpur, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.