

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	21	03	1
2	Agra	Satisfactory	57	PM _{2.5}	1
3	Ahmedabad	Good	44	03	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Good	39	PM ₁₀	1
6	Alwar	Good	35	PM _{2.5}	1
7	Amaravati	Good	33	PM ₁₀	1
8	Ambala	Satisfactory	91	PM _{2.5}	1
9	Amritsar	Moderate	125	PM ₁₀	1
10	Asansol	Satisfactory	81	PM ₁₀	1
11	Aurangabad	Satisfactory	63	со	1
12	Baghpat	Satisfactory	99	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	83	со	1
14	Bathinda	Moderate	131	PM _{2.5}	1
15	Bengaluru	Good	33	NO ₂ , CO, O ₃	8
16	Bhiwani	Satisfactory	61	PM ₁₀	1
17	Bhopal	Satisfactory	60	03	1
18	Brajrajnagar	Satisfactory	56	со	1
19	Bulandshahr	Satisfactory	62	PM _{2.5}	1
20	Chamarajanagar	Good	42	PM ₁₀	1
21	Chandigarh	Moderate	101	PM ₁₀	1
22	Chandrapur	Satisfactory	57	PM _{2.5} , PM ₁₀	2
23	Charkhi Dadri	Moderate	136	PM _{2.5}	1
24	Chennai	Satisfactory	62	PM ₁₀ , O ₃ , CO	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	35	со	1
26	Damoh	Good	19	PM _{2.5}	1
27	Davanagere	Good	23	со	1
28	Delhi	Satisfactory	78	PM ₁₀ , NO ₂ , PM _{2.5}	29
29	Dewas	Satisfactory	57	03	1
30	Eloor	Good	48	со	1
31	Ernakulam	Good	24	со	1
32	Faridabad	Satisfactory	90	PM ₁₀ , PM _{2.5}	3
33	Fatehabad	Moderate	129	PM ₁₀	1
34	Gadag	Good	9	со	1
35	Gandhinagar	Good	30	со	1
36	Gaya	Satisfactory	64	CO, O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Satisfactory	73	PM ₁₀	3
38	Greater Noida	Satisfactory	72	CO, PM _{2.5}	2
39	Gummidipoondi	Satisfactory	80	PM ₁₀	1
40	Gurugram	Satisfactory	78	PM _{2.5}	3
41	Guwahati	Good	40	SO ₂ , PM _{2.5}	2
42	Gwalior	Good	31	03	1
43	Hajipur	Moderate	121	PM ₁₀	1
44	Haldia	Good	25	PM _{2.5}	1
45	Hapur	Good	41	03	1
46	Hisar	Satisfactory	76	PM ₁₀	1
47	Howrah	Good	33	PM ₁₀ , CO, O ₃	3
48	Hubballi	Good	22	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	37	NO ₂ , PM ₁₀ , PM _{2.5}	6
50	Indore	Satisfactory	82	PM ₁₀	1
51	Jabalpur	Satisfactory	57	O ₃	1
52	Jaipur	Good	47	CO, PM ₁₀	3
53	Jalandhar	Moderate	134	PM ₁₀	1
54	Jind	Satisfactory	73	со	1
55	Jodhpur	Satisfactory	51	PM ₁₀	1
56	Kaithal	Satisfactory	88	PM ₁₀	1
57	Kannur	Satisfactory	80	PM ₁₀	1
58	Kanpur	Satisfactory	62	PM _{2.5}	2
59	Karnal	Satisfactory	65	PM ₁₀	1
60	Katni	Good	38	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	101	PM ₁₀	1
62	Kohima	Good	49	PM _{2.5}	1
63	Kolkata	Good	40	O ₃ , PM ₁₀	6
64	Kollam	Satisfactory	57	PM ₁₀	1
65	Koppal	Satisfactory	54	03	1
66	Kota	Satisfactory	68	со	1
67	Kozhikode	Good	37	со	1
68	Kurukshetra	Satisfactory	91	PM ₁₀	1
69	Lucknow	Satisfactory	82	PM ₁₀ , PM _{2.5}	4
70	Ludhiana	Moderate	124	PM ₁₀	1
71	Mandi Gobindgarh	Satisfactory	74	PM ₁₀	1
72	Mandideep	Satisfactory	61	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manglore	Good	34	СО	1
74	Medikeri	Good	24	03	1
75	Meerut	Satisfactory	72	PM ₁₀	2
76	Moradabad	Moderate	111	PM _{2.5}	1
77	Mumbai	Satisfactory	54	PM ₁₀ , PM _{2.5}	14
78	Muzaffarnagar	Moderate	125	PM ₁₀	1
79	Muzaffarpur	Satisfactory	83	CO, PM _{2.5}	2
80	Mysuru	Good	29	PM ₁₀	1
81	Naharlagun	Good	28	SO ₂	1
82	Nashik	Satisfactory	62	PM _{2.5}	1
83	Navi Mumbai	Satisfactory	92	CO, PM ₁₀	2
84	Noida	Satisfactory	78	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Satisfactory	53	PM ₁₀	1
86	Palwal	Satisfactory	53	PM ₁₀	1
87	Panchkula	Satisfactory	70	PM _{2.5}	1
88	Panipat	Moderate	130	PM ₁₀	1
89	Patiala	Satisfactory	90	PM ₁₀	1
90	Patna	Satisfactory	79	SO ₂ , PM ₁₀ , O ₃	5
91	Pithampur	Satisfactory	62	O ₃	1
92	Puducherry	Good	36	O ₃	1
93	Pune	Good	47	CO, PM ₁₀ , PM _{2.5}	5
94	Raichur	Good	32	PM ₁₀	1
95	Rajamahendravaram	Good	31	PM ₁₀	1
96	Ratlam	Good	29	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera,

Banadurgarn, Briwadi, Bidar, Chikkamagaiuru, Colmbatore, Dharunera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Moderate	101	СО	1
98	Rupnagar	Satisfactory	82	PM ₁₀	1
99	Sagar	Good	24	NO ₂	1
100	Satna	Satisfactory	55	PM ₁₀	1
101	Shillong	Good	20	PM ₁₀	1
102	Shivamogga	Good	48	PM ₁₀	1
103	Siliguri	Satisfactory	79	PM _{2.5}	1
104	Singrauli	Satisfactory	70	SO ₂	1
105	Sirsa	Satisfactory	57	PM ₁₀	1
106	Sonipat	Moderate	116	PM ₁₀	1
107	Srinagar	Satisfactory	68	PM ₁₀	1
108	Talcher	Satisfactory	92	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Good	29	со	1
110	Thrissur	Satisfactory	54	со	1
111	Tirupati	Good	46	PM ₁₀	1
112	Ujjain	Satisfactory	91	O ₃	1
113	Vapi	Good	43	PM ₁₀	1
114	Visakhapatnam	Good	50	PM ₁₀	1
115	Yadgir	Good	22	O ₃	1
116	Yamunanagar	Moderate	120	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Notes: Bahadurgarh, Bhiwadi, Bidar, Chikkamagaluru, Coimbatore, Dharuhera, Durgapur, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Mandikhera, Manesar, Nagpur, Nandesari, Narnaul, Ramanagara, Solapur, Thane, Thoothukudi, Udaipur, Udupi, Varanasi, Vatva, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.