



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	80	PM ₁₀	2
2	Agra	Moderate	145	PM ₁₀	6
3	Ahmedabad	Moderate	125	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Ajmer	Moderate	187	PM _{2.5}	1
6	Alwar	Moderate	104	PM ₁₀	1
7	Amaravati	Satisfactory	66	O ₃	1
8	Ambala	Poor	220	PM _{2.5}	1
9	Amritsar	Moderate	127	PM ₁₀	1
10	Ankleshwar	Satisfactory	91	PM _{2.5}	1
11	Arrah	Moderate	136	PM ₁₀	1
12	Asansol	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arraria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	107	PM ₁₀	1
14	Baddi	Moderate	163	PM ₁₀	1
15	Baghpat	Moderate	172	PM ₁₀	1
16	Bahadurgarh	Poor	261	PM ₁₀	1
17	Ballabgarh	Moderate	109	PM _{2.5}	1
18	Bathinda	Poor	298	PM ₁₀	1
19	Bengaluru	Satisfactory	87	PM ₁₀	5
20	Bhagalpur	Moderate	120	PM ₁₀	2
21	Bhiwadi	Poor	278	PM _{2.5}	1
22	Bhopal	Moderate	148	PM ₁₀	1
23	Bidar	Moderate	143	PM ₁₀	1
24	Bilaspur	Satisfactory	57	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	155	O ₃	1
26	Bulandshahr	Poor	244	PM ₁₀	1
27	Buxar	Poor	204	PM ₁₀	1
28	Chandigarh	Poor	203	O ₃ , PM _{2.5} , PM ₁₀	3
29	Chandrapur	Moderate	155	PM ₁₀	2
30	Charkhi Dadri	Poor	218	PM _{2.5}	1
31	Chennai	Satisfactory	58	CO, PM _{2.5} , PM ₁₀	8
32	Chhapra	Satisfactory	98	PM ₁₀	1
33	Chikkaballapur	Satisfactory	88	PM ₁₀	1
34	Chikkamagaluru	Satisfactory	59	PM _{2.5}	1
35	Damoh	Good	50	PM ₁₀	1
36	Davanagere	Satisfactory	54	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dehradun	Moderate	124	PM ₁₀	1
38	Delhi	Poor	256	PM ₁₀	36
39	Dewas	Moderate	120	PM ₁₀	1
40	Durgapur	Moderate	118	PM ₁₀	1
41	Eloor	Satisfactory	67	PM ₁₀	1
42	Ernakulam	Good	38	NO ₂	1
43	Faridabad	Poor	288	PM ₁₀ , PM _{2.5}	3
44	Fatehabad	Poor	283	PM _{2.5}	1
45	Firozabad	Moderate	196	O ₃	1
46	Gadag	Satisfactory	68	PM ₁₀	1
47	Gandhinagar	Moderate	124	PM _{2.5} , PM ₁₀	3
48	Gangtok	Satisfactory	64	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	144	O ₃ , PM ₁₀ , PM _{2.5}	3
50	Ghaziabad	Poor	284	PM ₁₀	4
51	Gorakhpur	Good	45	O ₃	1
52	Greater Noida	Poor	273	PM ₁₀	2
53	Gummidipoondi	Satisfactory	54	PM ₁₀	1
54	Gurugram	Poor	291	PM ₁₀ , PM _{2.5}	3
55	Guwahati	Good	34	PM _{2.5}	2
56	Gwalior	Moderate	163	PM ₁₀	1
57	Hajipur	Moderate	104	PM _{2.5}	1
58	Haldia	Good	48	PM ₁₀	1
59	Hapur	Poor	278	PM ₁₀	1
60	Hassan	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Good	50	PM ₁₀	1
62	Hisar	Poor	245	PM _{2.5}	1
63	Howrah	Satisfactory	62	PM ₁₀ , PM _{2.5}	3
64	Hubballi	Satisfactory	64	PM ₁₀	1
65	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	6
66	Imphal	Good	46	O ₃	1
67	Indore	Moderate	126	PM ₁₀	1
68	Jabalpur	Moderate	132	PM ₁₀	1
69	Jaipur	Moderate	155	PM ₁₀ , PM _{2.5}	2
70	Jalandhar	Moderate	136	PM ₁₀	1
71	Jhansi	Moderate	167	PM ₁₀	1
72	Jodhpur	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	289	PM ₁₀	1
74	Kalyan	Good	44	PM _{2.5}	1
75	Kannur	Satisfactory	53	PM _{2.5}	1
76	Kanpur	Moderate	110	PM ₁₀	3
77	Karnal	Moderate	172	PM ₁₀	1
78	Katihar	Good	46	O ₃	1
79	Katni	Moderate	183	PM ₁₀	1
80	Khanna	Moderate	193	PM ₁₀	1
81	Kishanganj	Moderate	103	O ₃	1
82	Kochi	Satisfactory	72	CO	1
83	Kohima	Satisfactory	75	PM ₁₀	1
84	Kolkata	Satisfactory	71	NO ₂ , PM ₁₀ , O ₃	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	84	PM ₁₀	1
86	Kota	Moderate	171	PM _{2.5}	1
87	Kurukshetra	Poor	246	PM _{2.5}	1
88	Lucknow	Moderate	167	PM _{2.5} , PM ₁₀	6
89	Ludhiana	Poor	203	PM ₁₀	1
90	Madikeri	Good	49	PM ₁₀	1
91	Mandi Gobindgarh	Poor	259	PM _{2.5}	1
92	Mandideep	Satisfactory	72	PM ₁₀	1
93	Mandikhera	Satisfactory	100	PM ₁₀	1
94	Manglore	Satisfactory	63	CO	1
95	Meerut	Poor	270	PM ₁₀	3
96	Moradabad	Moderate	167	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Moderate	150	O ₃	1
98	Mumbai	Satisfactory	89	PM ₁₀ , CO, PM _{2.5}	18
99	Munger	Moderate	155	PM ₁₀	1
100	Muzaffarnagar	Poor	297	PM ₁₀	1
101	Muzaffarpur	Satisfactory	96	O ₃ , PM _{2.5}	3
102	Mysuru	Good	47	PM ₁₀	1
103	Nagpur	Satisfactory	96	O ₃	1
104	Naharlagun	Satisfactory	63	SO ₂	1
105	Narnaul	Moderate	148	PM ₁₀	1
106	Nashik	Satisfactory	51	PM ₁₀	1
107	Navi Mumbai	Satisfactory	85	PM ₁₀ , CO	3
108	Noida	Poor	270	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonapat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	126	PM _{2.5}	1
110	Palwal	Moderate	173	PM ₁₀	1
111	Panchkula	Poor	256	PM _{2.5}	1
112	Patiala	Moderate	195	PM ₁₀	1
113	Patna	Moderate	175	PM ₁₀ , O ₃ , PM _{2.5}	6
114	Pithampur	Satisfactory	97	PM ₁₀	1
115	Prayagraj	Moderate	133	PM ₁₀	3
116	Pune	Satisfactory	75	PM _{2.5} , CO	3
117	Raichur	Moderate	106	PM ₁₀	1
118	Ramanagara	Satisfactory	73	PM ₁₀	1
119	Rohtak	Poor	251	PM _{2.5}	1
120	Rupnagar	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonapat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sasaram	Moderate	193	O ₃	1
122	Satna	Satisfactory	62	PM ₁₀	1
123	Shivamogga	Satisfactory	62	PM ₁₀	1
124	Siliguri	Satisfactory	56	O ₃	1
125	Singrauli	Very Poor	312	PM ₁₀	1
126	Sirsa	Poor	213	O ₃	1
127	Siwan	Moderate	101	PM ₁₀	1
128	Srinagar	Good	39	NH ₃	1
129	Talcher	Good	49	O ₃	1
130	Thane	Moderate	105	PM ₁₀	1
131	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
132	Thoothukudi	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Tirupati	Moderate	107	PM ₁₀	1
134	Udaipur	Moderate	186	PM ₁₀	1
135	Ujjain	Moderate	128	PM ₁₀	1
136	Varanasi	Satisfactory	95	PM ₁₀ , O ₃	4
137	Vatva	Satisfactory	87	PM ₁₀	1
138	Vijayapura	Satisfactory	51	PM ₁₀	1
139	Visakhapatnam	Satisfactory	94	PM ₁₀	1
140	Vrindavan	Moderate	135	PM ₁₀	1
141	Yadgir	Satisfactory	85	PM ₁₀	1
142	Yamunanagar	Very Poor	301	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Bagalkot,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Chamarajanagar, Coimbatore, Darbhanga, Dharuhera, Jind, Jorapokhar, Kalaburgi, Kolar, Koppal, Kozhikode, Maihar, Manesar, Manguraha, Nandesari, Panipat, Puducherry, Purnia, Rajamahendravaram, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.