

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM <sub>10</sub>	1
2	Agra	Satisfactory	72	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	97	O <sub>3</sub> , PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	91	PM <sub>10</sub>	1
6	Alwar	Satisfactory	69	PM <sub>10</sub>	1
7	Ambala	Moderate	154	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	90	O <sub>3</sub>	1
9	Ankleshwar	Good	44	PM <sub>10</sub>	1
10	Araria	Moderate	160	PM <sub>10</sub>	1
11	Arrah	Satisfactory	87	03	1
12	Asansol	Satisfactory	64	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	110	PM <sub>2.5</sub>	1
14	Aurangabad (Maharashtra)	Moderate	104	PM <sub>10</sub>	1
15	Baddi	Satisfactory	82	PM <sub>10</sub>	1
16	Bagalkot	Good	43	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	69	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	81	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	84	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	64	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Belgaum	Good	47	PM <sub>10</sub>	1
22	Bengaluru	Good	46	PM <sub>2.5</sub> , PM <sub>10</sub> , SO <sub>2</sub>	8
23	Bettiah	Satisfactory	70	PM <sub>10</sub>	1
24	Bhagalpur	Satisfactory	98	NO <sub>2</sub> , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	96	PM <sub>10</sub>	1
26	Bhiwani	Satisfactory	80	PM <sub>10</sub>	1
27	Bihar Sharif	Moderate	109	PM <sub>10</sub>	1
28	Brajrajnagar	Good	50	со	1
29	Bulandshahr	Satisfactory	72	PM <sub>10</sub>	1
30	Chamarajanagar	Good	38	PM <sub>10</sub>	1
31	Chandigarh	Satisfactory	60	O <sub>3</sub> , PM <sub>10</sub>	3
32	Chandrapur	Good	49	NO <sub>2</sub>	1
33	Charkhi Dadri	Satisfactory	96	PM <sub>10</sub>	1
34	Chennai	Good	48	CO, PM <sub>10</sub>	7
35	Chikkaballapur	Good	29	со	1
36	Chikkamagaluru	Good	28	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	22	СО	1
38	Darbhanga	Moderate	101	PM <sub>10</sub>	1
39	Davanagere	Good	19	PM <sub>10</sub>	1
40	Dehradun	Good	37	03	1
41	Delhi	Satisfactory	83	PM <sub>10</sub> , CO	36
42	Dewas	Good	43	PM <sub>10</sub>	1
43	Dharuhera	Moderate	116	PM <sub>10</sub>	1
44	Eloor	Satisfactory	64	PM <sub>10</sub>	1
45	Ernakulam	Satisfactory	55	со	1
46	Faridabad	Moderate	137	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
47	Fatehabad	Satisfactory	75	PM <sub>10</sub>	1
48	Gadag	Good	43	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Good	42	PM <sub>10</sub>	1
50	Gaya	Satisfactory	93	PM <sub>10</sub> , PM <sub>2.5</sub>	3
51	Ghaziabad	Satisfactory	75	PM <sub>10</sub>	4
52	Gorakhpur	Satisfactory	65	PM <sub>2.5</sub>	1
53	Greater Noida	Moderate	154	CO, PM <sub>10</sub>	2
54	Gummidipoondi	Good	15	NO <sub>2</sub>	1
55	Gurugram	Satisfactory	74	PM <sub>10</sub> , O <sub>3</sub>	3
56	Guwahati	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	2
57	Gwalior	Satisfactory	51	O <sub>3</sub>	1
58	Hajipur	Satisfactory	65	PM <sub>10</sub>	1
59	Hapur	Satisfactory	68	PM <sub>10</sub>	1
60	Haveri	Satisfactory	74	со	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Satisfactory	92	PM <sub>2.5</sub>	1
62	Howrah	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	3
63	Hubballi	Satisfactory	54	СО	1
64	Hyderabad	Satisfactory	51	CO, PM <sub>10</sub>	13
65	Imphal	Satisfactory	68	PM <sub>10</sub> , O <sub>3</sub>	2
66	Indore	Good	49	PM <sub>10</sub>	1
67	Jabalpur	Good	50	СО	1
68	Jaipur	Satisfactory	60	CO, PM <sub>2.5</sub>	2
69	Jalandhar	Satisfactory	64	PM <sub>10</sub>	1
70	Jind	Satisfactory	55	PM <sub>2.5</sub>	1
71	Jodhpur	Satisfactory	64	PM <sub>10</sub>	1
72	Kalaburgi	Good	26	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	52	PM <sub>10</sub>	1
74	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
75	Kanpur	Good	28	CO, PM <sub>10</sub> , O <sub>3</sub>	4
76	Karnal	Satisfactory	88	PM <sub>10</sub>	1
77	Katihar	Moderate	194	PM <sub>10</sub>	1
78	Katni	Good	50	PM <sub>10</sub>	1
79	Khanna	Satisfactory	58	PM <sub>10</sub>	1
80	Khurja	Satisfactory	86	PM <sub>2.5</sub>	1
81	Kishanganj	Satisfactory	84	PM <sub>10</sub>	1
82	Kochi	Moderate	112	PM <sub>2.5</sub>	1
83	Kohima	Satisfactory	51	SO <sub>2</sub>	1
84	Kolkata	Satisfactory	63	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Good	50	PM <sub>10</sub>	1
86	Kozhikode	Satisfactory	67	PM <sub>10</sub>	1
87	Kurukshetra	Satisfactory	64	PM <sub>10</sub>	1
88	Lucknow	Good	49	PM <sub>2.5</sub> , CO, O <sub>3</sub>	6
89	Ludhiana	Moderate	112	PM <sub>10</sub>	1
90	Madikeri	Good	23	03	1
91	Maihar	Good	43	со	1
92	Mandi Gobindgarh	Moderate	115	PM <sub>2.5</sub>	1
93	Mandikhera	Good	30	PM <sub>10</sub>	1
94	Manesar	Satisfactory	84	PM <sub>10</sub>	1
95	Manglore	Satisfactory	51	со	1
96	Manguraha	Good	39	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	112	PM <sub>10</sub> , CO	2
98	Moradabad	Satisfactory	77	PM <sub>10</sub>	5
99	Motihari	Satisfactory	78	PM <sub>2.5</sub>	1
100	Mumbai	Satisfactory	53	CO, NO <sub>2</sub>	16
101	Munger	Moderate	104	PM <sub>10</sub>	1
102	Muzaffarnagar	Satisfactory	83	PM <sub>10</sub>	1
103	Muzaffarpur	Satisfactory	87	PM <sub>2.5</sub>	3
104	Mysuru	Good	39	PM <sub>10</sub>	1
105	Nagpur	Satisfactory	72	со	1
106	Narnaul	Good	38	PM <sub>2.5</sub>	1
107	Navi Mumbai	Satisfactory	57	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
108	Noida	Satisfactory	75	CO, PM <sub>10</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	68	PM <sub>10</sub>	1
110	Palwal	Satisfactory	65	PM <sub>10</sub>	1
111	Panchkula	Satisfactory	55	PM <sub>2.5</sub>	1
112	Panipat	Satisfactory	74	PM <sub>10</sub>	1
113	Patiala	Satisfactory	62	PM <sub>10</sub>	1
114	Patna	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	5
115	Pithampur	Satisfactory	52	PM <sub>10</sub>	1
116	Prayagraj	Satisfactory	72	PM <sub>2.5</sub> , SO <sub>2</sub>	3
117	Puducherry	Good	35	со	1
118	Purnia	Poor	240	PM <sub>2.5</sub>	1
119	Raichur	Satisfactory	71	со	1
120	Rajamahendravaram	Satisfactory	56	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	105	СО	1
122	Ramanagara	Good	39	03	1
123	Ramanathapuram	Moderate	133	со	1
124	Ratlam	Good	37	PM <sub>10</sub>	1
125	Rupnagar	Satisfactory	84	PM <sub>10</sub>	1
126	Sagar	Satisfactory	55	со	1
127	Saharsa	Moderate	187	PM <sub>10</sub>	1
128	Samastipur	Moderate	132	PM <sub>10</sub>	1
129	Sasaram	Satisfactory	68	NO <sub>2</sub>	1
130	Satna	Good	26	03	1
131	Shillong	Good	21	PM <sub>2.5</sub> , SO <sub>2</sub>	2
132	Shivamogga	Good	46	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Satisfactory	99	NO <sub>2</sub>	1
134	Sirsa	Satisfactory	98	03	1
135	Solapur	Satisfactory	70	PM <sub>10</sub>	1
136	Srinagar	Good	46	SO <sub>2</sub>	1
137	Talcher	Satisfactory	68	PM <sub>2.5</sub>	1
138	Thane	Satisfactory	62	03	1
139	Thiruvananthapuram	Good	36	со	1
140	Thoothukudi	Good	27	PM <sub>10</sub>	1
141	Thrissur	Good	37	PM <sub>2.5</sub>	1
142	Tirupati	Good	39	со	1
143	Udaipur	Good	44	PM <sub>10</sub>	1
144	Ujjain	Satisfactory	54	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu,

Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	57	PM <sub>10</sub> , CO	4
146	Vatva	Satisfactory	56	PM <sub>2.5</sub>	1
147	Vijayapura	Good	40	PM <sub>10</sub>	1
148	Visakhapatnam	Moderate	106	PM <sub>10</sub>	1
149	Vrindavan	Good	44	SO <sub>2</sub>	1
150	Yadgir	Good	30	со	1
151	Yamunanagar	Moderate	117	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Anantapur, Notes: Bathinda, Begusarai, Bhilai, Bhopal, Bidar, Bilaspur, Buxar, Chengalpattu, Chhapra, Coimbatore, Durgapur, Firozabad, Gangtok, Haldia, Hassan, Hosur, Jhansi, Jorapokhar, Kaithal, Kolar, Kollam, Koppal, Mandideep, Naharlagun, Nandesari, Nashik, Pune, Rohtak, Siliguri, Siwan, Sonipat, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.