

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	160	PM _{2.5}	1
2	Agra	Poor	273	PM _{2.5}	3
3	Ahmedabad	Moderate	194	PM _{2.5} , NO ₂ , PM ₁₀	8
4	Aizawl	Good	37	PM ₁₀	1
5	Ajmer	Moderate	129	PM _{2.5}	1
6	Alwar	Moderate	141	PM _{2.5}	1
7	Amaravati	Moderate	188	PM _{2.5}	1
8	Ambala	Poor	280	PM _{2.5}	1
9	Amritsar	Moderate	147	PM _{2.5}	1
10	Ankleshwar	Poor	243	PM _{2.5}	1
11	Araria	Poor	263	PM _{2.5}	1
12	Arrah	Very Poor	307	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	220	PM _{2.5}	1
14	Aurangabad	Moderate	123	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Moderate	164	PM _{2.5}	1
17	Ballabgarh	Moderate	197	PM _{2.5}	1
18	Bathinda	Satisfactory	100	PM ₁₀	1
19	Bengaluru	Satisfactory	92	PM _{2.5} , PM ₁₀	7
20	Bettiah	Very Poor	338	PM _{2.5}	1
21	Bhagalpur	Very Poor	312	PM ₁₀ , PM _{2.5}	2
22	Bhilai	Satisfactory	75	PM ₁₀	1
23	Bhiwadi	Poor	229	PM _{2.5}	1
24	Bhopal	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	306	PM _{2.5}	1
26	Bilaspur	Moderate	123	PM ₁₀	1
27	Brajrajnagar	Satisfactory	93	PM ₁₀	1
28	Bulandshahr	Poor	266	PM _{2.5}	1
29	Buxar	Very Poor	370	PM _{2.5}	1
30	Chamarajanagar	Good	48	PM _{2.5}	1
31	Chandigarh	Moderate	166	PM _{2.5}	2
32	Chandrapur	Moderate	172	PM _{2.5}	2
33	Charkhi Dadri	Very Poor	304	PM _{2.5}	1
34	Chennai	Satisfactory	88	PM ₁₀ , PM _{2.5} , O ₃	6
35	Chikkaballapur	Moderate	116	PM _{2.5}	1
36	Damoh	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Poor	275	PM _{2.5}	1
38	Delhi	Poor	283	PM _{2.5}	35
39	Dewas	Moderate	118	PM _{2.5}	1
40	Durgapur	Poor	223	PM ₁₀	1
41	Eloor	Satisfactory	70	PM ₁₀	1
42	Ernakulam	Moderate	143	PM _{2.5}	1
43	Faridabad	Poor	260	PM ₁₀	1
44	Fatehabad	Moderate	157	PM _{2.5}	1
45	Firozabad	Poor	286	PM _{2.5}	1
46	Gandhinagar	Moderate	188	PM _{2.5}	3
47	Gaya	Poor	296	PM _{2.5}	2
48	Ghaziabad	Poor	212	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Moderate	131	PM _{2.5}	1
50	Greater Noida	Poor	242	PM _{2.5}	2
51	Gurugram	Poor	250	PM _{2.5}	4
52	Guwahati	Poor	206	PM _{2.5}	2
53	Gwalior	Poor	226	PM _{2.5} , PM ₁₀	2
54	Haldia	Moderate	144	PM _{2.5}	1
55	Hapur	Moderate	180	PM _{2.5}	1
56	Hassan	Satisfactory	77	PM _{2.5}	1
57	Hisar	Very Poor	318	PM _{2.5}	1
58	Howrah	Poor	260	PM _{2.5}	3
59	Hubballi	Poor	201	PM _{2.5}	1
60	Hyderabad	Moderate	147	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Moderate	151	PM _{2.5}	1
62	Jabalpur	Poor	247	PM _{2.5}	1
63	Jaipur	Poor	222	PM _{2.5} , PM ₁₀	2
64	Jalandhar	Poor	202	PM _{2.5}	1
65	Jind	Poor	287	PM _{2.5}	1
66	Kaithal	Moderate	187	PM _{2.5}	1
67	Kalaburgi	Moderate	195	PM _{2.5}	1
68	Kalyan	Poor	234	PM _{2.5}	1
69	Kannur	Moderate	103	PM _{2.5}	1
70	Kanpur	Moderate	159	PM _{2.5}	3
71	Karnal	Moderate	103	PM ₁₀	1
72	Katihar	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Poor	256	PM _{2.5}	1
74	Khanna	Poor	212	PM _{2.5}	1
75	Kochi	Satisfactory	92	PM _{2.5}	1
76	Kohima	Satisfactory	51	PM ₁₀	1
77	Kolkata	Poor	212	PM _{2.5} , PM ₁₀	7
78	Kollam	Moderate	126	PM ₁₀	1
79	Koppal	Satisfactory	97	03	1
80	Kozhikode	Good	41	PM ₁₀	1
81	Kurukshetra	Moderate	177	PM _{2.5}	1
82	Lucknow	Poor	268	PM _{2.5}	6
83	Ludhiana	Poor	234	PM _{2.5}	1
84	Madikeri	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Maihar	Moderate	124	PM _{2.5}	1
86	Mandi Gobindgarh	Poor	235	PM _{2.5}	1
87	Mandideep	Moderate	194	PM _{2.5}	1
88	Mandikhera	Moderate	125	PM _{2.5}	1
89	Manesar	Very Poor	329	PM _{2.5}	1
90	Manglore	Good	47	PM _{2.5}	1
91	Meerut	Moderate	170	PM _{2.5}	2
92	Moradabad	Poor	220	PM _{2.5}	3
93	Motihari	Poor	273	PM _{2.5}	1
94	Mumbai	Poor	215	PM _{2.5}	17
95	Munger	Poor	283	PM ₁₀	1
96	Muzaffarnagar	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Very Poor	346	PM _{2.5}	3
98	Mysuru	Satisfactory	95	O ₃	1
99	Nagpur	Moderate	113	СО	1
100	Nandesari	Moderate	110	со	1
101	Nashik	Satisfactory	97	PM _{2.5}	1
102	Navi Mumbai	Poor	216	PM _{2.5} , CO	3
103	Noida	Poor	226	PM _{2.5}	3
104	Pali	Moderate	187	PM _{2.5}	1
105	Palwal	Moderate	151	PM ₁₀	1
106	Panchkula	Moderate	175	PM _{2.5}	1
107	Panipat	Moderate	194	PM ₁₀	1
108	Patiala	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Poor	272	PM _{2.5} , PM ₁₀	4
110	Pithampur	Moderate	148	PM _{2.5}	1
111	Prayagraj	Poor	255	PM _{2.5}	3
112	Puducherry	Satisfactory	63	PM _{2.5}	1
113	Pune	Moderate	153	PM _{2.5}	3
114	Purnia	Poor	298	PM _{2.5}	1
115	Raichur	Moderate	138	PM ₁₀	1
116	Rajamahendravaram	Moderate	157	PM _{2.5}	1
117	Rajgir	Very Poor	390	PM _{2.5}	1
118	Ramanagara	Satisfactory	77	PM _{2.5}	1
119	Ratlam	Moderate	150	PM ₁₀	1
120	Rohtak	Poor	203	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	198	PM ₁₀	1
122	Sagar	Moderate	108	PM _{2.5}	1
123	Saharsa	Poor	261	PM ₁₀	1
124	Sasaram	Very Poor	356	PM _{2.5}	1
125	Satna	Satisfactory	66	PM ₁₀	1
126	Shillong	Good	19	PM _{2.5}	1
127	Shivamogga	Good	50	PM ₁₀	1
128	Siliguri	Satisfactory	91	PM ₁₀	1
129	Singrauli	Very Poor	333	PM _{2.5}	1
130	Siwan	Very Poor	331	PM _{2.5}	1
131	Sonipat	Very Poor	335	PM ₁₀	1
132	Srinagar	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Moderate	121	NO ₂	1
134	Thane	Moderate	200	PM ₁₀	1
135	Thiruvananthapuram	Satisfactory	80	PM ₁₀	2
136	Thoothukudi	Good	46	PM ₁₀	1
137	Thrissur	Satisfactory	92	PM ₁₀	1
138	Tirupati	Moderate	103	PM _{2.5}	1
139	Udupi	Good	46	O ₃	1
140	Ujjain	Moderate	161	PM ₁₀	1
141	Vapi	Poor	247	PM _{2.5}	1
142	Varanasi	Moderate	184	PM _{2.5}	4
143	Vatva	Poor	258	PM _{2.5}	1
144	Vijayapura	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Moderate	125	PM _{2.5}	1
146	Vrindavan	Poor	221	PM _{2.5}	1
147	Yadgir	Moderate	120	PM _{2.5}	1
148	Yamunanagar	Poor	294	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chhapra, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Jodhpur, Jorapokhar, Kishanganj, Kolar, Kota, Manguraha, Naharlagun, Narnaul, Sirsa, Solapur, Udaipur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.