



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	SO <sub>2</sub>	1
2	Agra	Satisfactory	67	O <sub>3</sub>	5
3	Ahmedabad	Moderate	121	PM <sub>10</sub>	7
4	Aizawl	Good	39	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	70	PM <sub>10</sub>	1
6	Alwar	Satisfactory	52	NO <sub>2</sub>	1
7	Amaravati	Satisfactory	80	O <sub>3</sub>	1
8	Ambala	Good	46	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	67	PM <sub>10</sub>	1
10	Anantapur	Good	45	O <sub>3</sub>	1
11	Ankleshwar	Satisfactory	64	PM <sub>10</sub>	1
12	Ariyalur	Satisfactory	51	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhulepur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	105	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Satisfactory	92	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM <sub>10</sub>	1
16	Baddi	Moderate	111	O <sub>3</sub>	1
17	Bagalkot	Good	49	O <sub>3</sub>	1
18	Bahadurgarh	Good	49	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	55	CO	1
20	Banswara	Moderate	117	PM <sub>10</sub>	1
21	Baripada	Satisfactory	66	O <sub>3</sub>	1
22	Barmer	Moderate	164	PM <sub>10</sub>	1
23	Begusarai	Moderate	144	PM <sub>2.5</sub>	1
24	Belgaum	Good	47	CO	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Good	50	CO, PM <sub>2.5</sub>	13
26	Bettiah	Moderate	109	PM <sub>10</sub>	1
27	Bhagalpur	Satisfactory	59	PM <sub>2.5</sub>	2
28	Bharatpur	Satisfactory	78	O <sub>3</sub>	1
29	Bhilai	Satisfactory	57	PM <sub>10</sub>	3
30	Bhiwadi	Moderate	116	PM <sub>10</sub>	1
31	Bhiwani	Satisfactory	76	PM <sub>2.5</sub>	1
32	Bhopal	Satisfactory	90	PM <sub>10</sub>	3
33	Bihar Sharif	Satisfactory	76	PM <sub>10</sub>	1
34	Bikaner	Satisfactory	100	PM <sub>10</sub>	1
35	Bilaspur	Satisfactory	74	CO	1
36	Bileipada	Moderate	104	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Good	34	SO <sub>2</sub>	1
38	Bulandshahr	Satisfactory	86	O <sub>3</sub>	1
39	Chamarajanagar	Good	41	PM <sub>10</sub>	1
40	Chandigarh	Moderate	136	O <sub>3</sub> , PM <sub>10</sub>	3
41	Chandrapur	Moderate	103	PM <sub>10</sub>	1
42	Charkhi Dadri	Satisfactory	57	PM <sub>2.5</sub>	1
43	Chennai	Satisfactory	79	NO <sub>2</sub> , PM <sub>10</sub>	8
44	Chhal	Satisfactory	68	PM <sub>10</sub>	1
45	Chhapra	Poor	228	PM <sub>10</sub>	1
46	Chikkaballapur	Good	41	PM <sub>10</sub>	1
47	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
48	Chittoor	Satisfactory	66	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Moderate	156	PM <sub>10</sub>	1
50	Cuddalore	Satisfactory	91	NO <sub>2</sub>	2
51	Damoh	Good	23	PM <sub>10</sub>	1
52	Davanagere	Good	37	PM <sub>2.5</sub>	1
53	Dehradun	Good	41	PM <sub>10</sub>	1
54	Delhi	Satisfactory	98	NO <sub>2</sub> , O <sub>3</sub>	36
55	Dewas	Moderate	112	PM <sub>10</sub>	1
56	Dhanbad	Moderate	175	CO	1
57	Dharwad	Satisfactory	65	PM <sub>10</sub>	1
58	Eloor	Satisfactory	89	PM <sub>10</sub>	1
59	Faridabad	Moderate	111	PM <sub>10</sub>	4
60	Firozabad	Satisfactory	71	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Good	46	SO <sub>2</sub>	1
62	Gandhinagar	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	3
63	Gangtok	Good	46	O <sub>3</sub>	1
64	Gaya	Satisfactory	89	O <sub>3</sub> , PM <sub>2.5</sub>	3
65	Ghaziabad	Moderate	109	O <sub>3</sub> , PM <sub>10</sub>	4
66	Gorakhpur	Moderate	114	PM <sub>2.5</sub>	1
67	Greater Noida	Poor	202	O <sub>3</sub>	2
68	Gurugram	Moderate	144	PM <sub>10</sub> , PM <sub>2.5</sub>	4
69	Guwahati	Good	49	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Gwalior	Satisfactory	96	O <sub>3</sub>	2
71	Hajipur	Moderate	108	PM <sub>10</sub>	1
72	Haldia	Good	30	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhulepur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, Vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hanumangarh	Moderate	108	PM <sub>10</sub>	1
74	Hapur	Satisfactory	90	O <sub>3</sub>	1
75	Hassan	Satisfactory	64	PM <sub>10</sub>	1
76	Haveri	Good	38	PM <sub>10</sub>	1
77	Howrah	Satisfactory	60	CO	3
78	Hubballi	Satisfactory	76	PM <sub>10</sub>	2
79	Hyderabad	Satisfactory	78	PM <sub>10</sub>	9
80	Indore	Satisfactory	74	PM <sub>10</sub>	2
81	Jabalpur	Moderate	111	PM <sub>10</sub>	1
82	Jaipur	Satisfactory	90	PM <sub>10</sub> , O <sub>3</sub>	5
83	Jaisalmer	Moderate	176	PM <sub>10</sub>	1
84	Jalandhar	Satisfactory	86	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, Vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhalawar	Satisfactory	75	PM <sub>10</sub>	1
86	Jhansi	Satisfactory	74	O <sub>3</sub>	1
87	Jhunjhunu	Moderate	149	O <sub>3</sub>	1
88	Jind	Satisfactory	97	CO	1
89	Jodhpur	Moderate	192	PM <sub>10</sub>	3
90	Kadapa	Good	49	O <sub>3</sub>	1
91	Kaithal	Good	49	PM <sub>10</sub>	1
92	Kalyan	Satisfactory	84	PM <sub>10</sub>	1
93	Kanpur	Satisfactory	62	CO	4
94	Karnal	Good	50	PM <sub>10</sub>	1
95	Katni	Moderate	144	PM <sub>10</sub>	1
96	Khanna	Good	37	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Good	45	PM <sub>2.5</sub>	1
98	Kishanganj	Satisfactory	51	PM <sub>10</sub>	1
99	Kochi	Satisfactory	68	CO	1
100	Kohima	Good	45	PM <sub>10</sub>	1
101	Kolhapur	Good	49	O <sub>3</sub>	2
102	Kolkata	Good	50	O <sub>3</sub>	7
103	Kollam	Satisfactory	61	PM <sub>10</sub>	1
104	Koppal	Moderate	102	O <sub>3</sub>	1
105	Korba	Satisfactory	77	PM <sub>10</sub>	2
106	Kota	Satisfactory	100	PM <sub>2.5</sub>	3
107	Lucknow	Satisfactory	60	PM <sub>10</sub>	6
108	Ludhiana	Moderate	108	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Good	19	O <sub>3</sub>	1
110	Mandi Gobindgarh	Satisfactory	85	PM <sub>10</sub>	1
111	Mandideep	Moderate	107	PM <sub>10</sub>	1
112	Manesar	Satisfactory	70	PM <sub>10</sub>	1
113	Mangalore	Satisfactory	61	PM <sub>10</sub>	1
114	Meerut	Moderate	121	O <sub>3</sub> , PM <sub>10</sub>	3
115	Moradabad	Satisfactory	66	SO <sub>2</sub> , PM <sub>2.5</sub>	6
116	Motihari	Moderate	102	PM <sub>10</sub>	1
117	Mumbai	Satisfactory	67	CO, PM <sub>2.5</sub>	18
118	Munger	Satisfactory	93	PM <sub>10</sub>	1
119	Muzaffarnagar	Satisfactory	86	PM <sub>10</sub>	1
120	Muzaffarpur	Moderate	133	O <sub>3</sub> , CO	3

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagaon	Satisfactory	83	O <sub>3</sub>	1
122	Nagpur	Satisfactory	91	PM <sub>10</sub>	1
123	Naharlagun	Good	18	PM <sub>2.5</sub>	1
124	Nalbari	Satisfactory	77	O <sub>3</sub>	1
125	Nandesari	Good	50	CO	1
126	Narnaul	Good	32	PM <sub>10</sub>	1
127	Nashik	Satisfactory	52	PM <sub>10</sub>	3
128	Navi Mumbai	Satisfactory	63	CO	2
129	Nayagarh	Moderate	105	PM <sub>10</sub>	1
130	Noida	Moderate	113	NO <sub>2</sub> , PM <sub>10</sub>	4
131	Ooty	Satisfactory	94	PM <sub>10</sub>	1
132	Pali	Moderate	125	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1
134	Palwal	Satisfactory	63	PM <sub>10</sub>	1
135	Panchkula	Good	50	PM <sub>2.5</sub>	1
136	Patiala	Satisfactory	85	O <sub>3</sub>	1
137	Patna	Moderate	129	PM <sub>2.5</sub>	5
138	Pimpri Chinchwad	Satisfactory	71	PM <sub>10</sub>	1
139	Pithampur	Satisfactory	83	PM <sub>10</sub>	1
140	Prayagraj	Good	44	PM <sub>10</sub>	3
141	Puducherry	Satisfactory	58	O <sub>3</sub>	1
142	Pune	Poor	232	PM <sub>2.5</sub>	4
143	Purnia	Satisfactory	86	PM <sub>10</sub>	1
144	Raichur	Satisfactory	65	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Satisfactory	83	PM <sub>10</sub> , NO <sub>2</sub>	4
146	Rairangpur	Satisfactory	77	O <sub>3</sub>	1
147	Rajamahendravaram	Satisfactory	74	PM <sub>10</sub>	1
148	Rajgir	Satisfactory	56	PM <sub>10</sub>	1
149	Rajsamand	Moderate	149	PM <sub>10</sub>	1
150	Ramanagara	Satisfactory	56	O <sub>3</sub>	1
151	Ramanathapuram	Good	23	PM <sub>10</sub>	1
152	Ratlam	Satisfactory	94	PM <sub>10</sub>	1
153	Rishikesh	Good	50	O <sub>3</sub>	1
154	Rohtak	Good	39	O <sub>3</sub>	1
155	Rourkela	Satisfactory	93	PM <sub>10</sub>	2
156	Rupnagar	Moderate	101	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Satisfactory	73	O <sub>3</sub>	1
158	Saharsa	Satisfactory	89	O <sub>3</sub>	1
159	Salem	Good	50	CO	1
160	Samastipur	Moderate	113	PM <sub>10</sub>	1
161	Sasaram	Moderate	158	O <sub>3</sub>	1
162	Satna	Satisfactory	81	PM <sub>10</sub>	1
163	Shillong	Good	33	PM <sub>2.5</sub>	1
164	Shivamogga	Satisfactory	66	PM <sub>10</sub>	1
165	Siliguri	Satisfactory	52	O <sub>3</sub>	1
166	Singrauli	Moderate	158	PM <sub>10</sub>	1
167	Sirsa	Moderate	104	NO <sub>2</sub>	1
168	Sivasagar	Good	26	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siwan	Satisfactory	94	PM <sub>10</sub>	1
170	Solapur	Moderate	115	PM <sub>10</sub>	2
171	Sri Ganganagar	Moderate	109	PM <sub>10</sub>	1
172	Srinagar	Good	44	PM <sub>10</sub>	1
173	Suakati	Satisfactory	86	PM <sub>10</sub>	1
174	Surat	Poor	206	PM <sub>10</sub>	1
175	Tensa	Satisfactory	76	PM <sub>10</sub>	1
176	Thiruvananthapuram	Good	26	CO	2
177	Thoothukudi	Good	36	PM <sub>10</sub>	1
178	Thrissur	Satisfactory	52	PM <sub>10</sub>	1
179	Tirupati	Satisfactory	60	NO <sub>2</sub>	2
180	Tumakuru	Satisfactory	65	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, Vellore as data was not available.  
# Some stations have data available at 3PM

### Notes:

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tumidih	Satisfactory	95	PM <sub>10</sub>	1
182	Udaipur	Poor	214	PM <sub>10</sub>	1
183	Ujjain	Moderate	148	PM <sub>2.5</sub>	1
184	Vapi	Satisfactory	62	PM <sub>10</sub>	1
185	Varanasi	Satisfactory	62	PM <sub>10</sub> , CO	4
186	Vijayawada	Good	50	CO	1
187	Visakhapatnam	Moderate	104	PM <sub>10</sub>	1
188	Vrindavan	Moderate	184	PM <sub>10</sub>	1
189	Yadgir	Satisfactory	54	PM <sub>10</sub>	1
190	Yamunanagar	Moderate	110	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Baran, Bareilly, Bathinda, Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Churu, Coimbatore, Darbhanga, Dausa, Dharuhera, Dhrolpur, Dindigul, Durgapur, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Karauli, Kashipur, Katihar, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Latur, Maihar, Mandikhera, Manguraha, Milupara, Mysuru, Nagaur, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Talcher, Thane, Tirupur, Tonk, Udupi, Vatva, Vijayapura, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: