

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM ₁₀	2
2	Agra	Good	41	PM ₁₀ , O ₃	5
3	Ahmedabad	Satisfactory	68	PM ₁₀ , NO ₂ , PM _{2.5}	6
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	65	PM ₁₀	1
6	Alwar	Satisfactory	68	PM ₁₀	1
7	Amaravati	Satisfactory	53	O ₃	1
8	Amritsar	Moderate	131	PM _{2.5}	1
9	Ankleshwar	Satisfactory	64	PM _{2.5}	1
10	Araria	Satisfactory	78	PM _{2.5}	1
11	Arrah	Moderate	109	PM ₁₀	1
12	Asansol	Satisfactory	69	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.

* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai,

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	97	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	90	PM ₁₀	1
15	Baddi	Satisfactory	96	PM ₁₀	1
16	Bagalkot	Satisfactory	58	PM ₁₀	1
17	Baghpat	Satisfactory	59	PM ₁₀	1
18	Bahadurgarh	Satisfactory	98	PM ₁₀	1
19	Ballabgarh	Satisfactory	100	PM ₁₀	1
20	Bareilly	Moderate	118	PM ₁₀	1
21	Bathinda	Moderate	103	PM ₁₀	1
22	Begusarai	Satisfactory	97	PM ₁₀	1
23	Bengaluru	Satisfactory	56	PM ₁₀ , CO	10
24	Bhagalpur	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	91	PM ₁₀	1
26	Bhiwani	Moderate	105	PM ₁₀	1
27	Bhopal	Satisfactory	67	03	1
28	Bihar Sharif	Moderate	132	PM ₁₀	1
29	Brajrajnagar	Good	50	NO ₂	1
30	Bulandshahr	Satisfactory	76	PM ₁₀	1
31	Buxar	Satisfactory	100	PM ₁₀	1
32	Chandigarh	Satisfactory	78	PM ₁₀ , O ₃	3
33	Chandrapur	Satisfactory	86	PM _{2.5}	2
34	Charkhi Dadri	Satisfactory	98	PM ₁₀	1
35	Chennai	Satisfactory	54	CO, PM ₁₀ , PM _{2.5}	8
36	Chikkaballapur	Good	37	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	27	PM ₁₀	1
38	Damoh	Good	21	СО	1
39	Darbhanga	Moderate	126	PM ₁₀	1
40	Dehradun	Satisfactory	56	PM ₁₀	1
41	Delhi	Satisfactory	88	NO ₂ , PM ₁₀	33
42	Dewas	Good	49	PM ₁₀	1
43	Dharuhera	Satisfactory	99	PM ₁₀	1
44	Durgapur	Moderate	115	PM ₁₀	1
45	Eloor	Satisfactory	55	PM ₁₀	1
46	Ernakulam	Good	40	со	1
47	Faridabad	Moderate	109	PM ₁₀	1
48	Fatehabad	Satisfactory	74	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	56	O ₃ , PM _{2.5}	2
50	Gandhinagar	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
51	Gangtok	Good	22	со	1
52	Gaya	Satisfactory	81	PM ₁₀ , PM _{2.5} , O ₃	3
53	Ghaziabad	Satisfactory	89	PM ₁₀ , CO	4
54	Gorakhpur	Good	46	SO ₂	1
55	Greater Noida	Satisfactory	90	PM ₁₀	2
56	Gurugram	Moderate	110	PM _{2.5} , PM ₁₀	4
57	Guwahati	Good	44	O ₃ , CO	2
58	Hajipur	Moderate	115	PM ₁₀	1
59	Haldia	Good	42	PM ₁₀	1
60	Hapur	Satisfactory	65	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	33	PM ₁₀	1
62	Hisar	Moderate	115	PM ₁₀	1
63	Howrah	Satisfactory	60	PM ₁₀ , CO	3
64	Hyderabad	Satisfactory	85	O ₃ , PM _{2.5} , PM ₁₀	13
65	Imphal	Satisfactory	66	SO ₂	2
66	Indore	Moderate	119	PM ₁₀	1
67	Jabalpur	Satisfactory	67	PM ₁₀	1
68	Jaipur	Satisfactory	89	CO, NO ₂ , O ₃	3
69	Jalandhar	Good	44	PM ₁₀	1
70	Jhansi	Good	50	PM ₁₀	1
71	Jind	Satisfactory	81	PM ₁₀	1
72	Jodhpur	Satisfactory	96	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	68	PM ₁₀	1
74	Kalaburgi	Good	36	03	1
75	Kalyan	Satisfactory	73	PM ₁₀	1
76	Kannur	Satisfactory	53	PM _{2.5}	1
77	Kanpur	Satisfactory	75	CO, PM ₁₀	3
78	Karnal	Satisfactory	56	PM ₁₀	1
79	Katihar	Moderate	120	PM ₁₀	1
80	Katni	Satisfactory	75	PM ₁₀	1
81	Khanna	Satisfactory	56	PM ₁₀	1
82	Khurja	Good	48	PM ₁₀	1
83	Kishanganj	Satisfactory	84	03	1
84	Kochi	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Good	50	SO ₂	1
86	Kolkata	Good	49	PM ₁₀ , O ₃	7
87	Kollam	Satisfactory	56	PM ₁₀	1
88	Kota	Satisfactory	63	PM ₁₀	1
89	Kozhikode	Satisfactory	73	PM ₁₀	1
90	Kurukshetra	Satisfactory	60	PM ₁₀	1
91	Lucknow	Satisfactory	80	PM ₁₀	6
92	Ludhiana	Satisfactory	79	PM ₁₀	1
93	Madikeri	Good	40	SO ₂	1
94	Maihar	Satisfactory	72	со	1
95	Mandi Gobindgarh	Satisfactory	56	PM ₁₀	1
96	Mandideep	Good	49	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Satisfactory	70	PM ₁₀	2
98	Moradabad	Satisfactory	78	PM _{2.5} , PM ₁₀ , CO	4
99	Motihari	Moderate	116	03	1
100	Mumbai	Satisfactory	65	O ₃ , PM ₁₀ , CO	17
101	Muzaffarnagar	Moderate	108	PM ₁₀	1
102	Muzaffarpur	Satisfactory	86	PM ₁₀ , PM _{2.5}	2
103	Mysuru	Good	43	PM ₁₀	1
104	Nagpur	Satisfactory	55	PM ₁₀	1
105	Narnaul	Satisfactory	61	PM ₁₀	1
106	Nashik	Satisfactory	66	PM ₁₀	1
107	Navi Mumbai	Satisfactory	80	CO, PM ₁₀	2
108	Noida	Moderate	103	PM ₁₀ , CO	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	110	PM _{2.5}	1
110	Palwal	Satisfactory	54	PM ₁₀	1
111	Panchkula	Satisfactory	72	PM _{2.5}	1
112	Panipat	Satisfactory	99	PM ₁₀	1
113	Patiala	Satisfactory	52	PM ₁₀	1
114	Patna	Moderate	129	PM _{2.5} , PM ₁₀ , NO ₂	6
115	Pithampur	Moderate	127	PM ₁₀	1
116	Prayagraj	Satisfactory	51	PM ₁₀ , SO ₂	3
117	Puducherry	Good	45	03	1
118	Pune	Satisfactory	83	NO ₂ , CO, O ₃	4
119	Purnia	Poor	237	PM _{2.5}	1
120	Rajamahendravaram	Good	36	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Satisfactory	73	PM ₁₀	1
122	Ramanagara	Good	29	SO ₂	1
123	Ratlam	Satisfactory	65	PM ₁₀	1
124	Rohtak	Satisfactory	99	PM _{2.5}	1
125	Rupnagar	Satisfactory	62	PM ₁₀	1
126	Sagar	Satisfactory	52	со	1
127	Sasaram	Satisfactory	80	03	1
128	Satna	Good	45	PM ₁₀	1
129	Shillong	Good	23	NO ₂	1
130	Shivamogga	Satisfactory	86	NO ₂	1
131	Siliguri	Good	32	PM ₁₀	1
132	Singrauli	Satisfactory	94	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.

* AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai,

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	193	PM ₁₀	1
134	Sonipat	Good	39	PM _{2.5}	1
135	Srinagar	Good	47	PM ₁₀	1
136	Talcher	Satisfactory	62	со	1
137	Thane	Satisfactory	90	NO ₂	1
138	Thiruvananthapuram	Good	28	со	1
139	Thoothukudi	Good	37	03	1
140	Tirupati	Good	47	PM ₁₀	1
141	Udaipur	Satisfactory	78	PM ₁₀	1
142	Ujjain	Satisfactory	77	PM ₁₀	1
143	Varanasi	Satisfactory	62	O ₃ , NO ₂	4
144	Vatva	Satisfactory	63	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	44	PM ₁₀	1
146	Visakhapatnam	Satisfactory	56	PM ₁₀	1
147	Vrindavan	Good	39	SO ₂	1
148	Yadgir	Good	49	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bettiah, Bhilai, Notes: Bidar, Bilaspur, Chamarajanagar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Gwalior, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Mandikhera, Manesar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Samastipur, Siwan, Solapur, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.