

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	222	PM <sub>2.5</sub>	1
2	Agra	Poor	296	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	215	O <sub>3</sub>	1
4	Aizawl	Satisfactory	70	PM <sub>10</sub>	1
5	Ajmer	Moderate	105	PM <sub>10</sub>	1
6	Alwar	Moderate	115	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	54	O <sub>3</sub>	1
8	Ambala	Moderate	168	PM <sub>10</sub>	1
9	Amritsar	Moderate	115	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	284	PM <sub>2.5</sub>	1
11	Asansol	Moderate	156	PM <sub>10</sub>	1
12	Bagalkot	Good	50	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	277	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	320	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	270	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	148	PM <sub>10</sub>	1
17	Bengaluru	Moderate	106	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	9
18	Bhiwadi	Very Poor	332	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	135	PM <sub>10</sub>	1
20	Bhopal	Moderate	152	O <sub>3</sub>	1
21	Bulandshahr	Very Poor	331	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	90	PM <sub>10</sub>	1
23	Chandigarh	Moderate	149	PM <sub>2.5</sub>	1
24	Chandrapur	Moderate	136	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	325	PM <sub>2.5</sub>	1
26	Chennai	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	8
27	Chikkaballapur	Satisfactory	64	PM <sub>10</sub>	1
28	Coimbatore	Satisfactory	66	PM <sub>2.5</sub>	1
29	Damoh	Satisfactory	66	PM <sub>2.5</sub>	1
30	Delhi	Very Poor	351	PM <sub>2.5</sub> , PM <sub>10</sub>	34
31	Dewas	Moderate	106	PM <sub>10</sub>	1
32	Dharuhera	Poor	280	PM <sub>10</sub>	1
33	Durgapur	Poor	298	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	76	PM <sub>10</sub>	1
35	Ernakulam	Satisfactory	97	PM <sub>2.5</sub>	1
36	Faridabad	Very Poor	366	PM <sub>10</sub> , PM <sub>2.5</sub>	3

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	126	PM <sub>2.5</sub>	1
38	Gandhinagar	Moderate	118	PM <sub>2.5</sub>	1
39	Gaya	Poor	247	PM <sub>2.5</sub>	1
40	Ghaziabad	Severe	416	PM <sub>2.5</sub>	4
41	Greater Noida	Severe	402	PM <sub>2.5</sub>	1
42	Gummidipoondi	Satisfactory	76	PM <sub>10</sub>	1
43	Gurugram	Poor	288	PM <sub>2.5</sub>	4
44	Guwahati	Poor	294	PM <sub>2.5</sub>	2
45	Gwalior	Poor	273	PM <sub>2.5</sub>	2
46	Hajipur	Very Poor	333	PM <sub>10</sub>	1
47	Haldia	Satisfactory	75	PM <sub>10</sub>	1
48	Hapur	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	295	PM <sub>2.5</sub>	1
50	Howrah	Poor	226	PM <sub>2.5</sub>	3
51	Hubballi	Moderate	134	PM <sub>10</sub>	1
52	Hyderabad	Moderate	105	PM <sub>2.5</sub> , PM <sub>10</sub>	5
53	Indore	Moderate	186	PM <sub>10</sub>	1
54	Jabalpur	Moderate	170	PM <sub>10</sub>	1
55	Jaipur	Moderate	105	PM <sub>2.5</sub>	2
56	Jalandhar	Moderate	114	PM <sub>10</sub>	1
57	Jind	Moderate	193	PM <sub>2.5</sub>	1
58	Jodhpur	Poor	218	PM <sub>2.5</sub>	1
59	Kaithal	Moderate	145	PM <sub>2.5</sub>	1
60	Kalaburgi	Satisfactory	86	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	248	PM <sub>2.5</sub>	1
62	Kannur	Moderate	107	PM <sub>2.5</sub>	1
63	Kanpur	Poor	280	PM <sub>2.5</sub>	2
64	Karnal	Poor	201	PM <sub>2.5</sub>	1
65	Katni	Moderate	154	PM <sub>2.5</sub>	1
66	Khanna	Satisfactory	73	PM <sub>10</sub>	1
67	Kochi	Moderate	140	PM <sub>2.5</sub>	1
68	Kohima	Moderate	121	PM <sub>10</sub>	1
69	Kolar	Satisfactory	58	O <sub>3</sub>	1
70	Kolkata	Poor	203	PM <sub>2.5</sub>	7
71	Kollam	Moderate	169	PM <sub>2.5</sub>	1
72	Koppal	Satisfactory	80	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Poor	217	PM <sub>2.5</sub>	1
74	Kozhikode	Satisfactory	81	PM <sub>10</sub>	1
75	Kurukshetra	Poor	233	PM <sub>2.5</sub>	1
76	Lucknow	Very Poor	303	PM <sub>2.5</sub>	4
77	Ludhiana	Moderate	111	PM <sub>10</sub>	1
78	Maihar	Satisfactory	84	PM <sub>10</sub>	1
79	Mandi Gobindgarh	Moderate	196	PM <sub>2.5</sub>	1
80	Mandikhera	Moderate	108	PM <sub>2.5</sub>	1
81	Manesar	Poor	268	PM <sub>2.5</sub>	1
82	Manglore	Moderate	110	PM <sub>2.5</sub>	1
83	Medikeri	Satisfactory	69	PM <sub>10</sub>	1
84	Meerut	Very Poor	330	PM <sub>2.5</sub>	2

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Very Poor	367	PM <sub>2.5</sub>	1
86	Mumbai	Moderate	132	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	19
87	Muzaffarpur	Poor	298	PM <sub>2.5</sub>	2
88	Mysuru	Satisfactory	83	03	1
89	Nagpur	Satisfactory	78	PM <sub>2.5</sub>	1
90	Narnaul	Poor	215	PM <sub>10</sub>	1
91	Nashik	Satisfactory	100	PM <sub>2.5</sub>	1
92	Navi Mumbai	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	3
93	Noida	Severe	416	PM <sub>2.5</sub>	2
94	Pali	Moderate	188	PM <sub>10</sub>	1
95	Palwal	Moderate	128	PM <sub>10</sub>	1
96	Panchkula	Moderate	187	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	179	PM <sub>10</sub>	1
98	Patiala	Moderate	110	PM <sub>10</sub>	1
99	Patna	Poor	296	PM <sub>2.5</sub> , PM <sub>10</sub>	6
100	Pithampur	Moderate	164	PM <sub>2.5</sub>	1
101	Puducherry	Good	43	03	1
102	Pune	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	7
103	Raichur	Moderate	117	PM <sub>10</sub>	1
104	Ratlam	Moderate	170	PM <sub>10</sub>	1
105	Rohtak	Poor	300	PM <sub>2.5</sub>	1
106	Sagar	Satisfactory	64	PM <sub>2.5</sub>	1
107	Satna	Moderate	103	PM <sub>10</sub>	1
108	Shivamogga	Satisfactory	76	NO <sub>2</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Very Poor	320	PM <sub>2.5</sub>	1
110	Singrauli	Poor	226	PM <sub>2.5</sub>	1
111	Sirsa	Moderate	109	PM <sub>2.5</sub>	1
112	Solapur	Moderate	136	PM <sub>10</sub>	1
113	Sonipat	Moderate	141	PM <sub>10</sub>	1
114	Srinagar	Poor	236	PM <sub>2.5</sub>	1
115	Talcher	Moderate	160	PM <sub>10</sub>	1
116	Thane	Poor	215	PM <sub>10</sub>	1
117	Thiruvananthapuram	Satisfactory	81	PM <sub>2.5</sub>	1
118	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
119	Thrissur	Moderate	121	PM <sub>2.5</sub>	1
120	Tirupati	Satisfactory	78	NO <sub>2</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	171	PM <sub>2.5</sub>	1
122	Udupi	Moderate	155	O <sub>3</sub>	1
123	Ujjain	Moderate	172	PM <sub>10</sub>	1
124	Vapi	Moderate	141	PM <sub>10</sub>	1
125	Varanasi	Poor	264	PM <sub>2.5</sub>	1
126	Vatva	Very Poor	380	PM <sub>10</sub>	1
127	Vijayapura	Good	44	со	1
128	Visakhapatnam	Moderate	113	PM <sub>10</sub>	1
129	Yadgir	Satisfactory	92	PM <sub>10</sub>	1
130	Yamunanagar	Poor	276	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Gadag, Jorapokhar, Mandideep, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillo as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.