

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	317	PM _{2.5}	1
2	Ahmedabad	Poor	233	NO ₂	1
3	Ajmer	Moderate	111	PM ₁₀	1
4	Alwar	Moderate	163	PM _{2.5}	1
5	Amaravati	Satisfactory	87	PM ₁₀	1
6	Ambala	Poor	258	PM _{2.5}	1
7	Amritsar	Very Poor	332	PM _{2.5}	1
8	Ankleshwar	Moderate	135	PM _{2.5}	1
9	Asanol	Poor	227	PM _{2.5}	1
10	Aurangabad	Satisfactory	71	PM _{2.5}	1
11	Baghpat	Severe	412	PM _{2.5}	1
12	Bahadurgarh	Very Poor	368	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	332	PM ₁₀	1
14	Bathinda	Very Poor	367	PM _{2.5}	1
15	Bengaluru	Satisfactory	64	OZONE, PM ₁₀ , CO	9
16	Bhiwadi	Severe	450	PM ₁₀	1
17	Bhiwani	Very Poor	400	PM _{2.5}	1
18	Brajrajnagar	Moderate	130	PM ₁₀	1
19	Bulandshahr	Very Poor	388	PM ₁₀	1
20	Chandigarh	Poor	214	PM _{2.5}	1
21	Chandrapur	Moderate	118	PM ₁₀	1
22	Chennai	Good	42	PM _{2.5}	1
23	Chikkaballapur	Satisfactory	63	PM ₁₀	1
24	Coimbatore	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	116	PM _{2.5}	1
26	Delhi	Severe	463	PM _{2.5}	34
27	Dewas	Moderate	162	OZONE	1
28	Dharuhera	Severe	430	PM ₁₀	1
29	Eloor	Good	42	со	1
30	Faridabad	Severe	437	PM _{2.5}	1
31	Fatehabad	Severe	418	PM ₁₀	1
32	GandhiNagar	Satisfactory	98	PM ₁₀	1
33	Gaya	Poor	281	PM _{2.5}	1
34	Ghaziabad	Severe	486	PM _{2.5}	4
35	Greater_Noida	Severe	467	PM _{2.5}	1
36	Gurugram	Severe	412	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Satisfactory	91	PM _{2.5}	1
38	Haldia	Satisfactory	92	PM ₁₀	1
39	Hapur	Very Poor	384	PM ₁₀	1
40	Hisar	Severe	433	PM _{2.5}	1
41	Howrah	Poor	229	PM _{2.5}	3
42	Hubballi	Moderate	117	PM ₁₀	1
43	Hyderabad	Moderate	129	PM _{2.5} , PM ₁₀	6
44	Indore	Moderate	151	PM ₁₀	1
45	Jabalpur	Moderate	126	PM ₁₀	1
46	Jaipur	Poor	253	PM _{2.5} , PM ₁₀	3
47	Jalandhar	Poor	227	PM _{2.5}	1
48	Jind	Severe	410	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	146	PM _{2.5}	1
50	Jorapokhar	Poor	240	PM _{2.5}	1
51	Kaithal	Poor	261	PM _{2.5}	1
52	Kalaburagi	Moderate	110	PM _{2.5}	1
53	Kalyan	Moderate	133	PM ₁₀	1
54	Kanpur	Very Poor	386	PM _{2.5}	1
55	Karnal	Very Poor	310	PM _{2.5}	1
56	Katni	Poor	205	PM _{2.5}	1
57	Khanna	Poor	205	PM _{2.5}	1
58	Kolkata	Moderate	187	PM _{2.5} , PM ₁₀	5
59	Kota	Moderate	119	PM _{2.5}	1
60	Kurukshetra	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease			

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Very Poor	329	PM _{2.5}	4
62	Ludhiana	Poor	250	PM _{2.5}	1
63	Maihar	Satisfactory	67	PM ₁₀	1
64	Mandi Gobindgarh	Poor	228	PM _{2.5}	1
65	Mandideep	Poor	217	PM ₁₀	1
66	Mandikhera	Very Poor	393	PM _{2.5}	1
67	Meerut	Very Poor	321	PM _{2.5}	3
68	Moradabad	Very Poor	338	PM _{2.5}	1
69	Mumbai	Moderate	115	PM ₁₀ , PM _{2.5} , CO	9
70	Muzaffarpur	Very Poor	341	PM _{2.5}	1
71	Mysuru	Satisfactory	70	PM ₁₀	1
72	Nagpur	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Very Poor	370	PM _{2.5}	1
74	Nashik	Satisfactory	89	PM _{2.5}	1
75	Navi Mumbai	Moderate	148	PM ₁₀	2
76	Noida	Severe	486	PM _{2.5}	4
77	Pali	Moderate	107	PM _{2.5}	1
78	Palwal	Severe	465	PM _{2.5}	1
79	Panchkula	Moderate	117	PM _{2.5}	1
80	Panipat	Very Poor	377	PM ₁₀	1
81	Patiala	Poor	276	PM _{2.5}	1
82	Patna	Very Poor	389	PM _{2.5}	1
83	Pithampur	Moderate	145	PM _{2.5}	1
84	Pune	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	94	OZONE	1
86	Ramanagara	Satisfactory	56	PM ₁₀	1
87	Ratlam	Moderate	140	PM ₁₀	1
88	Rohtak	Very Poor	385	PM _{2.5}	1
89	Rupnagar	Poor	257	PM _{2.5}	1
90	Satna	Moderate	125	PM ₁₀	1
91	Siliguri	Moderate	138	PM ₁₀	1
92	Singrauli	Poor	290	PM _{2.5}	1
93	Sirsa	Very Poor	391	PM ₁₀	1
94	Solapur	Moderate	121	PM ₁₀	1
95	Sonipat	Moderate	163	PM _{2.5}	1
96	Talcher	Moderate	192	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	82	OZONE	1
98	Thiruvananthapuram	Satisfactory	98	со	1
99	Tirupati	Satisfactory	53	со	1
100	Udaipur	Moderate	121	PM _{2.5}	1
101	Ujjain	Moderate	182	OZONE	1
102	Vapi	Moderate	158	PM _{2.5}	1
103	Varanasi	Very Poor	301	PM _{2.5}	1
104	Vatva	Moderate	160	PM ₁₀	1
105	Visakhapatnam	Satisfactory	97	PM ₁₀	1
106	Yadgir	Satisfactory	82	OZONE	1
107	Yamunanagar	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhopal, Manesar, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.