

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	73	СО	1
2	Ahmedabad	Satisfactory	80	PM ₁₀	1
3	Aizawl	Satisfactory	68	PM _{2.5}	1
4	Ajmer	Satisfactory	79	O ₃	1
5	Alwar	Satisfactory	53	O ₃	1
6	Amaravati	Satisfactory	68	PM ₁₀	1
7	Ambala	Good	48	PM ₁₀	1
8	Amritsar	Satisfactory	62	PM ₁₀	1
9	Ankleshwar	Satisfactory	98	PM ₁₀	1
10	Aurangabad	Good	50	O ₃	1
11	Bagalkot	Satisfactory	86	СО	1
12	Bahadurgarh	Good	50	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	52	CO, PM ₁₀ , PM _{2.5}	8
14	Bhiwani	Satisfactory	56	O ₃	1
15	Bulandshahr	Poor	245	O ₃	1
16	Chandigarh	Good	29	PM ₁₀	1
17	Chandrapur	Satisfactory	75	O ₃ , PM _{2.5}	2
18	Chennai	Satisfactory	61	PM _{2.5} , O ₃	4
19	Chikkaballapur	Satisfactory	69	PM ₁₀	1
20	Chikkamagaluru	Satisfactory	73	O ₃	1
21	Delhi	Satisfactory	73	PM _{2.5} , PM ₁₀ , CO	31
22	Dewas	Satisfactory	82	O ₃	1
23	Dharuhera	Good	48	O ₃	1
24	Eloor	Satisfactory	70	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ernakulam	Satisfactory	65	со	1
26	Faridabad	Satisfactory	90	PM ₁₀ , O ₃	3
27	Fatehabad	Good	50	O ₃	1
28	Gandhinagar	Satisfactory	64	PM ₁₀	1
29	Gaya	Moderate	136	O ₃ , PM _{2.5}	2
30	Ghaziabad	Satisfactory	79	PM ₁₀ , PM _{2.5}	4
31	Greater Noida	Satisfactory	94	CO, PM ₁₀	2
32	Gurugram	Satisfactory	69	O ₃ , PM ₁₀	4
33	Guwahati	Poor	263	PM _{2.5}	1
34	Gwalior	Satisfactory	98	PM ₁₀ , O ₃	2
35	Hajipur	Moderate	176	PM ₁₀	1
36	Hapur	Satisfactory	83	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	51	PM ₁₀	1
38	Howrah	Satisfactory	86	PM ₁₀	2
39	Hyderabad	Satisfactory	84	PM _{2.5} , PM ₁₀	4
40	Indore	Satisfactory	73	PM ₁₀	1
41	Jabalpur	Satisfactory	74	03	1
42	Jaipur	Satisfactory	70	PM ₁₀ , O ₃	3
43	Jalandhar	Good	24	PM _{2.5}	1
44	Jind	Satisfactory	56	PM _{2.5}	1
45	Jodhpur	Moderate	158	PM ₁₀	1
46	Jorapokhar	Moderate	142	PM _{2.5}	1
47	Kaithal	Good	48	PM ₁₀	1
48	Kanpur	Satisfactory	100	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Karnal	Satisfactory	77	PM ₁₀	1
50	Katni	Satisfactory	88	O ₃	1
51	Khanna	Good	30	PM ₁₀	1
52	Kochi	Satisfactory	53	PM _{2.5}	1
53	Kolkata	Moderate	137	O ₃ , PM _{2.5}	6
54	Kota	Satisfactory	90	PM ₁₀	1
55	Kozhikode	Satisfactory	52	PM _{2.5}	1
56	Kurukshetra	Satisfactory	51	PM ₁₀	1
57	Lucknow	Moderate	136	PM _{2.5}	3
58	Ludhiana	Good	25	NO ₂	1
59	Maihar	Satisfactory	52	NO ₂	1
60	Mandi Gobindgarh	Good	32	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	ate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Good	35	PM ₁₀	1
62	Mandikhera	Satisfactory	73	03	1
63	Manesar	Satisfactory	53	SO ₂	1
64	Meerut	Satisfactory	84	PM ₁₀	2
65	Mumbai	Satisfactory	57	PM ₁₀ , O ₃	8
66	Muzaffarpur	Moderate	186	PM _{2.5}	1
67	Nagpur	Satisfactory	71	O ₃	1
68	Nandesari	Moderate	156	со	1
69	Nashik	Satisfactory	67	O ₃	1
70	Navi Mumbai	Satisfactory	90	CO, PM ₁₀	3
71	Noida	Satisfactory	73	CO, PM ₁₀	3
72	Pali	Moderate	147	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * Motors calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Satisfactory	82	PM ₁₀	1
74	Panchkula	Good	29	PM _{2.5}	1
75	Patiala	Good	24	PM ₁₀	1
76	Patna	Moderate	147	PM _{2.5} , PM ₁₀	5
77	Pithampur	Satisfactory	80	PM ₁₀	1
78	Pune	Good	49	со	1
79	Rajamahendravaram	Satisfactory	73	O ₃	1
80	Ramanagara	Good	41	PM ₁₀	1
81	Ratlam	Satisfactory	67	PM ₁₀	1
82	Rohtak	Good	46	PM _{2.5}	1
83	Rupnagar	Good	28	PM _{2.5}	1
84	Sagar	Good	45	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Asanol, Ballabgarh, Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi, Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru, Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Satisfactory	51	PM ₁₀	1
86	Shillong	Moderate	117	PM _{2.5}	1
87	Singrauli	Moderate	165	PM ₁₀	1
88	Sirsa	Good	36	PM ₁₀	1
89	Solapur	Satisfactory	61	PM ₁₀	1
90	Sonipat	Satisfactory	78	PM ₁₀	1
91	Thane	Good	41	со	1
92	Thiruvananthapuram	Good	48	PM ₁₀	1
93	Tirupati	Satisfactory	61	03	1
94	Udaipur	Satisfactory	61	03	1
95	Ujjain	Satisfactory	80	03	1
96	Vapi	Satisfactory	85	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athicas calculated for today's bulletin for Asanol, Ballabgarh,
 Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi,
 Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru,
 Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Moderate	168	PM _{2.5}	1
98	Vatva	Good	43	PM ₁₀	1
99	Visakhapatnam	Satisfactory	65	PM ₁₀	1
100	Yadgir	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* Achites t calculated for today's bulletin for Asanol, Ballabgarh,
Bathinda, Bhiwadi, Bhopal, Brajrajnagar, Coimbatore, Damoh, Hubballi,
Kalaburgi, Kalyan, Kannur, Kollam, Moradabad, Muzaffarnagar, Mysuru,
Narnaul, Panipat, Siliguri, Talcher, Vijayapura, Yamunanagar as data
was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.