

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	250	PM _{2.5}	2
2	Agra	Satisfactory	65	PM ₁₀	6
3	Ahmedabad	Moderate	113	NO ₂	1
4	Aizawl	Satisfactory	53	PM ₁₀	1
5	Ajmer	Moderate	103	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Good	28	O ₃	1
8	Ambala	Satisfactory	54	PM ₁₀	1
9	Amritsar	Moderate	150	PM _{2.5}	1
10	Anantapur	Good	31	O ₃	1
11	Ankleshwar	Poor	202	PM _{2.5}	1
12	Araria	Very Poor	335	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	341	PM _{2.5}	1
14	Asansol	Very Poor	394	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	194	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	68	PM ₁₀	1
17	Baddi	Moderate	136	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Bahadurgarh	Satisfactory	98	PM ₁₀	1
20	Ballabgarh	Moderate	179	PM _{2.5}	1
21	Bareilly	Moderate	103	PM ₁₀	2
22	Baripada	Moderate	199	PM _{2.5}	1
23	Bathinda	Satisfactory	64	со	1
24	Begusarai	Severe	457	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	СО	1
26	Bengaluru	Satisfactory	59	PM _{2.5} , PM ₁₀	6
27	Bettiah	Severe	406	PM _{2.5}	1
28	Bhagalpur	Very Poor	399	PM _{2.5}	2
29	Bhiwadi	Moderate	194	PM ₁₀	1
30	Bhiwani	Satisfactory	98	PM _{2.5}	1
31	Bhopal	Moderate	124	PM _{2.5}	2
32	Bihar Sharif	Very Poor	346	PM _{2.5}	1
33	Bilaspur	Satisfactory	87	PM ₁₀	1
34	Bileipada	Moderate	148	PM ₁₀	1
35	Brajrajnagar	Satisfactory	75	PM ₁₀	1
36	Bulandshahr	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	37	PM ₁₀	1
38	Chandigarh	Satisfactory	92	PM ₁₀	3
39	Chandrapur	Satisfactory	66	PM _{2.5}	1
40	Charkhi Dadri	Moderate	126	PM _{2.5}	1
41	Chengalpattu	Good	34	PM ₁₀	1
42	Chennai	Good	46	PM _{2.5} , CO	7
43	Chhapra	Severe	420	PM ₁₀	1
44	Chikkaballapur	Good	33	PM ₁₀	1
45	Chikkamagaluru	Good	32	PM ₁₀	1
46	Damoh	Good	32	PM _{2.5}	1
47	Darbhanga	Severe	473	PM _{2.5}	1
48	Davanagere	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	71	PM ₁₀	1
50	Delhi	Moderate	177	PM _{2.5} , PM ₁₀	36
51	Dewas	Moderate	115	PM ₁₀	1
52	Dharuhera	Poor	223	PM _{2.5}	1
53	Durgapur	Very Poor	308	PM _{2.5}	1
54	Faridabad	Moderate	191	PM _{2.5} , PM ₁₀	4
55	Fatehabad	Moderate	114	PM ₁₀	1
56	Firozabad	Good	46	PM ₁₀	2
57	Gadag	Good	24	O ₃	1
58	Gandhinagar	Satisfactory	81	PM ₁₀	1
59	Gangtok	Satisfactory	63	PM _{2.5}	1
60	Gaya	Poor	240	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	159	PM ₁₀	4
62	Gorakhpur	Moderate	111	PM _{2.5}	1
63	Greater Noida	Moderate	192	PM ₁₀	2
64	Gurugram	Moderate	191	PM _{2.5}	3
65	Guwahati	Poor	213	PM _{2.5}	2
66	Gwalior	Moderate	194	PM _{2.5}	3
67	Hajipur	Very Poor	331	PM ₁₀	1
68	Haldia	Poor	205	PM ₁₀	1
69	Hapur	Good	50	PM _{2.5}	1
70	Hassan	Good	22	PM _{2.5}	1
71	Haveri	Good	38	PM ₁₀	1
72	Hisar	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	111	со	1
74	Howrah	Very Poor	318	PM _{2.5}	3
75	Hubballi	Satisfactory	66	со	2
76	Hyderabad	Satisfactory	58	PM _{2.5} , CO	13
77	Imphal	Satisfactory	73	SO ₂	1
78	Indore	Moderate	108	PM ₁₀	1
79	Jabalpur	Moderate	128	PM _{2.5}	1
80	Jaipur	Satisfactory	93	NO ₂ , PM ₁₀	3
81	Jalandhar	Satisfactory	92	PM ₁₀	1
82	Jhansi	Satisfactory	94	PM ₁₀	1
83	Jind	Satisfactory	87	PM _{2.5}	1
84	Jodhpur	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Satisfactory	87	PM ₁₀	1
86	Kalaburgi	Good	33	PM _{2.5}	1
87	Kanchipuram	Satisfactory	57	SO ₂	1
88	Kannur	Satisfactory	74	PM _{2.5}	1
89	Kanpur	Satisfactory	96	PM ₁₀	3
90	Karnal	Satisfactory	92	PM ₁₀	1
91	Katihar	Severe	437	PM _{2.5}	1
92	Katni	Moderate	192	PM _{2.5}	1
93	Keonjhar	Moderate	175	03	1
94	Khanna	Satisfactory	80	PM ₁₀	1
95	Khurja	Moderate	101	PM _{2.5}	1
96	Kishanganj	Very Poor	320	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	126	NO ₂	1
98	Kohima	Satisfactory	82	PM _{2.5}	1
99	Kolkata	Very Poor	314	PM _{2.5}	7
100	Kollam	Satisfactory	83	PM ₁₀	1
101	Koppal	Moderate	125	03	1
102	Kota	Moderate	151	PM ₁₀	1
103	Kozhikode	Good	38	СО	1
104	Kurukshetra	Satisfactory	72	PM _{2.5}	1
105	Lucknow	Moderate	129	PM _{2.5}	6
106	Ludhiana	Satisfactory	88	PM ₁₀	1
107	Madikeri	Good	26	O ₃	1
108	Maihar	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	113	PM ₁₀	1
110	Mandideep	Satisfactory	95	SO ₂	1
111	Mandikhera	Satisfactory	71	PM ₁₀	1
112	Manesar	Moderate	150	PM ₁₀	1
113	Mangalore	Satisfactory	59	PM ₁₀	1
114	Manguraha	Moderate	164	PM _{2.5}	1
115	Meerut	Moderate	150	PM _{2.5}	3
116	Moradabad	Satisfactory	72	PM ₁₀	6
117	Motihari	Very Poor	390	PM ₁₀	1
118	Mumbai	Moderate	169	PM _{2.5} , PM ₁₀	16
119	Munger	Very Poor	350	PM _{2.5}	1
120	Muzaffarnagar	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Severe	424	PM _{2.5}	3
122	Mysuru	Good	32	03	1
123	Nagpur	Poor	214	PM _{2.5}	1
124	Nalbari	Poor	264	PM _{2.5}	1
125	Nandesari	Moderate	122	PM _{2.5}	1
126	Narnaul	Moderate	110	PM ₁₀	1
127	Navi Mumbai	Moderate	146	PM ₁₀	2
128	Nayagarh	Moderate	106	PM ₁₀	1
129	Noida	Moderate	136	PM _{2.5}	4
130	Ooty	Good	49	SO ₂	1
131	Pali	Moderate	101	PM ₁₀	1
132	Palwal	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Moderate	141	PM _{2.5}	1
134	Panipat	Moderate	105	PM ₁₀	1
135	Patiala	Satisfactory	66	PM ₁₀	1
136	Patna	Very Poor	399	PM ₁₀ , PM _{2.5}	6
137	Pithampur	Moderate	174	PM _{2.5}	1
138	Prayagraj	Satisfactory	89	O ₃	3
139	Puducherry	Good	26	PM ₁₀	1
140	Purnia	Severe	431	PM _{2.5}	1
141	Raichur	Good	43	PM _{2.5}	1
142	Rairangpur	Moderate	161	PM _{2.5}	1
143	Rajamahendravaram	Satisfactory	55	PM ₁₀	1
144	Rajgir	Poor	295	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Good	40	PM ₁₀	1
146	Ramanathapuram	Good	33	PM _{2.5}	1
147	Ratlam	Satisfactory	88	PM ₁₀	1
148	Rohtak	Satisfactory	79	PM _{2.5}	1
149	Rupnagar	Satisfactory	80	PM ₁₀	1
150	Sagar	Satisfactory	64	O ₃ , CO	2
151	Saharsa	Severe	454	PM _{2.5}	1
152	Salem	Good	38	SO ₂	1
153	Samastipur	Severe	437	PM _{2.5}	1
154	Sasaram	Moderate	139	PM _{2.5}	1
155	Satna	Satisfactory	61	PM ₁₀	1
156	Shillong	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	49	PM ₁₀	1
158	Siliguri	Moderate	170	PM _{2.5}	1
159	Singrauli	Poor	238	PM _{2.5}	1
160	Sirsa	Moderate	110	03	1
161	Sivasagar	Satisfactory	53	PM _{2.5}	1
162	Siwan	Severe	460	PM _{2.5}	1
163	Solapur	Satisfactory	82	PM ₁₀	1
164	Sonipat	Moderate	118	PM ₁₀	1
165	Srinagar	Satisfactory	68	PM _{2.5}	1
166	Suakati	Moderate	145	PM _{2.5}	1
167	Surat	Poor	264	PM _{2.5}	1
168	Talcher	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tensa	Satisfactory	79	PM ₁₀	1
170	Thane	Moderate	118	PM ₁₀	1
171	Thiruvananthapuram	Satisfactory	51	PM _{2.5} , PM ₁₀	2
172	Thoothukudi	Satisfactory	60	PM ₁₀	1
173	Tirupati	Satisfactory	66	NO ₂	2
174	Tirupur	Satisfactory	93	PM ₁₀	1
175	Udaipur	Moderate	163	PM _{2.5}	1
176	Udupi	Moderate	102	со	1
177	Ujjain	Moderate	122	PM _{2.5}	1
178	Vapi	Poor	265	PM _{2.5}	1
179	Varanasi	Satisfactory	65	PM ₁₀ , NO ₂	4
180	Vatva	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Satisfactory	59	PM ₁₀	1
182	Visakhapatnam	Moderate	101	PM _{2.5}	1
183	Vrindavan	Satisfactory	77	PM ₁₀	1
184	Yadgir	Good	29	со	1
185	Yamunanagar	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Kalyan, Kolar, Korba, Naharlagun, Nashik, Pune, Raipur, Rourkela, Thrissur, Tumakuru, vellore as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.