

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀	1
2	Agra	Moderate	140	PM ₁₀ , PM _{2.5} , O ₃	6
3	Ahmedabad	Satisfactory	91	PM ₁₀ , PM _{2.5} , CO	4
4	Aizawl	Good	39	O ₃	1
5	Ajmer	Moderate	190	PM _{2.5}	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Good	38	O ₃	1
8	Ambala	Moderate	179	PM _{2.5}	1
9	Amritsar	Poor	217	O ₃	1
10	Araria	Good	49	PM _{2.5}	1
11	Arrah	Satisfactory	97	PM ₁₀	1
12	Asansol	Satisfactory	69	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	115	PM _{2.5}	1
14	Bagalkot	Good	46	PM ₁₀	1
15	Baghpat	Moderate	110	PM ₁₀	1
16	Bahadurgarh	Poor	229	PM _{2.5}	1
17	Ballabgarh	Poor	243	PM ₁₀	1
18	Bareilly	Moderate	160	PM ₁₀	1
19	Bathinda	Moderate	101	PM ₁₀	1
20	Bengaluru	Satisfactory	62	PM ₁₀	7
21	Bettiah	Poor	209	PM ₁₀	1
22	Bhagalpur	Satisfactory	80	NO ₂ , PM ₁₀	2
23	Bhiwadi	Poor	294	PM _{2.5}	1
24	Bhiwani	Moderate	183	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	142	PM ₁₀	1
26	Bihar Sharif	Very Poor	318	PM ₁₀	1
27	Bilaspur	Satisfactory	58	PM ₁₀	1
28	Brajrajnagar	Good	39	NO ₂	1
29	Bulandshahr	Poor	216	PM ₁₀	1
30	Buxar	Moderate	157	PM _{2.5}	1
31	Chamarajanagar	Good	39	PM ₁₀	1
32	Chandigarh	Poor	205	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	75	PM _{2.5} , CO	2
34	Charkhi Dadri	Poor	204	PM ₁₀	1
35	Chennai	Satisfactory	62	CO, PM ₁₀	6
36	Chhapra	Moderate	121	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	30	PM ₁₀	1
38	Coimbatore	Good	35	PM _{2.5}	1
39	Damoh	Moderate	114	PM ₁₀	1
40	Darbhanga	Moderate	102	PM ₁₀	1
41	Dehradun	Moderate	110	PM ₁₀	1
42	Delhi	Poor	230	PM ₁₀ , PM _{2.5}	32
43	Dewas	Satisfactory	58	03	1
44	Eloor	Satisfactory	57	PM ₁₀	1
45	Ernakulam	Satisfactory	55	со	1
46	Faridabad	Poor	249	PM ₁₀	3
47	Fatehabad	Moderate	150	PM ₁₀	1
48	Firozabad	Poor	240	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	98	PM ₁₀	2
50	Gangtok	Good	22	O ₃	1
51	Gaya	Satisfactory	89	PM ₁₀ , PM _{2.5}	3
52	Ghaziabad	Poor	267	PM ₁₀ , O ₃	4
53	Gorakhpur	Good	45	SO ₂	1
54	Greater Noida	Poor	271	PM ₁₀	2
55	Gurugram	Poor	230	PM ₁₀	2
56	Guwahati	Good	30	PM _{2.5} , PM ₁₀	2
57	Gwalior	Moderate	118	PM ₁₀ , PM _{2.5}	2
58	Hajipur	Satisfactory	82	PM ₁₀	1
59	Haldia	Good	37	PM ₁₀	1
60	Hapur	Poor	212	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	197	PM ₁₀	1
62	Howrah	Good	42	PM _{2.5} , PM ₁₀	3
63	Hubballi	Satisfactory	52	со	1
64	Hyderabad	Satisfactory	52	CO, PM _{2.5} , PM ₁₀	12
65	Imphal	Satisfactory	94	SO ₂	1
66	Indore	Satisfactory	91	PM ₁₀	1
67	Jabalpur	Moderate	108	PM ₁₀	1
68	Jaipur	Moderate	186	PM _{2.5} , PM ₁₀	3
69	Jalandhar	Moderate	104	PM ₁₀	1
70	Jhansi	Moderate	159	PM ₁₀	1
71	Jind	Moderate	126	PM ₁₀	1
72	Jodhpur	Poor	206	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	123	PM ₁₀	1
74	Kalyan	Good	37	со	1
75	Kannur	Satisfactory	53	PM _{2.5}	1
76	Kanpur	Moderate	101	PM ₁₀	3
77	Karnal	Moderate	101	PM ₁₀	1
78	Katihar	Satisfactory	82	PM ₁₀	1
79	Katni	Moderate	172	PM ₁₀	1
80	Khanna	Moderate	102	PM ₁₀	1
81	Khurja	Moderate	122	PM ₁₀	1
82	Kishanganj	Good	49	O ₃	1
83	Kochi	Good	34	PM ₁₀	1
84	Kohima	Satisfactory	56	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Good	45	PM ₁₀	7
86	Kollam	Satisfactory	58	PM ₁₀	1
87	Kota	Poor	233	PM _{2.5}	1
88	Kozhikode	Satisfactory	60	PM ₁₀	1
89	Kurukshetra	Moderate	176	03	1
90	Lucknow	Moderate	109	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	146	PM ₁₀	1
92	Mandi Gobindgarh	Moderate	179	NO ₂	1
93	Mandideep	Satisfactory	80	PM ₁₀	1
94	Mandikhera	Satisfactory	66	со	1
95	Manesar	Poor	208	PM _{2.5}	1
96	Manglore	Satisfactory	56	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Good	42	NO ₂	1
98	Meerut	Moderate	176	PM ₁₀ , PM _{2.5} , CO	3
99	Moradabad	Moderate	141	PM ₁₀ , O ₃ , CO	5
100	Motihari	Satisfactory	72	03	1
101	Mumbai	Good	49	CO, SO ₂	13
102	Munger	Moderate	130	PM ₁₀	1
103	Muzaffarnagar	Moderate	193	PM _{2.5}	1
104	Muzaffarpur	Satisfactory	75	PM ₁₀ , O ₃ , PM _{2.5}	3
105	Mysuru	Good	38	O ₃	1
106	Nagpur	Satisfactory	64	O ₃	1
107	Narnaul	Satisfactory	68	PM _{2.5}	1
108	Nashik	Good	35	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: (N

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Good	34	PM ₁₀	1
110	Noida	Poor	273	PM ₁₀	4
111	Pali	Poor	225	PM _{2.5}	1
112	Palwal	Moderate	157	PM ₁₀	1
113	Panchkula	Moderate	107	PM _{2.5}	1
114	Panipat	Moderate	167	PM ₁₀	1
115	Patiala	Moderate	104	PM ₁₀	1
116	Patna	Moderate	109	PM ₁₀ , PM _{2.5}	6
117	Pithampur	Moderate	129	PM ₁₀	1
118	Prayagraj	Satisfactory	66	O ₃ , PM ₁₀	2
119	Pune	Satisfactory	70	SO ₂ , CO, PM _{2.5}	5
120	Purnia	Satisfactory	75	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	41	PM ₁₀	1
122	Rajgir	Satisfactory	72	со	1
123	Ramanagara	Good	32	PM ₁₀	1
124	Ratlam	Satisfactory	91	PM ₁₀	1
125	Rohtak	Poor	218	PM _{2.5}	1
126	Rupnagar	Moderate	120	PM ₁₀	1
127	Sagar	Good	50	со	1
128	Saharsa	Moderate	111	PM ₁₀	1
129	Sasaram	Satisfactory	73	03	1
130	Satna	Satisfactory	87	PM ₁₀	1
131	Shillong	Good	23	PM ₁₀	1
132	Shivamogga	Good	49	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	36	PM ₁₀	1
134	Sirsa	Moderate	121	PM ₁₀	1
135	Siwan	Satisfactory	86	PM ₁₀	1
136	Solapur	Satisfactory	57	со	1
137	Sonipat	Poor	202	PM ₁₀	1
138	Srinagar	Moderate	101	PM ₁₀	1
139	Thiruvananthapuram	Good	31	СО	1
140	Thoothukudi	Good	33	O ₃	1
141	Thrissur	Good	37	PM ₁₀	1
142	Tirupati	Good	40	со	1
143	Udaipur	Moderate	129	PM _{2.5}	1
144	Ujjain	Moderate	137	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	61	O ₃ , NO ₂	4
146	Vatva	Satisfactory	70	PM ₁₀	1
147	Vijayapura	Good	49	PM ₁₀	1
148	Visakhapatnam	Satisfactory	87	PM ₁₀	1
149	Vrindavan	Moderate	143	PM ₁₀	1
150	Yadgir	Good	29	со	1
151	Yamunanagar	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jorapokhar, Kalaburgi, Kolar, Koppal, Madikeri, Maihar, Naharlagun, Nandesari, Puducherry, Raichur, Samastipur, Singrauli, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.