

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	76	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	106	PM ₁₀	4
3	Ahmedabad	Poor	202	PM _{2.5}	8
4	Aizawl	Satisfactory	91	03	1
5	Ajmer	Moderate	111	PM ₁₀	1
6	Alwar	Moderate	119	PM ₁₀	1
7	Amaravati	Good	37	O ₃	1
8	Ambala	Moderate	130	PM ₁₀	1
9	Amritsar	Satisfactory	97	PM ₁₀	1
10	Ankleshwar	Moderate	144	PM _{2.5}	1
11	Arrah	Moderate	148	PM ₁₀	1
12	Asansol	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Very Poor	317	PM ₁₀	1
14	Aurangabad	Moderate	111	PM ₁₀	1
15	Baddi	Moderate	111	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Poor	261	PM _{2.5}	1
18	Bahadurgarh	Poor	254	PM ₁₀	1
19	Ballabgarh	Moderate	121	PM ₁₀	1
20	Bathinda	Satisfactory	87	PM ₁₀	1
21	Bengaluru	Moderate	104	PM ₁₀ , CO, PM _{2.5}	9
22	Bettiah	Moderate	138	PM ₁₀	1
23	Bhagalpur	Moderate	140	PM _{2.5} , PM ₁₀	2
24	Bhiwadi	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	183	PM _{2.5}	1
26	Bhopal	Moderate	165	O ₃	1
27	Bidar	Satisfactory	96	PM ₁₀	1
28	Bihar Sharif	Poor	296	PM _{2.5}	1
29	Bilaspur	Satisfactory	70	PM ₁₀	1
30	Bulandshahr	Poor	226	03	1
31	Chandigarh	Moderate	165	O ₃ , PM ₁₀	3
32	Chandrapur	Moderate	112	PM _{2.5}	1
33	Charkhi Dadri	Poor	242	PM _{2.5}	1
34	Chennai	Good	44	CO, O ₃ , PM ₁₀	7
35	Chhapra	Moderate	185	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	52	PM _{2.5}	1
38	Damoh	Good	46	PM ₁₀	1
39	Darbhanga	Moderate	144	PM ₁₀	1
40	Delhi	Poor	245	PM _{2.5} , PM ₁₀	36
41	Dewas	Moderate	129	PM _{2.5}	1
42	Dharuhera	Poor	221	PM ₁₀	1
43	Durgapur	Moderate	133	PM _{2.5}	1
44	Eloor	Satisfactory	70	PM ₁₀	1
45	Ernakulam	Good	47	PM _{2.5}	1
46	Faridabad	Poor	230	PM ₁₀ , PM _{2.5}	3
47	Fatehabad	Moderate	136	PM ₁₀	1
48	Firozabad	Moderate	156	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	56	PM _{2.5}	1
50	Gandhinagar	Poor	201	PM _{2.5} , PM ₁₀	3
51	Gaya	Poor	204	PM _{2.5} , PM ₁₀	2
52	Ghaziabad	Poor	253	PM ₁₀	3
53	Gorakhpur	Satisfactory	61	PM _{2.5}	1
54	Greater Noida	Poor	249	PM _{2.5} , PM ₁₀	2
55	Gurugram	Poor	220	PM _{2.5}	3
56	Guwahati	Satisfactory	52	O ₃ , PM _{2.5}	2
57	Gwalior	Moderate	103	PM ₁₀	1
58	Hajipur	Moderate	110	PM _{2.5}	1
59	Haldia	Good	22	PM _{2.5}	1
60	Hapur	Moderate	190	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	78	PM ₁₀	1
62	Hisar	Poor	218	PM _{2.5}	1
63	Howrah	Satisfactory	60	PM ₁₀	3
64	Hubballi	Moderate	114	PM ₁₀	1
65	Hyderabad	Moderate	120	O ₃ , PM ₁₀ , PM _{2.5}	5
66	Indore	Moderate	160	PM ₁₀	1
67	Jabalpur	Poor	207	PM ₁₀	1
68	Jaipur	Poor	231	O ₃ , PM _{2.5}	3
69	Jalandhar	Satisfactory	76	PM ₁₀	1
70	Jhansi	Moderate	159	PM ₁₀	1
71	Jind	Moderate	186	PM _{2.5}	1
72	Jodhpur	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: *

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	202	NO ₂	1
74	Kalaburgi	Moderate	110	PM ₁₀	1
75	Kalyan	Moderate	185	PM ₁₀	1
76	Kannur	Satisfactory	58	PM ₁₀	1
77	Kanpur	Moderate	139	PM ₁₀	3
78	Karnal	Moderate	136	PM _{2.5}	1
79	Katni	Poor	236	PM ₁₀	1
80	Khanna	Satisfactory	96	PM ₁₀	1
81	Kishanganj	Good	46	O ₃	1
82	Kochi	Satisfactory	82	PM _{2.5}	1
83	Kolkata	Satisfactory	57	PM ₁₀ , NO ₂	7
84	Kollam	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	67	PM ₁₀	1
86	Kota	Moderate	141	PM _{2.5}	1
87	Kozhikode	Satisfactory	58	PM ₁₀	1
88	Kurukshetra	Poor	218	03	1
89	Lucknow	Poor	215	PM _{2.5} , PM ₁₀	5
90	Ludhiana	Moderate	152	PM ₁₀	1
91	Madikeri	Satisfactory	61	PM ₁₀	1
92	Mandi Gobindgarh	Good	45	PM _{2.5}	1
93	Mandideep	Moderate	134	PM ₁₀	1
94	Mandikhera	Satisfactory	91	PM ₁₀	1
95	Manesar	Poor	207	PM _{2.5}	1
96	Manglore	Satisfactory	54	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	295	PM ₁₀ , O ₃	3
98	Moradabad	Moderate	157	PM _{2.5} , PM ₁₀	4
99	Motihari	Moderate	120	PM ₁₀	1
100	Mumbai	Moderate	172	PM _{2.5} , PM ₁₀	17
101	Munger	Poor	228	PM _{2.5}	1
102	Muzaffarnagar	Poor	288	PM ₁₀	1
103	Muzaffarpur	Moderate	108	PM ₁₀ , PM _{2.5}	3
104	Mysuru	Satisfactory	57	PM ₁₀	1
105	Nandesari	Satisfactory	89	PM _{2.5}	1
106	Narnaul	Moderate	120	PM _{2.5}	1
107	Nashik	Satisfactory	82	PM ₁₀	1
108	Navi Mumbai	Moderate	186	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai,
 Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere,
 Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha,
 Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur,
 Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	247	PM ₁₀	4
110	Pali	Moderate	131	PM _{2.5}	1
111	Palwal	Moderate	165	PM ₁₀	1
112	Panchkula	Moderate	136	PM _{2.5}	1
113	Patiala	Moderate	177	O ₃	1
114	Patna	Moderate	193	PM _{2.5} , PM ₁₀	6
115	Pithampur	Satisfactory	97	PM ₁₀	1
116	Prayagraj	Moderate	128	PM ₁₀	3
117	Puducherry	Good	43	СО	1
118	Pune	Moderate	137	PM _{2.5} , PM ₁₀	5
119	Purnia	Satisfactory	94	NO ₂	1
120	Raichur	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	30	PM ₁₀	1
122	Rajgir	Moderate	158	PM _{2.5}	1
123	Ramanagara	Satisfactory	98	PM ₁₀	1
124	Ratlam	Moderate	137	PM ₁₀	1
125	Rohtak	Poor	240	PM _{2.5}	1
126	Rupnagar	Moderate	153	PM ₁₀	1
127	Sagar	Satisfactory	54	PM _{2.5}	1
128	Saharsa	Moderate	128	PM ₁₀	1
129	Samastipur	Moderate	173	PM ₁₀	1
130	Sasaram	Poor	234	PM _{2.5}	1
131	Satna	Satisfactory	56	PM ₁₀	1
132	Shivamogga	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	48	PM ₁₀	1
134	Singrauli	Very Poor	320	PM ₁₀	1
135	Sirsa	Moderate	122	PM ₁₀	1
136	Siwan	Moderate	158	PM ₁₀	1
137	Srinagar	Good	39	NH ₃	1
138	Thane	Poor	203	PM ₁₀	1
139	Thiruvananthapuram	Good	48	PM ₁₀ , CO	2
140	Thoothukudi	Satisfactory	100	PM ₁₀	1
141	Tirupati	Satisfactory	71	PM ₁₀	1
142	Udaipur	Moderate	143	PM ₁₀	1
143	Udupi	Poor	222	O ₃	1
144	Ujjain	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	113	PM ₁₀ , PM _{2.5}	4
146	Vatva	Moderate	109	PM ₁₀	1
147	Vijayapura	Satisfactory	51	PM ₁₀	1
148	Visakhapatnam	Satisfactory	90	PM ₁₀	1
149	Yamunanagar	Poor	203	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Brajrajnagar, Buxar, Chamarajanagar, Chikkamagaluru, Davanagere, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Nagpur, Naharlagun, Panipat, Shillong, Solapur, Sonipat, Talcher, Thrissur, Vapi, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.