

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	312	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	59	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	126	PM <sub>2.5</sub> , NO <sub>2</sub>	7
4	Aizawl	Satisfactory	91	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	85	03	1
6	Alwar	Moderate	150	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	98	PM <sub>10</sub>	1
8	Ambala	Moderate	105	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	133	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	67	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	93	PM <sub>2.5</sub>	1
12	Araria	Poor	280	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	183	со	1
14	Arrah	Moderate	136	PM <sub>2.5</sub>	1
15	Asansol	Moderate	123	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Satisfactory	83	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	96	PM <sub>10</sub>	1
18	Baddi	Moderate	168	O <sub>3</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Moderate	176	PM <sub>2.5</sub>	1
21	Bahadurgarh	Moderate	114	PM <sub>2.5</sub>	1
22	Ballabgarh	Moderate	135	PM <sub>10</sub>	1
23	Bareilly	Satisfactory	74	PM <sub>10</sub>	2
24	Baripada	Poor	230	03	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	88	PM <sub>10</sub>	1
26	Begusarai	Poor	273	PM <sub>2.5</sub>	1
27	Belgaum	Moderate	129	PM <sub>10</sub>	1
28	Bengaluru	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub>	11
29	Bettiah	Poor	265	PM <sub>2.5</sub>	1
30	Bhagalpur	Moderate	170	PM <sub>2.5</sub>	2
31	Bhilai	Satisfactory	62	O <sub>3</sub>	2
32	Bhiwadi	Moderate	176	PM <sub>2.5</sub>	1
33	Bhiwani	Moderate	146	PM <sub>2.5</sub>	1
34	Bhopal	Satisfactory	84	со	3
35	Bidar	Satisfactory	59	PM <sub>10</sub>	1
36	Bihar Sharif	Satisfactory	56	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	76	PM <sub>10</sub>	1
38	Bileipada	Poor	203	PM <sub>2.5</sub>	1
39	Brajrajnagar	Satisfactory	84	со	1
40	Bulandshahr	Moderate	185	03	1
41	Byrnihat	Very Poor	319	PM <sub>2.5</sub>	1
42	Chamarajanagar	Good	43	PM <sub>10</sub>	1
43	Chandigarh	Moderate	155	PM <sub>2.5</sub>	3
44	Chandrapur	Satisfactory	96	PM <sub>10</sub>	1
45	Charkhi Dadri	Moderate	173	PM <sub>2.5</sub>	1
46	Chengalpattu	Satisfactory	92	PM <sub>10</sub>	1
47	Chennai	Satisfactory	93	PM <sub>2.5</sub> , CO	8
48	Chhapra	Moderate	171	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	86	PM <sub>2.5</sub>	1
50	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
51	Chittoor	Satisfactory	86	O <sub>3</sub>	1
52	Damoh	Good	26	со	1
53	Davanagere	Satisfactory	91	PM <sub>10</sub>	1
54	Dehradun	Satisfactory	87	PM <sub>10</sub>	1
55	Delhi	Moderate	187	PM <sub>2.5</sub>	37
56	Dhanbad	Moderate	109	PM <sub>2.5</sub>	1
57	Dharuhera	Moderate	156	PM <sub>2.5</sub>	1
58	Dindigul	Very Poor	327	NO <sub>2</sub>	1
59	Durgapur	Moderate	174	PM <sub>2.5</sub>	1
60	Eloor	Satisfactory	84	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	140	PM <sub>2.5</sub>	3
62	Firozabad	Satisfactory	89	PM <sub>10</sub>	2
63	Gadag	Satisfactory	69	O <sub>3</sub>	1
64	Gandhinagar	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Gangtok	Satisfactory	74	PM <sub>2.5</sub>	1
66	Gaya	Moderate	112	O <sub>3</sub> , PM <sub>2.5</sub>	3
67	Ghaziabad	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	4
68	Gorakhpur	Satisfactory	94	PM <sub>2.5</sub>	1
69	Greater Noida	Moderate	154	PM <sub>2.5</sub>	2
70	Gummidipoondi	Moderate	131	PM <sub>2.5</sub>	1
71	Gurugram	Moderate	174	PM <sub>2.5</sub>	4
72	Guwahati	Poor	255	PM <sub>2.5</sub>	4

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Hajipur	Moderate	147	PM <sub>2.5</sub>	1
75	Haldia	Moderate	129	PM <sub>10</sub>	1
76	Hapur	Satisfactory	78	03	1
77	Hassan	Satisfactory	77	PM <sub>10</sub>	1
78	Hisar	Moderate	143	PM <sub>2.5</sub>	1
79	Hosur	Moderate	104	PM <sub>10</sub>	1
80	Howrah	Moderate	196	PM <sub>10</sub> , PM <sub>2.5</sub>	3
81	Hubballi	Satisfactory	100	PM <sub>10</sub> , PM <sub>2.5</sub>	2
82	Hyderabad	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	13
83	Imphal	Moderate	190	PM <sub>2.5</sub>	1
84	Indore	Satisfactory	64	СО	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	77	PM <sub>10</sub>	1
86	Jaipur	Moderate	140	PM <sub>2.5</sub> , NO <sub>2</sub>	3
87	Jalandhar	Moderate	124	PM <sub>10</sub>	1
88	Jhansi	Satisfactory	56	SO <sub>2</sub>	1
89	Jodhpur	Moderate	121	O <sub>3</sub> , PM <sub>10</sub>	2
90	Jorapokhar	Moderate	148	PM <sub>10</sub>	1
91	Kadapa	Satisfactory	81	PM <sub>2.5</sub>	1
92	Kaithal	Satisfactory	97	PM <sub>10</sub>	1
93	Kalaburgi	Satisfactory	79	PM <sub>10</sub>	2
94	Kalyan	Moderate	145	PM <sub>10</sub>	1
95	Kanchipuram	Satisfactory	73	PM <sub>10</sub>	1
96	Kannur	Moderate	117	СО	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOI is not calculated for today's bulletin for Panawara, Parmer

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Satisfactory	71	PM <sub>2.5</sub>	3
98	Karnal	Satisfactory	70	PM <sub>10</sub>	1
99	Kashipur	Satisfactory	84	PM <sub>10</sub>	1
100	Katihar	Moderate	194	PM <sub>2.5</sub>	1
101	Katni	Satisfactory	66	PM <sub>10</sub>	1
102	Keonjhar	Moderate	131	PM <sub>10</sub>	1
103	Khanna	Satisfactory	80	PM <sub>10</sub>	1
104	Khurja	Moderate	119	PM <sub>2.5</sub>	1
105	Kishanganj	Moderate	184	PM <sub>2.5</sub>	1
106	Kochi	Moderate	150	PM <sub>2.5</sub>	1
107	Kohima	Poor	218	PM <sub>2.5</sub>	1
108	Kolar	Moderate	122	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	7
110	Kollam	Satisfactory	88	PM <sub>10</sub>	1
111	Korba	Good	45	PM <sub>2.5</sub>	2
112	Kota	Moderate	116	PM <sub>2.5</sub>	3
113	Kozhikode	Satisfactory	99	NH <sub>3</sub>	1
114	Kurukshetra	Satisfactory	93	PM <sub>2.5</sub>	1
115	Lucknow	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	6
116	Ludhiana	Moderate	115	PM <sub>10</sub>	1
117	Madikeri	Good	40	PM <sub>2.5</sub>	1
118	Maihar	Good	46	со	1
119	Mandi Gobindgarh	Poor	240	PM <sub>2.5</sub>	1
120	Mandideep	Moderate	108	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	76	PM <sub>10</sub>	1
122	Manesar	Moderate	112	PM <sub>2.5</sub>	1
123	Mangalore	Moderate	148	PM <sub>10</sub>	1
124	Manguraha	Moderate	125	PM <sub>2.5</sub>	1
125	Meerut	Moderate	168	PM <sub>2.5</sub> , PM <sub>10</sub>	3
126	Moradabad	Moderate	177	PM <sub>2.5</sub>	6
127	Motihari	Moderate	177	PM <sub>10</sub>	1
128	Mumbai	Moderate	145	NO <sub>2</sub> , PM <sub>10</sub>	17
129	Muzaffarnagar	Moderate	172	PM <sub>2.5</sub>	1
130	Muzaffarpur	Moderate	180	PM <sub>2.5</sub>	2
131	Mysuru	Satisfactory	53	O <sub>3</sub>	1
132	Nagaon	Very Poor	311	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOI is not calculated for today's bulletin for Panawara, Parmer

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	77	PM <sub>2.5</sub>	1
134	Naharlagun	Satisfactory	61	PM <sub>2.5</sub>	1
135	Nalbari	Poor	243	PM <sub>2.5</sub>	1
136	Nandesari	Good	44	PM <sub>2.5</sub>	1
137	Narnaul	Satisfactory	93	PM <sub>2.5</sub>	1
138	Nashik	Satisfactory	75	PM <sub>10</sub>	1
139	Navi Mumbai	Moderate	134	PM <sub>10</sub>	2
140	Nayagarh	Moderate	174	PM <sub>10</sub>	1
141	Noida	Moderate	160	PM <sub>10</sub>	4
142	Ooty	Satisfactory	87	PM <sub>2.5</sub>	1
143	Pali	Satisfactory	76	O <sub>3</sub>	1
144	Palwal	Satisfactory	68	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panchkula	Satisfactory	100	PM <sub>2.5</sub>	1
146	Patiala	Satisfactory	92	PM <sub>10</sub>	1
147	Patna	Moderate	158	PM <sub>2.5</sub>	6
148	Pithampur	Satisfactory	82	PM <sub>10</sub>	1
149	Prayagraj	Satisfactory	89	O <sub>3</sub> , PM <sub>10</sub>	3
150	Puducherry	Satisfactory	67	PM <sub>10</sub>	1
151	Pune	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	4
152	Purnia	Moderate	179	PM <sub>10</sub>	1
153	Raipur	Satisfactory	88	NO <sub>2</sub>	4
154	Rairangpur	Poor	210	PM <sub>2.5</sub>	1
155	Rajamahendravaram	Moderate	151	PM <sub>2.5</sub>	1
156	Rajgir	Moderate	104	СО	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	86	PM <sub>10</sub>	1
158	Ramanathapuram	Satisfactory	61	PM <sub>10</sub>	1
159	Rishikesh	Satisfactory	58	PM <sub>10</sub>	1
160	Rohtak	Satisfactory	94	PM <sub>2.5</sub>	1
161	Rourkela	Poor	237	PM <sub>2.5</sub>	3
162	Rupnagar	Moderate	108	PM <sub>10</sub>	1
163	Sagar	Satisfactory	64	O <sub>3</sub> , CO	2
164	Saharsa	Poor	227	PM <sub>2.5</sub>	1
165	Salem	Satisfactory	75	PM <sub>10</sub>	1
166	Samastipur	Poor	216	PM <sub>2.5</sub>	1
167	Sasaram	Satisfactory	66	03	1
168	Satna	Good	36	O <sub>3</sub>	1

Notes:

### Possible Health Impacts

### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Moderate	121	PM <sub>2.5</sub>	1
170	Shivamogga	Satisfactory	69	O <sub>3</sub>	1
171	Siliguri	Moderate	110	PM <sub>10</sub>	1
172	Singrauli	Satisfactory	100	PM <sub>10</sub>	1
173	Sirsa	Moderate	101	PM <sub>10</sub>	1
174	Sivasagar	Satisfactory	72	PM <sub>2.5</sub>	1
175	Siwan	Poor	248	PM <sub>2.5</sub>	1
176	Solapur	Moderate	128	PM <sub>10</sub>	1
177	Sonipat	Moderate	112	PM <sub>10</sub>	1
178	Suakati	Poor	205	PM <sub>2.5</sub>	1
179	Surat	Satisfactory	93	PM <sub>2.5</sub>	1
180	Talcher	Satisfactory	91	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Barmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Satisfactory	55	PM <sub>2.5</sub>	1
182	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
183	Thrissur	Moderate	124	PM <sub>2.5</sub>	1
184	Tirupati	Satisfactory	78	PM <sub>2.5</sub>	2
185	Udaipur	Satisfactory	71	PM <sub>10</sub>	1
186	Ujjain	Severe	500	PM <sub>2.5</sub>	1
187	Vapi	Moderate	147	PM <sub>2.5</sub>	1
188	Varanasi	Good	49	PM <sub>10</sub>	4
189	Vatva	Satisfactory	92	PM <sub>10</sub>	1
190	Vijayapura	Good	45	PM <sub>10</sub>	1
191	Vijayawada	Moderate	199	PM <sub>2.5</sub>	1
192	Visakhapatnam	Moderate	134	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vrindavan	Satisfactory	55	СО	1
194	Yadgir	Satisfactory	76	PM <sub>10</sub>	1
195	Yamunanagar	Moderate	129	PM <sub>10</sub>	1
196	vellore	Satisfactory	92	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Banswara, Barn

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bharatpur, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore,
Darbhanga, Dausa, Dewas, Dharwad, Dholpur, Ernakulam, Fatehabad,
Hanumangarh, Haveri, Jhunjhunu, Jind, Karauli, Koppal, Kunjemura, Milupara,
Munger, Panipat, Pratapgarh, Raichur, Ratlam, Sawai Madhopur, Sikar,
Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk,
Tumakuru, Tumidih, Udupi as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.