



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	130	PM _{2.5}	1
2	Agra	Very Poor	383	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	133	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	16	CO	1
5	Ajmer	Moderate	135	PM _{2.5}	1
6	Alwar	Moderate	135	PM _{2.5}	1
7	Amaravati	Moderate	111	PM ₁₀	1
8	Ambala	Poor	244	PM _{2.5}	1
9	Amritsar	Poor	272	PM _{2.5}	1
10	Ankleshwar	Very Poor	318	PM _{2.5}	1
11	Asansol	Moderate	118	O ₃	1
12	Aurangabad	Satisfactory	93	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	O ₃	1
14	Baghpat	Severe	409	PM _{2.5}	1
15	Bahadurgarh	Very Poor	314	PM _{2.5}	1
16	Ballabgarh	Very Poor	362	PM _{2.5}	1
17	Bathinda	Moderate	192	PM ₁₀	1
18	Bengaluru	Moderate	104	PM _{2.5} , CO, PM ₁₀	8
19	Bhiwadi	Very Poor	364	PM _{2.5}	1
20	Bhiwani	Very Poor	345	PM _{2.5}	1
21	Bhopal	Very Poor	306	PM _{2.5}	1
22	Bidar	Moderate	131	PM ₁₀	1
23	Bilaspur	Satisfactory	68	PM ₁₀	1
24	Bulandshahr	Severe	411	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Satisfactory	54	PM ₁₀	1
26	Chandigarh	Moderate	110	PM _{2.5} , PM ₁₀	2
27	Chandrapur	Moderate	177	O ₃ , PM _{2.5}	2
28	Charkhi Dadri	Very Poor	333	PM _{2.5}	1
29	Chennai	Satisfactory	90	PM _{2.5} , PM ₁₀ , O ₃	7
30	Chikkaballapur	Moderate	107	PM _{2.5}	1
31	Chikkamagaluru	Satisfactory	61	PM _{2.5}	1
32	Coimbatore	Moderate	106	PM _{2.5}	1
33	Davanagere	Moderate	101	PM ₁₀	1
34	Delhi	Very Poor	372	PM ₁₀ , PM _{2.5}	35
35	Dewas	Satisfactory	91	PM ₁₀	1
36	Dharuhera	Poor	274	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	234	PM _{2.5}	1
38	Eloor	Good	49	CO	1
39	Ernakulam	Moderate	113	PM _{2.5}	1
40	Faridabad	Very Poor	380	PM ₁₀ , PM _{2.5}	4
41	Fatehabad	Very Poor	329	PM _{2.5}	1
42	Firozabad	Very Poor	400	PM _{2.5}	1
43	Gandhinagar	Moderate	114	PM _{2.5} , PM ₁₀	3
44	Gaya	Moderate	166	PM _{2.5} , PM ₁₀	2
45	Ghaziabad	Severe	428	PM _{2.5}	4
46	Gorakhpur	Very Poor	346	PM _{2.5}	1
47	Greater Noida	Very Poor	378	PM _{2.5}	2
48	Gurugram	Very Poor	340	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	121	PM ₁₀ , PM _{2.5}	2
50	Gwalior	Very Poor	360	PM _{2.5}	1
51	Hajipur	Poor	258	PM _{2.5}	1
52	Haldia	Moderate	117	PM ₁₀	1
53	Hapur	Severe	412	PM _{2.5}	1
54	Hassan	Satisfactory	94	PM _{2.5}	1
55	Hisar	Very Poor	354	PM _{2.5}	1
56	Howrah	Moderate	197	PM _{2.5}	3
57	Hubballi	Moderate	119	PM ₁₀	1
58	Hyderabad	Moderate	179	PM _{2.5}	5
59	Indore	Poor	210	PM _{2.5}	1
60	Jabalpur	Poor	277	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Moderate	195	PM _{2.5} , PM ₁₀	3
62	Jalandhar	Poor	212	PM _{2.5}	1
63	Jind	Severe	407	PM _{2.5}	1
64	Jodhpur	Poor	219	PM _{2.5}	1
65	Kaithal	Severe	410	PM _{2.5}	1
66	Kalaburgi	Poor	212	PM _{2.5}	1
67	Kalyan	Moderate	147	PM _{2.5}	1
68	Kanpur	Very Poor	333	PM _{2.5} , PM ₁₀	4
69	Karnal	Very Poor	308	PM _{2.5}	1
70	Katni	Very Poor	324	PM _{2.5}	1
71	Khanna	Poor	251	PM _{2.5}	1
72	Kochi	Good	41	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	51	PM ₁₀	1
74	Kolar	Moderate	104	PM ₁₀	1
75	Kolkata	Moderate	164	PM _{2.5}	7
76	Kollam	Moderate	119	PM ₁₀	1
77	Kota	Moderate	169	PM _{2.5}	1
78	Kozhikode	Satisfactory	69	PM ₁₀	1
79	Kurukshetra	Very Poor	328	PM _{2.5}	1
80	Lucknow	Poor	246	PM _{2.5} , PM ₁₀	6
81	Ludhiana	Poor	252	PM _{2.5}	1
82	Mandi Gobindgarh	Moderate	187	PM ₁₀	1
83	Mandideep	Poor	240	PM ₁₀	1
84	Mandikhera	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Very Poor	358	PM _{2.5}	1
86	Manglore	Moderate	133	PM ₁₀	1
87	Medikeri	Satisfactory	75	PM _{2.5}	1
88	Meerut	Very Poor	335	PM _{2.5}	3
89	Moradabad	Very Poor	309	PM _{2.5}	1
90	Mumbai	Moderate	164	PM _{2.5}	18
91	Muzaffarnagar	Very Poor	372	PM _{2.5}	1
92	Muzaffarpur	Poor	236	PM _{2.5}	2
93	Mysuru	Satisfactory	79	PM ₁₀	1
94	Naharlagun	Moderate	136	O ₃	1
95	Narnaul	Poor	215	PM _{2.5}	1
96	Nashik	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Moderate	177	PM _{2.5} , PM ₁₀	3
98	Noida	Very Poor	374	PM _{2.5}	3
99	Pali	Moderate	116	PM _{2.5}	1
100	Palwal	Moderate	186	PM ₁₀	1
101	Panchkula	Moderate	105	PM _{2.5}	1
102	Panipat	Severe	417	PM ₁₀	1
103	Patiala	Very Poor	338	PM ₁₀	1
104	Patna	Poor	263	PM _{2.5} , PM ₁₀	5
105	Pithampur	Moderate	194	PM _{2.5}	1
106	Prayagraj	Very Poor	356	PM _{2.5}	3
107	Puducherry	Satisfactory	89	PM _{2.5}	1
108	Pune	Moderate	177	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Moderate	150	PM _{2.5}	1
110	Rajamahendravaram	Moderate	132	O ₃	1
111	Ramanagara	Moderate	109	PM _{2.5}	1
112	Ratlam	Moderate	138	PM ₁₀	1
113	Rohtak	Very Poor	326	PM _{2.5}	1
114	Rupnagar	Moderate	193	PM ₁₀	1
115	Sagar	Poor	233	PM _{2.5}	1
116	Satna	Satisfactory	84	PM ₁₀	1
117	Shillong	Good	13	SO ₂	1
118	Shivamogga	Satisfactory	54	PM ₁₀	1
119	Siliguri	Satisfactory	89	PM ₁₀	1
120	Singrauli	Very Poor	354	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Poor	284	PM _{2.5}	1
122	Solapur	Moderate	109	PM _{2.5}	1
123	Sonipat	Very Poor	310	PM _{2.5}	1
124	Srinagar	Satisfactory	100	PM ₁₀	1
125	Talcher	Poor	208	PM _{2.5}	1
126	Thane	Poor	231	PM ₁₀	1
127	Thiruvananthapuram	Satisfactory	62	PM ₁₀ , CO	2
128	Thoothukudi	Satisfactory	54	CO	1
129	Thrissur	Satisfactory	72	PM ₁₀	1
130	Tirupati	Moderate	130	PM _{2.5}	1
131	Udaipur	Moderate	146	PM _{2.5}	1
132	Udupi	Good	36	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Nov 10, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	167	PM _{2.5}	1
134	Vapi	Moderate	176	PM _{2.5}	1
135	Varanasi	Very Poor	318	PM _{2.5}	4
136	Vatva	Moderate	130	PM ₁₀	1
137	Vijayapura	Satisfactory	59	PM _{2.5}	1
138	Visakhapatnam	Moderate	186	PM _{2.5}	1
139	Vrindavan	Very Poor	373	PM _{2.5}	1
140	Yadgir	Moderate	155	PM _{2.5}	1
141	Yamunanagar	Very Poor	325	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Koppal, Maihar, Motihari, Nagpur, Nandesari as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.