

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM ₁₀	1
2	Agra	Good	43	PM ₁₀ , O ₃	5
3	Ahmedabad	Satisfactory	73	PM _{2.5} , CO, PM ₁₀	9
4	Aizawl	Good	20	со	1
5	Alwar	Satisfactory	65	PM ₁₀	1
6	Amaravati	Good	38	03	1
7	Ambala	Satisfactory	83	PM ₁₀	1
8	Ankleshwar	Satisfactory	60	PM ₁₀	1
9	Asansol	Satisfactory	56	03	1
10	Bagalkot	Good	41	PM ₁₀	1
11	Baghpat	Satisfactory	82	PM ₁₀	1
12	Bahadurgarh	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	70	PM ₁₀	1
14	Bathinda	Good	48	со	1
15	Bengaluru	Satisfactory	63	CO, PM ₁₀ , O ₃	8
16	Bhiwadi	Satisfactory	63	PM ₁₀	1
17	Bhiwani	Satisfactory	75	PM ₁₀	1
18	Bhopal	Good	46	03	1
19	Bulandshahr	Satisfactory	66	PM ₁₀	1
20	Chandigarh	Satisfactory	82	PM _{2.5} , PM ₁₀	2
21	Chandrapur	Good	24	PM ₁₀	1
22	Charkhi Dadri	Satisfactory	66	PM ₁₀	1
23	Chennai	Good	48	PM ₁₀ , O ₃	6
24	Chikkamagaluru	Good	35	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	25	PM _{2.5}	1
26	Davanagere	Good	26	PM ₁₀	1
27	Delhi	Satisfactory	82	O ₃ , PM ₁₀ , CO	36
28	Dewas	Good	49	PM _{2.5}	1
29	Dharuhera	Satisfactory	60	PM ₁₀	1
30	Durgapur	Moderate	113	PM _{2.5}	1
31	Eloor	Satisfactory	70	со	1
32	Ernakulam	Satisfactory	63	PM ₁₀	1
33	Faridabad	Satisfactory	80	O ₃ , PM ₁₀	4
34	Fatehabad	Satisfactory	53	O ₃	1
35	Firozabad	Good	32	PM ₁₀	1
36	Gadag	Good	22	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Good	45	PM _{2.5} , CO, PM ₁₀	3
38	Gaya	Satisfactory	69	CO, PM _{2.5}	2
39	Ghaziabad	Satisfactory	86	PM ₁₀	3
40	Gorakhpur	Good	49	PM _{2.5}	1
41	Greater Noida	Satisfactory	82	PM ₁₀ , O ₃	2
42	Gurugram	Satisfactory	66	PM ₁₀ , PM _{2.5}	4
43	Guwahati	Satisfactory	72	SO ₂ , PM ₁₀	2
44	Gwalior	Satisfactory	56	PM ₁₀	2
45	Hajipur	Satisfactory	62	со	1
46	Hapur	Satisfactory	89	PM ₁₀	1
47	Hisar	Satisfactory	68	PM ₁₀	1
48	Howrah	Satisfactory	53	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	50	NO ₂ , PM ₁₀ , PM _{2.5}	5
50	Indore	Satisfactory	59	PM ₁₀	1
51	Jabalpur	Satisfactory	64	PM ₁₀	1
52	Jaipur	Satisfactory	53	CO, PM ₁₀	3
53	Jalandhar	Satisfactory	90	03	1
54	Jind	Satisfactory	85	со	1
55	Jodhpur	Satisfactory	73	PM ₁₀	1
56	Kaithal	Satisfactory	89	03	1
57	Kalaburgi	Good	45	PM ₁₀	1
58	Kalyan	Good	49	со	1
59	Kannur	Satisfactory	54	PM _{2.5}	1
60	Kanpur	Satisfactory	64	PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	71	PM ₁₀	1
62	Katni	Satisfactory	58	PM ₁₀	1
63	Khanna	Satisfactory	86	PM ₁₀	1
64	Kochi	Good	42	со	1
65	Kohima	Good	36	SO ₂	1
66	Kolkata	Satisfactory	59	PM ₁₀ , PM _{2.5}	5
67	Kollam	Satisfactory	90	со	1
68	Koppal	Good	36	со	1
69	Kota	Good	42	PM ₁₀	1
70	Kozhikode	Satisfactory	55	со	1
71	Kurukshetra	Satisfactory	75	PM ₁₀	1
72	Lucknow	Satisfactory	68	PM ₁₀ , CO	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	80	PM ₁₀	1
74	Maihar	Good	23	NO ₂	1
75	Mandi Gobindgarh	Satisfactory	97	PM _{2.5}	1
76	Mandideep	Good	33	PM ₁₀	1
77	Mandikhera	Good	45	со	1
78	Medikeri	Good	37	03	1
79	Meerut	Satisfactory	89	PM ₁₀	2
80	Moradabad	Satisfactory	92	PM _{2.5}	1
81	Mumbai	Good	48	O ₃ , CO	15
82	Muzaffarnagar	Moderate	104	PM ₁₀	1
83	Muzaffarpur	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
84	Mysuru	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

Notes: Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur, Coimbatore, Darbhanga, Gummidipoondi, Haldia, Hassan, Hubballi, Jorapokhar, Kolar, Manesar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Shillong, Solapur, Talcher, Thane, Thrissur as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	110	PM _{2.5}	1
86	Nashik	Good	22	PM ₁₀	1
87	Navi Mumbai	Good	42	со	2
88	Noida	Satisfactory	59	PM ₁₀	3
89	Pali	Satisfactory	70	PM ₁₀	1
90	Palwal	Satisfactory	68	PM ₁₀	1
91	Panchkula	Satisfactory	84	со	1
92	Panipat	Satisfactory	85	PM ₁₀	1
93	Patiala	Satisfactory	58	PM ₁₀	1
94	Patna	Moderate	101	O ₃ , PM ₁₀ , PM _{2.5}	5
95	Pithampur	Satisfactory	70	PM ₁₀	1
96	Prayagraj	Satisfactory	54	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Satisfactory	76	03	1
98	Pune	Satisfactory	75	со	6
99	Raichur	Satisfactory	51	PM ₁₀	1
100	Rajamahendravaram	Good	35	PM ₁₀	1
101	Ramanagara	Satisfactory	55	PM ₁₀	1
102	Ratlam	Good	37	PM _{2.5}	1
103	Rohtak	Satisfactory	84	СО	1
104	Rupnagar	Moderate	119	PM ₁₀	1
105	Sagar	Good	27	со	1
106	Satna	Satisfactory	52	PM ₁₀	1
107	Shivamogga	Good	41	PM ₁₀	1
108	Siliguri	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Satisfactory	56	PM ₁₀	1
110	Sirsa	Good	44	PM ₁₀	1
111	Sonipat	Moderate	109	PM ₁₀	1
112	Srinagar	Poor	232	PM ₁₀	1
113	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2
114	Thoothukudi	Satisfactory	56	PM ₁₀	1
115	Tirupati	Satisfactory	67	PM ₁₀	1
116	Udaipur	Satisfactory	75	PM ₁₀	1
117	Udupi	Moderate	103	со	1
118	Ujjain	Satisfactory	65	PM ₁₀	1
119	Vapi	Good	31	PM ₁₀	1
120	Varanasi	Satisfactory	61	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Satisfactory	90	NO ₂	1
122	Vijayapura	Satisfactory	59	PM ₁₀	1
123	Visakhapatnam	Moderate	116	PM ₁₀	1
124	Vrindavan	Good	28	PM _{2.5}	1
125	Yadgir	Good	31	PM ₁₀	1
126	Yamunanagar	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Notes: Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Chikkaballapur, Coimbatore, Darbhanga, Gummidipoondi, Haldia, Hassan, Hubballi, Jorapokhar, Kolar, Manesar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Shillong, Solapur, Talcher, Thane, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.