

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	PM ₁₀	1
2	Agra	Moderate	165	03	1
3	Aizawl	Satisfactory	67	PM ₁₀	1
4	Ajmer	Satisfactory	84	PM _{2.5}	1
5	Alwar	Satisfactory	96	PM ₁₀	1
6	Amaravati	Good	39	03	1
7	Ambala	Moderate	101	PM ₁₀	1
8	Amritsar	Moderate	115	PM ₁₀	1
9	Ankleshwar	Moderate	123	03	1
10	Asansol	Moderate	142	PM ₁₀	1
11	Aurangabad	Satisfactory	79	со	1
12	Bagalkot	Satisfactory	56	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	379	PM ₁₀	1
14	Bahadurgarh	Poor	208	PM _{2.5}	1
15	Ballabgarh	Moderate	139	PM _{2.5}	1
16	Bathinda	Moderate	119	PM ₁₀	1
17	Bengaluru	Satisfactory	72	CO, O ₃ , PM ₁₀	7
18	Bhiwadi	Poor	225	PM _{2.5}	1
19	Bhiwani	Moderate	170	PM ₁₀	1
20	Bhopal	Moderate	124	O ₃	1
21	Bulandshahr	Poor	268	PM ₁₀	1
22	Chamarajanagar	Satisfactory	69	PM ₁₀	1
23	Chandigarh	Moderate	103	PM ₁₀	1
24	Chandrapur	Satisfactory	57	O ₃ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	170	PM ₁₀	1
26	Chennai	Good	46	O ₃ , CO	4
27	Chikkaballapur	Good	35	со	1
28	Chikkamagaluru	Good	42	PM _{2.5}	1
29	Damoh	Good	41	PM _{2.5}	1
30	Davanagere	Good	41	PM ₁₀	1
31	Delhi	Poor	220	PM ₁₀ , PM _{2.5}	29
32	Dewas	Moderate	156	O ₃	1
33	Dharuhera	Poor	267	PM ₁₀	1
34	Durgapur	Moderate	160	PM ₁₀	1
35	Eloor	Good	47	со	1
36	Faridabad	Poor	252	PM _{2.5} , PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	167	PM ₁₀	1
38	Gandhinagar	Satisfactory	52	PM ₁₀	1
39	Gaya	Moderate	102	PM _{2.5} , O ₃	2
40	Ghaziabad	Poor	256	PM ₁₀	4
41	Greater Noida	Poor	238	PM ₁₀	2
42	Gummidipoondi	Moderate	110	PM _{2.5}	1
43	Gurugram	Moderate	195	PM ₁₀ , PM _{2.5}	3
44	Guwahati	Moderate	132	PM _{2.5} , PM ₁₀	2
45	Gwalior	Moderate	140	PM ₁₀	1
46	Hajipur	Poor	264	PM ₁₀	1
47	Haldia	Good	49	PM ₁₀	1
48	Hassan	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	183	PM ₁₀	1
50	Howrah	Satisfactory	89	PM ₁₀	3
51	Hubballi	Satisfactory	75	O ₃	1
52	Hyderabad	Satisfactory	65	O ₃ , PM _{2.5} , PM ₁₀	3
53	Indore	Moderate	123	PM ₁₀	1
54	Jabalpur	Satisfactory	87	PM ₁₀	1
55	Jaipur	Moderate	196	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Moderate	101	PM _{2.5}	1
57	Jind	Poor	249	PM _{2.5}	1
58	Jodhpur	Moderate	112	PM ₁₀	1
59	Jorapokhar	Moderate	119	PM ₁₀	1
60	Kaithal	Moderate	143	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	80	03	1
62	Kalyan	Moderate	125	PM ₁₀	1
63	Kannur	Satisfactory	84	PM _{2.5}	1
64	Kanpur	Satisfactory	91	PM _{2.5}	2
65	Karnal	Satisfactory	100	PM ₁₀	1
66	Katni	Moderate	142	PM ₁₀	1
67	Khanna	Moderate	106	PM ₁₀	1
68	Kohima	Moderate	106	PM ₁₀	1
69	Kolkata	Satisfactory	74	CO, O ₃ , PM ₁₀	6
70	Kollam	Satisfactory	77	PM _{2.5}	1
71	Koppal	Good	49	со	1
72	Kota	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	52	PM ₁₀	1
74	Kurukshetra	Moderate	154	PM ₁₀	1
75	Lucknow	Moderate	164	PM _{2.5} , PM ₁₀ , O ₃	4
76	Ludhiana	Satisfactory	96	PM ₁₀	1
77	Mandi Gobindgarh	Satisfactory	90	PM _{2.5}	1
78	Mandideep	Good	46	PM ₁₀	1
79	Mandikhera	Moderate	123	PM ₁₀	1
80	Manesar	Poor	232	PM _{2.5}	1
81	Manglore	Good	41	со	1
82	Medikeri	Good	37	03	1
83	Meerut	Poor	256	NO ₂ , PM ₁₀	3
84	Moradabad	Poor	255	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	88	PM _{2.5} , PM ₁₀ , O ₃	19
86	Muzaffarpur	Moderate	197	PM _{2.5}	1
87	Nagpur	Satisfactory	66	PM ₁₀	1
88	Narnaul	Poor	270	PM ₁₀	1
89	Nashik	Satisfactory	91	PM _{2.5}	1
90	Navi Mumbai	Moderate	104	PM ₁₀	2
91	Noida	Poor	234	PM ₁₀	3
92	Pali	Moderate	129	PM ₁₀	1
93	Palwal	Moderate	161	PM ₁₀	1
94	Panchkula	Satisfactory	62	PM _{2.5}	1
95	Panipat	Moderate	179	PM ₁₀	1
96	Patiala	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	232	PM _{2.5}	6
98	Pithampur	Moderate	102	03	1
99	Puducherry	Good	29	со	1
100	Pune	Satisfactory	80	PM ₁₀ , CO	4
101	Rajamahendravaram	Satisfactory	52	со	1
102	Ramanagara	Satisfactory	51	03	1
103	Ratlam	Satisfactory	94	PM ₁₀	1
104	Rohtak	Moderate	170	PM _{2.5}	1
105	Rupnagar	Satisfactory	67	PM ₁₀	1
106	Sagar	Satisfactory	78	PM _{2.5}	1
107	Siliguri	Moderate	103	PM _{2.5}	1
108	Singrauli	Poor	240	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	123	PM ₁₀	1
110	Sonipat	Poor	249	PM ₁₀	1
111	Srinagar	Good	49	PM ₁₀	1
112	Talcher	Poor	203	PM ₁₀	1
113	Thane	Poor	239	03	1
114	Thiruvananthapuram	Good	48	O ₃ , CO	2
115	Thoothukudi	Satisfactory	61	PM ₁₀	1
116	Thrissur	Satisfactory	71	O ₃	1
117	Tirupati	Good	34	O ₃	1
118	Udaipur	Satisfactory	92	PM ₁₀	1
119	Ujjain	Moderate	159	O ₃	1
120	Vapi	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	216	PM ₁₀	1
122	Vatva	Poor	268	PM _{2.5}	1
123	Vijayapura	Good	46	PM ₁₀	1
124	Visakhapatnam	Moderate	103	PM ₁₀	1
125	Yadgir	Satisfactory	77	O ₃	1
126	Yamunanagar	Moderate	182	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gadag, Hapur, Kochi, Kolar, Maihar, Muzaffarnagar, Mysuru, Naharlagun, Nandesari, Raichur, Satna, Shillong, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.