



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	38	PM <sub>2.5</sub>	1
2	Agra	Good	42	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	90	CO	1
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	77	PM <sub>10</sub>	1
6	Alwar	Satisfactory	52	PM <sub>10</sub>	1
7	Amaravati	Good	46	PM <sub>2.5</sub>	1
8	Ambala	Satisfactory	81	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	69	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	61	CO	1
11	Arrah	Good	40	O <sub>3</sub>	1
12	Asansol	Satisfactory	97	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	75	PM <sub>2.5</sub>	1
14	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1
15	Baddi	Satisfactory	80	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Bahadurgarh	Good	47	PM <sub>10</sub>	1
18	Ballabgarh	Good	48	CO	1
19	Bareilly	Satisfactory	61	PM <sub>10</sub>	1
20	Bathinda	Good	37	NO <sub>2</sub>	1
21	Begusarai	Good	50	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	67	CO, PM <sub>10</sub>	6
23	Bhagalpur	Satisfactory	89	NO <sub>2</sub> , CO	2
24	Bhiwadi	Satisfactory	61	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Good	31	PM <sub>2.5</sub>	1
26	Bhopal	Satisfactory	76	CO	1
27	Bilaspur	Satisfactory	75	CO	1
28	Brajrajnagar	Good	49	CO	1
29	Bulandshahr	Satisfactory	62	PM <sub>10</sub>	1
30	Buxar	Satisfactory	94	CO	1
31	Chamarajanagar	Good	38	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	60	O <sub>3</sub> , CO, PM <sub>2.5</sub>	3
33	Chandrapur	Satisfactory	99	PM <sub>2.5</sub>	1
34	Charkhi Dadri	Satisfactory	51	PM <sub>10</sub>	1
35	Chennai	Satisfactory	61	O <sub>3</sub> , CO, PM <sub>2.5</sub>	8
36	Chikkaballapur	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	31	PM <sub>10</sub>	1
38	Damoh	Good	35	PM <sub>2.5</sub>	1
39	Darbhanga	Satisfactory	54	CO	1
40	Davanagere	Good	21	PM <sub>10</sub>	1
41	Delhi	Satisfactory	71	CO, PM <sub>10</sub>	34
42	Dewas	Satisfactory	57	PM <sub>10</sub>	1
43	Dharuhera	Satisfactory	65	PM <sub>10</sub>	1
44	Eloor	Satisfactory	58	PM <sub>10</sub>	1
45	Faridabad	Satisfactory	86	SO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
46	Firozabad	Good	48	O <sub>3</sub> , PM <sub>2.5</sub>	2
47	Gandhinagar	Good	45	PM <sub>10</sub>	1
48	Gangtok	Good	14	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Satisfactory	78	PM <sub>10</sub> , CO	3
50	Ghaziabad	Satisfactory	98	O <sub>3</sub> , CO	3
51	Gorakhpur	Good	45	SO <sub>2</sub>	1
52	Greater Noida	Satisfactory	89	CO	1
53	Gurugram	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Guwahati	Satisfactory	57	O <sub>3</sub> , PM <sub>10</sub>	2
55	Gwalior	Satisfactory	66	PM <sub>10</sub>	1
56	Hajipur	Good	42	PM <sub>10</sub>	1
57	Hapur	Satisfactory	60	CO	1
58	Haveri	Good	45	CO	1
59	Hisar	Satisfactory	66	O <sub>3</sub>	1
60	Howrah	Satisfactory	53	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Good	49	CO	1
62	Hyderabad	Satisfactory	57	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	13
63	Imphal	Satisfactory	56	O <sub>3</sub> , SO <sub>2</sub>	2
64	Indore	Satisfactory	95	PM <sub>10</sub>	1
65	Jabalpur	Moderate	124	PM <sub>10</sub>	1
66	Jaipur	Satisfactory	59	PM <sub>10</sub> , NO <sub>2</sub>	3
67	Jalandhar	Good	36	O <sub>3</sub>	1
68	Jhansi	Satisfactory	83	PM <sub>10</sub>	1
69	Jind	Satisfactory	54	CO	1
70	Jodhpur	Satisfactory	58	PM <sub>10</sub>	1
71	Kaithal	Good	42	PM <sub>2.5</sub>	1
72	Kalyan	Satisfactory	97	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpata, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
74	Kanpur	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	4
75	Karnal	Good	30	PM <sub>10</sub>	1
76	Katihar	Satisfactory	51	PM <sub>10</sub>	1
77	Katni	Moderate	116	PM <sub>10</sub>	1
78	Khanna	Good	38	PM <sub>10</sub>	1
79	Khurja	Moderate	114	PM <sub>10</sub>	1
80	Kochi	Satisfactory	53	PM <sub>2.5</sub>	1
81	Kohima	Satisfactory	53	SO <sub>2</sub>	1
82	Kolkata	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	7
83	Kota	Satisfactory	66	PM <sub>10</sub>	1
84	Kozhikode	Satisfactory	71	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpata, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Good	33	O <sub>3</sub>	1
86	Lucknow	Satisfactory	62	CO, NO <sub>2</sub> , PM <sub>10</sub>	6
87	Ludhiana	Good	49	PM <sub>10</sub>	1
88	Madikeri	Good	22	SO <sub>2</sub>	1
89	Mandi Gobindgarh	Satisfactory	59	PM <sub>10</sub>	1
90	Mandideep	Good	47	O <sub>3</sub>	1
91	Mandikhara	Good	20	O <sub>3</sub>	1
92	Manesar	Satisfactory	51	PM <sub>10</sub>	1
93	Manglore	Good	50	CO	1
94	Meerut	Satisfactory	51	O <sub>3</sub> , PM <sub>10</sub>	3
95	Moradabad	Satisfactory	70	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	5
96	Motihari	Good	42	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpata, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	15
98	Muzaffarnagar	Satisfactory	69	PM <sub>2.5</sub>	1
99	Muzaffarpur	Satisfactory	64	NO <sub>2</sub> , PM <sub>10</sub>	2
100	Mysuru	Good	45	O <sub>3</sub>	1
101	Naharlagun	Good	23	SO <sub>2</sub>	1
102	Nandesari	Moderate	105	CO	1
103	Narnaul	Good	28	NO <sub>2</sub>	1
104	Nashik	Good	38	PM <sub>10</sub>	1
105	Navi Mumbai	Satisfactory	60	CO, PM <sub>10</sub>	3
106	Noida	Satisfactory	68	CO, PM <sub>10</sub>	4
107	Palwal	Good	49	PM <sub>10</sub>	1
108	Panchkula	Good	36	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Satisfactory	61	PM <sub>10</sub>	1
110	Patiala	Good	43	PM <sub>10</sub>	1
111	Patna	Satisfactory	64	SO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	5
112	Pithampur	Satisfactory	99	PM <sub>10</sub>	1
113	Prayagraj	Satisfactory	65	PM <sub>10</sub> , SO <sub>2</sub>	3
114	Puducherry	Good	43	O <sub>3</sub>	1
115	Purnia	Moderate	171	PM <sub>2.5</sub>	1
116	Rajamahendravaram	Good	31	PM <sub>10</sub>	1
117	Ramanagara	Good	35	PM <sub>10</sub>	1
118	Ratlam	Good	44	PM <sub>10</sub>	1
119	Rohtak	Satisfactory	57	PM <sub>2.5</sub>	1
120	Rupnagar	Satisfactory	53	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Good	46	CO	1
122	Saharsa	Satisfactory	72	PM <sub>2.5</sub>	1
123	Sasaram	Good	42	NO <sub>2</sub>	1
124	Satna	Satisfactory	99	PM <sub>10</sub>	1
125	Shillong	Good	39	PM <sub>10</sub>	1
126	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
127	Singrauli	Satisfactory	92	NO <sub>2</sub>	1
128	Sirsa	Satisfactory	60	O <sub>3</sub>	1
129	Sonipat	Good	49	PM <sub>10</sub>	1
130	Srinagar	Good	33	PM <sub>10</sub>	1
131	Talcher	Satisfactory	97	NO <sub>2</sub>	1
132	Thane	Satisfactory	88	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Good	48	CO	1
134	Thoothukudi	Satisfactory	84	O <sub>3</sub>	1
135	Thrissur	Good	33	O <sub>3</sub>	1
136	Udaipur	Satisfactory	60	PM <sub>2.5</sub>	1
137	Ujjain	Satisfactory	95	PM <sub>10</sub>	1
138	Varanasi	Satisfactory	56	PM <sub>10</sub>	4
139	Vatva	Satisfactory	75	PM <sub>10</sub>	1
140	Vijayapura	Good	38	PM <sub>10</sub>	1
141	Visakhapatnam	Satisfactory	60	PM <sub>10</sub>	1
142	Yadgir	Good	29	CO	1
143	Yamunanagar	Satisfactory	64	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Bidar, Bihar Sharif, Chhapra, Coimbatore, Dehradun, Durgapur, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Kollam, Koppal, Maihar, Manguraha, Munger, Nagpur, Pali, Pune, Raichur, Rajgir, Samastipur, Siliguri, Siwan, Solapur, Tirupati, Udupi, Vapi, Vrindavan as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.