



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	PM ₁₀	2
2	Agra	Good	22	O ₃ , PM ₁₀ , CO	6
3	Ahmedabad	Satisfactory	78	PM ₁₀	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	65	PM ₁₀	1
6	Alwar	Satisfactory	54	PM ₁₀	1
7	Amaravati	Good	37	O ₃	1
8	Ambala	Moderate	117	PM _{2.5}	1
9	Amritsar	Satisfactory	71	PM ₁₀	1
10	Ankleshwar	Satisfactory	80	CO	1
11	Asansol	Satisfactory	74	PM ₁₀	1
12	Aurangabad (Bihar)	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udipi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
14	Baddi	Satisfactory	60	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Good	28	O ₃	1
17	Bahadurgarh	Good	48	PM ₁₀	1
18	Ballabgarh	Satisfactory	52	O ₃	1
19	Bareilly	Good	37	PM ₁₀	1
20	Bathinda	Good	50	PM ₁₀	1
21	Bengaluru	Satisfactory	73	PM ₁₀ , CO	7
22	Bettiah	Good	47	PM _{2.5}	1
23	Bhagalpur	Satisfactory	82	NO ₂ , CO	2
24	Bhiwadi	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udipi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	58	O ₃	1
26	Bhopal	Satisfactory	52	CO	1
27	Bihar Sharif	Satisfactory	66	PM _{2.5}	1
28	Bilaspur	Satisfactory	58	PM ₁₀	1
29	Brajrajnagar	Good	49	CO	1
30	Bulandshahr	Good	46	PM ₁₀	1
31	Buxar	Satisfactory	70	CO	1
32	Chamarajanagar	Good	41	PM ₁₀	1
33	Chandigarh	Satisfactory	54	CO, PM ₁₀ , O ₃	3
34	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
35	Charkhi Dadri	Satisfactory	54	PM ₁₀	1
36	Chennai	Satisfactory	70	CO, PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	51	CO	1
38	Chikkamagaluru	Good	41	PM ₁₀	1
39	Coimbatore	Good	44	PM _{2.5}	1
40	Damoh	Good	22	CO	1
41	Darbhanga	Good	48	CO	1
42	Dehradun	Good	36	CO	1
43	Delhi	Satisfactory	74	CO, PM ₁₀ , O ₃	31
44	Dewas	Good	38	PM ₁₀	1
45	Durgapur	Satisfactory	78	PM ₁₀	1
46	Eloor	Satisfactory	54	PM ₁₀	1
47	Ernakulam	Good	40	NO ₂	1
48	Faridabad	Satisfactory	80	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	58	O ₃	1
50	Gadag	Good	37	PM _{2.5}	1
51	Gandhinagar	Good	33	PM _{2.5}	1
52	Gangtok	Good	16	O ₃	1
53	Gaya	Satisfactory	70	PM ₁₀ , PM _{2.5} , CO	3
54	Ghaziabad	Satisfactory	65	PM ₁₀	4
55	Gorakhpur	Good	46	SO ₂	1
56	Greater Noida	Satisfactory	59	CO, PM ₁₀	2
57	Gummidipoondi	Good	22	PM _{2.5}	1
58	Gurugram	Good	48	PM ₁₀ , PM _{2.5}	3
59	Guwahati	Good	35	PM ₁₀	2
60	Gwalior	Good	36	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	55	PM ₁₀	1
62	Haldia	Good	31	PM ₁₀	1
63	Hapur	Satisfactory	59	CO	1
64	Hassan	Satisfactory	51	SO ₂	1
65	Haveri	Good	41	CO	1
66	Hisar	Satisfactory	68	O ₃	1
67	Howrah	Good	46	CO, PM ₁₀	3
68	Hyderabad	Good	48	NO ₂ , PM ₁₀ , CO	14
69	Imphal	Good	50	O ₃ , SO ₂	2
70	Indore	Satisfactory	55	PM ₁₀	1
71	Jabalpur	Satisfactory	61	PM ₁₀	1
72	Jaipur	Good	36	CO, O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	53	PM ₁₀	1
74	Jind	Satisfactory	63	CO	1
75	Jodhpur	Satisfactory	59	PM ₁₀	1
76	Kaithal	Satisfactory	56	PM _{2.5}	1
77	Kalyan	Satisfactory	62	PM ₁₀	1
78	Kannur	Satisfactory	61	PM ₁₀	1
79	Kanpur	Good	33	CO, PM _{2.5}	3
80	Karnal	Good	44	PM ₁₀	1
81	Katihar	Satisfactory	80	CO	1
82	Katni	Good	42	PM ₁₀	1
83	Khanna	Good	41	PM ₁₀	1
84	Khurja	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Good	42	O ₃	1
86	Kochi	Satisfactory	96	PM _{2.5}	1
87	Kohima	Satisfactory	53	SO ₂	1
88	Kolkata	Good	40	PM ₁₀ , O ₃ , PM _{2.5}	7
89	Kollam	Satisfactory	66	PM ₁₀	1
90	Koppal	Good	22	PM ₁₀	1
91	Kota	Good	38	CO	1
92	Kozhikode	Satisfactory	68	PM ₁₀	1
93	Kurukshetra	Good	44	PM _{2.5}	1
94	Lucknow	Satisfactory	65	NO ₂ , CO, PM _{2.5}	6
95	Ludhiana	Moderate	103	PM ₁₀	1
96	Madikeri	Good	24	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Satisfactory	56	PM ₁₀	1
98	Mandideep	Good	48	O ₃	1
99	Mandikhera	Moderate	102	CO	1
100	Manglore	Satisfactory	55	CO	1
101	Manguraha	Good	31	PM ₁₀	1
102	Meerut	Good	33	PM _{2.5} , PM ₁₀ , O ₃	3
103	Moradabad	Satisfactory	58	CO, PM _{2.5} , PM ₁₀	6
104	Motihari	Satisfactory	53	O ₃	1
105	Mumbai	Satisfactory	67	PM ₁₀ , CO, SO ₂	14
106	Munger	Satisfactory	99	CO	1
107	Muzaffarnagar	Satisfactory	66	PM _{2.5}	1
108	Muzaffarpur	Good	45	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udipi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	54	PM ₁₀	1
110	Nagpur	Good	45	PM ₁₀	1
111	Nandesari	Moderate	112	CO	1
112	Narnaul	Good	28	NO ₂	1
113	Nashik	Good	28	PM ₁₀	1
114	Navi Mumbai	Satisfactory	70	CO, PM ₁₀	3
115	Noida	Moderate	101	CO, PM ₁₀	3
116	Pali	Satisfactory	52	PM ₁₀	1
117	Palwal	Good	40	O ₃	1
118	Panchkula	Good	30	NO ₂	1
119	Patiala	Good	48	PM _{2.5}	1
120	Patna	Satisfactory	71	PM ₁₀ , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Satisfactory	61	PM ₁₀	1
122	Prayagraj	Satisfactory	64	SO ₂ , PM _{2.5} , PM ₁₀	3
123	Puducherry	Good	34	O ₃	1
124	Purnia	Moderate	114	PM _{2.5}	1
125	Rajamahendravaram	Good	25	CO	1
126	Ramanagara	Good	44	PM ₁₀	1
127	Ratlam	Good	48	PM _{2.5}	1
128	Rohtak	Satisfactory	57	PM _{2.5}	1
129	Rupnagar	Moderate	125	PM ₁₀	1
130	Sagar	Good	46	CO	1
131	Saharsa	Moderate	177	PM ₁₀	1
132	Satna	Good	35	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	19	PM ₁₀	1
134	Shivamogga	Good	40	PM ₁₀	1
135	Siliguri	Good	36	PM ₁₀	1
136	Singrauli	Satisfactory	91	NO ₂	1
137	Sirsa	Satisfactory	74	O ₃	1
138	Solapur	Satisfactory	64	PM ₁₀	1
139	Sonipat	Satisfactory	77	PM ₁₀	1
140	Srinagar	Good	42	PM ₁₀	1
141	Talcher	Good	35	CO	1
142	Thane	Satisfactory	62	PM ₁₀	1
143	Thiruvananthapuram	Good	45	CO	1
144	Thoothukudi	Good	33	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	43	PM ₁₀	1
146	Tirupati	Good	40	CO	1
147	Ujjain	Satisfactory	63	PM ₁₀	1
148	Varanasi	Satisfactory	56	PM ₁₀ , NO ₂	4
149	Vatva	Satisfactory	82	PM ₁₀	1
150	Vijayapura	Good	40	PM ₁₀	1
151	Visakhapatnam	Moderate	117	PM ₁₀	1
152	Vrindavan	Good	43	SO ₂	1
153	Yadgir	Good	32	CO	1
154	Yamunanagar	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Begusarai, Bhilai, Bidar, Chikkaballapur, Davanagere, Dharuhera, Fatehabad, Hubballi, Jhansi, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Naharlagun, Panipat, Pune, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Udaipur, Udipi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.