

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM ₁₀	2
2	Agra	Moderate	127	PM ₁₀	5
3	Ahmedabad	Satisfactory	100	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	47	PM ₁₀	1
5	Ajmer	Satisfactory	92	PM ₁₀	1
6	Alwar	Moderate	112	PM ₁₀	1
7	Amaravati	Good	45	O ₃	1
8	Ambala	Moderate	109	PM ₁₀	1
9	Amritsar	Satisfactory	73	PM ₁₀	1
10	Ankleshwar	Moderate	102	PM _{2.5}	1
11	Araria	Moderate	165	PM _{2.5}	1
12	Asansol	Poor	242	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	106	PM ₁₀	1
14	Baddi	Satisfactory	93	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	260	PM ₁₀	1
17	Ballabgarh	Moderate	123	PM ₁₀	1
18	Bathinda	Satisfactory	87	PM ₁₀	1
19	Bengaluru	Satisfactory	77	CO, PM ₁₀ , NO ₂	6
20	Bhagalpur	Poor	216	PM ₁₀ , O ₃	2
21	Bhiwadi	Very Poor	338	PM _{2.5}	1
22	Bhiwani	Very Poor	328	PM _{2.5}	1
23	Bhopal	Moderate	135	PM ₁₀	1
24	Bihar Sharif	Poor	289	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	53	PM ₁₀	1
26	Bulandshahr	Poor	231	PM ₁₀	1
27	Buxar	Very Poor	302	PM ₁₀	1
28	Chamarajanagar	Good	45	PM ₁₀	1
29	Chandigarh	Moderate	130	O ₃ , PM ₁₀	3
30	Chandrapur	Moderate	150	PM _{2.5} , PM ₁₀	2
31	Charkhi Dadri	Poor	250	PM _{2.5}	1
32	Chennai	Good	50	PM _{2.5} , CO, NH ₃	7
33	Chhapra	Moderate	177	PM ₁₀	1
34	Chikkaballapur	Satisfactory	56	03	1
35	Chikkamagaluru	Good	29	NO ₂	1
36	Coimbatore	Good	23	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	48	PM ₁₀	1
38	Darbhanga	Poor	265	PM ₁₀	1
39	Davanagere	Good	43	PM ₁₀	1
40	Delhi	Poor	251	PM ₁₀	38
41	Dewas	Poor	246	PM _{2.5}	1
42	Dharuhera	Very Poor	391	PM ₁₀	1
43	Durgapur	Poor	258	PM _{2.5}	1
44	Eloor	Satisfactory	73	PM ₁₀	1
45	Faridabad	Very Poor	358	PM ₁₀	1
46	Fatehabad	Moderate	190	PM _{2.5}	1
47	Firozabad	Poor	232	03	1
48	Gandhinagar	Moderate	148	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	162	PM ₁₀ , PM _{2.5}	3
50	Ghaziabad	Poor	239	PM ₁₀	3
51	Gorakhpur	Satisfactory	63	PM ₁₀	1
52	Greater Noida	Poor	288	PM ₁₀	2
53	Gummidipoondi	Good	33	PM ₁₀	1
54	Gurugram	Poor	276	PM ₁₀	2
55	Guwahati	Satisfactory	69	O ₃ , PM ₁₀	2
56	Hajipur	Poor	258	PM _{2.5}	1
57	Haldia	Satisfactory	55	PM ₁₀	1
58	Hapur	Poor	236	PM ₁₀	1
59	Hassan	Satisfactory	53	PM _{2.5}	1
60	Haveri	Moderate	103	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	247	PM _{2.5}	1
62	Howrah	Satisfactory	62	PM ₁₀ , O ₃	3
63	Hubballi	Satisfactory	54	СО	1
64	Hyderabad	Moderate	104	PM ₁₀ , O ₃ , PM _{2.5}	6
65	Indore	Moderate	157	PM _{2.5}	1
66	Jabalpur	Poor	209	PM ₁₀	1
67	Jaipur	Moderate	185	PM _{2.5} , PM ₁₀	3
68	Jalandhar	Moderate	106	PM ₁₀	1
69	Jind	Moderate	152	PM ₁₀	1
70	Jodhpur	Moderate	180	PM _{2.5}	1
71	Kaithal	Moderate	125	PM ₁₀	1
72	Kalaburgi	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	127	PM _{2.5} , PM ₁₀	3
74	Karnal	Satisfactory	93	PM _{2.5}	1
75	Katihar	Poor	225	PM _{2.5}	1
76	Katni	Poor	247	PM ₁₀	1
77	Khanna	Moderate	120	PM ₁₀	1
78	Kishanganj	Moderate	191	PM ₁₀	1
79	Kochi	Satisfactory	61	со	1
80	Kohima	Satisfactory	79	PM ₁₀	1
81	Kolkata	Satisfactory	68	PM ₁₀ , O ₃	6
82	Koppal	Satisfactory	63	PM ₁₀	1
83	Kota	Moderate	144	PM _{2.5}	1
84	Kozhikode	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Moderate	190	PM _{2.5} , PM ₁₀	6
86	Ludhiana	Satisfactory	74	PM ₁₀	1
87	Madikeri	Satisfactory	51	O ₃	1
88	Mandi Gobindgarh	Moderate	152	PM _{2.5}	1
89	Mandideep	Satisfactory	87	PM ₁₀	1
90	Mandikhera	Satisfactory	98	PM ₁₀	1
91	Manesar	Very Poor	303	PM _{2.5}	1
92	Manglore	Good	36	СО	1
93	Meerut	Moderate	177	PM ₁₀	3
94	Moradabad	Satisfactory	98	PM ₁₀	3
95	Motihari	Poor	275	PM _{2.5}	1
96	Mumbai	Satisfactory	94	PM _{2.5} , PM ₁₀ , CO	18

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Poor	294	PM ₁₀	1
98	Muzaffarpur	Very Poor	321	PM ₁₀ , PM _{2.5}	3
99	Mysuru	Good	47	O ₃	1
100	Nagpur	Moderate	172	PM _{2.5}	1
101	Nandesari	Satisfactory	60	PM _{2.5}	1
102	Narnaul	Poor	225	PM _{2.5}	1
103	Nashik	Satisfactory	65	PM ₁₀	1
104	Navi Mumbai	Moderate	120	PM ₁₀ , CO	3
105	Noida	Poor	269	PM ₁₀	4
106	Pali	Moderate	144	PM _{2.5}	1
107	Palwal	Poor	212	PM ₁₀	1
108	Panchkula	Poor	233	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Moderate	194	PM _{2.5}	1
110	Patiala	Moderate	159	O ₃	1
111	Patna	Poor	299	PM ₁₀ , PM _{2.5}	5
112	Pithampur	Moderate	162	PM _{2.5}	1
113	Prayagraj	Moderate	136	PM ₁₀	3
114	Puducherry	Satisfactory	53	03	1
115	Pune	Moderate	108	PM _{2.5}	6
116	Raichur	Satisfactory	68	PM ₁₀	1
117	Rajamahendravaram	Good	30	PM ₁₀	1
118	Rajgir	Moderate	164	PM ₁₀	1
119	Ramanagara	Satisfactory	73	PM ₁₀	1
120	Ratlam	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Poor	267	PM _{2.5}	1
122	Rupnagar	Moderate	127	PM ₁₀	1
123	Sagar	Moderate	102	PM _{2.5}	1
124	Saharsa	Poor	246	PM ₁₀	1
125	Samastipur	Very Poor	386	PM ₁₀	1
126	Sasaram	Poor	252	PM _{2.5}	1
127	Satna	Satisfactory	69	PM ₁₀	1
128	Shivamogga	Moderate	109	NO ₂	1
129	Siliguri	Satisfactory	97	PM ₁₀	1
130	Singrauli	Very Poor	354	PM ₁₀	1
131	Sirsa	Moderate	164	PM ₁₀	1
132	Siwan	Moderate	199	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Good	43	NH ₃	1
134	Talcher	Moderate	110	PM _{2.5}	1
135	Thane	Poor	276	O ₃	1
136	Thiruvananthapuram	Good	35	CO, O ₃	2
137	Thoothukudi	Good	21	PM ₁₀	1
138	Tirupati	Satisfactory	87	PM ₁₀	1
139	Udaipur	Moderate	136	PM ₁₀	1
140	Ujjain	Moderate	156	PM ₁₀	1
141	Varanasi	Moderate	131	PM ₁₀	3
142	Vatva	Moderate	118	PM ₁₀	1
143	Vijayapura	Good	46	PM ₁₀	1
144	Visakhapatnam	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Moderate	168	PM ₁₀	1
146	Yadgir	Satisfactory	66	PM ₁₀	1
147	Yamunanagar	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Ernakulam, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kalyan, Kannur, Kolar, Kollam, Kurukshetra, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Purnia, Shillong, Solapur, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.