

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	110	PM _{2.5}	1
2	Ahmedabad	Poor	211	NO ₂	1
3	Ajmer	Moderate	164	PM _{2.5}	1
4	Alwar	Satisfactory	99	PM ₁₀	1
5	Amaravati	Good	32	OZONE	1
6	Ambala	Poor	225	PM _{2.5}	1
7	Amritsar	Poor	208	PM _{2.5}	1
8	Ankleshwar	Moderate	113	PM ₁₀	1
9	Asanol	Good	29	OZONE	1
10	Aurangabad	Satisfactory	62	PM ₁₀	1
11	Baghpat	Poor	284	PM _{2.5}	1
12	Bahadurgarh	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	194	PM _{2.5}	1
14	Bathinda	Moderate	198	PM ₁₀	1
15	Bengaluru	Good	50	PM _{2.5} , PM ₁₀ , CO	8
16	Bhiwadi	Poor	267	PM _{2.5}	1
17	Bhiwani	Moderate	177	PM _{2.5}	1
18	Bhopal	Poor	205	PM ₁₀	1
19	Bulandshahr	Moderate	186	PM ₁₀	1
20	Chandigarh	Moderate	191	PM _{2.5}	1
21	Chandrapur	Good	34	PM ₁₀	1
22	Chennai	Satisfactory	82	PM _{2.5} , PM ₁₀	4
23	Chikkaballapur	Good	45	PM ₁₀	1
24	Coimbatore	Satisfactory	85	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	284	PM _{2.5} , PM ₁₀	33
26	Dewas	Moderate	166	OZONE	1
27	Dharuhera	Poor	283	PM ₁₀	1
28	Eloor	Good	25	со	1
29	Faridabad	Poor	260	PM _{2.5}	1
30	Fatehabad	Moderate	179	PM ₁₀	1
31	GandhiNagar	Moderate	102	PM ₁₀	1
32	Gaya	Good	36	NO ₂	1
33	Ghaziabad	Very Poor	303	PM _{2.5}	4
34	Greater_Noida	Poor	276	PM _{2.5}	1
35	Gurugram	Poor	280	PM _{2.5}	2
36	Guwahati	Good	22	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	214	PM ₁₀	1
38	Hisar	Very Poor	333	PM _{2.5}	1
39	Howrah	Satisfactory	62	PM _{2.5}	2
40	Hubballi	Good	37	SO ₂	1
41	Hyderabad	Good	49	PM ₁₀ , PM _{2.5}	5
42	Indore	Moderate	158	PM ₁₀	1
43	Jabalpur	Moderate	109	PM ₁₀	1
44	Jaipur	Moderate	174	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Moderate	195	PM _{2.5}	1
46	Jind	Very Poor	301	PM _{2.5}	1
47	Jodhpur	Poor	270	PM _{2.5}	1
48	Jorapokhar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Poor	272	PM ₁₀	1
50	Kalaburagi	Good	34	СО	1
51	Kalyan	Satisfactory	53	со	1
52	Kanpur	Poor	223	PM _{2.5}	1
53	Karnal	Poor	218	PM _{2.5}	1
54	Katni	Moderate	120	PM ₁₀	1
55	Khanna	Moderate	164	PM ₁₀	1
56	Kolkata	Good	47	PM ₁₀ , PM _{2.5}	6
57	Kota	Moderate	110	PM _{2.5}	1
58	Kurukshetra	Poor	247	PM _{2.5}	1
59	Lucknow	Poor	216	PM _{2.5}	4
60	Ludhiana	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	56	PM _{2.5}	1
62	Mandi Gobindgarh	Moderate	181	PM _{2.5}	1
63	Mandideep	Moderate	134	PM ₁₀	1
64	Mandikhera	Moderate	164	PM ₁₀	1
65	Manesar	Poor	263	PM _{2.5}	1
66	Meerut	Poor	287	PM _{2.5}	3
67	Mumbai	Satisfactory	62	CO, PM ₁₀ , NO ₂	7
68	Muzaffarnagar	Poor	275	PM _{2.5}	1
69	Muzaffarpur	Moderate	121	PM _{2.5}	1
70	Mysuru	Good	23	OZONE	1
71	Nagpur	Satisfactory	65	PM _{2.5}	1
72	Narnaul	Poor	247	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	51	PM _{2.5}	1
74	Navi Mumbai	Good	50	CO, PM ₁₀	3
75	Noida	Poor	284	PM _{2.5}	4
76	Pali	Moderate	118	PM _{2.5}	1
77	Panchkula	Poor	202	PM _{2.5}	1
78	Panipat	Very Poor	311	PM _{2.5}	1
79	Patiala	Moderate	180	PM _{2.5}	1
80	Patna	Moderate	124	PM _{2.5}	1
81	Pithampur	Moderate	147	PM _{2.5}	1
82	Pune	Satisfactory	83	SO ₂	1
83	Rajamahendravaram	Good	47	OZONE	1
84	Ratlam	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	294	PM _{2.5}	1
86	Rupnagar	Moderate	134	PM _{2.5}	1
87	Satna	Satisfactory	64	PM ₁₀	1
88	Shillong	Good	29	со	1
89	Siliguri	Satisfactory	70	PM _{2.5}	1
90	Sirsa	Very Poor	306	PM _{2.5}	1
91	Solapur	Satisfactory	68	со	1
92	Thiruvananthapuram	Satisfactory	91	PM _{2.5}	1
93	Tirupati	Good	29	NO ₂	1
94	Udaipur	Moderate	145	PM ₁₀	1
95	Ujjain	Moderate	162	OZONE	1
96	Vapi	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Good Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Satisfactory	65	OZONE	1
98	Vatva	Moderate	168	PM ₁₀	1
99	Vijayawada	Satisfactory	90	со	1
100	Yadgir	Good	40	OZONE	1
101	Yamunanagar	Very Poor	301	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Haldia, Moradabad, Palwal, Ramanagara, Singrauli, Sonipat, Talcher, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.