

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	99	PM _{2.5}	2
2	Agra	Satisfactory	67	PM ₁₀	6
3	Ahmedabad	Moderate	115	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	57	PM ₁₀	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Satisfactory	57	СО	1
8	Ambala	Satisfactory	70	PM ₁₀	1
9	Amritsar	Moderate	185	PM _{2.5}	1
10	Anantapur	Satisfactory	75	PM ₁₀	1
11	Ankleshwar	Moderate	106	PM ₁₀	1
12	Araria	Moderate	183	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	56	NO ₂	1
14	Arrah	Moderate	135	PM ₁₀	1
15	Asansol	Moderate	126	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	162	PM ₁₀	1
17	Aurangabad (Maharashtra)	Poor	201	PM ₁₀	1
18	Baddi	Poor	210	O ₃	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Very Poor	308	O ₃	1
21	Bahadurgarh	Moderate	155	PM _{2.5}	1
22	Ballabgarh	Satisfactory	60	PM _{2.5}	1
23	Banswara	Moderate	170	03	1
24	Bareilly	Moderate	106	PM _{2.5} , PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	71	PM ₁₀	1
26	Barmer	Moderate	103	PM ₁₀	1
27	Bathinda	Moderate	123	PM ₁₀	1
28	Begusarai	Poor	232	PM ₁₀	1
29	Belgaum	Satisfactory	72	PM ₁₀	1
30	Bengaluru	Satisfactory	83	PM ₁₀	8
31	Bettiah	Moderate	189	PM _{2.5}	1
32	Bhagalpur	Moderate	176	PM ₁₀	2
33	Bharatpur	Moderate	139	PM ₁₀	1
34	Bhilai	Satisfactory	80	PM ₁₀	2
35	Bhiwadi	Poor	202	PM ₁₀	1
36	Bhiwani	Moderate	131	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Moderate	133	PM ₁₀	3
38	Bidar	Moderate	107	со	1
39	Bihar Sharif	Moderate	169	PM ₁₀	1
40	Bikaner	Moderate	173	PM ₁₀	1
41	Bilaspur	Satisfactory	92	PM ₁₀	1
42	Bileipada	Moderate	130	PM ₁₀	1
43	Brajrajnagar	Satisfactory	96	со	1
44	Bulandshahr	Moderate	115	PM _{2.5}	1
45	Chamarajanagar	Good	46	PM ₁₀	1
46	Chandigarh	Moderate	154	O ₃ , PM _{2.5}	3
47	Chandrapur	Moderate	116	PM _{2.5}	1
48	Charkhi Dadri	Moderate	192	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	58	SO ₂ , CO	7
50	Chhal	Moderate	122	PM ₁₀	1
51	Chhapra	Moderate	162	PM ₁₀	1
52	Chikkaballapur	Satisfactory	70	PM _{2.5}	1
53	Chittorgarh	Poor	209	03	1
54	Churu	Moderate	135	PM ₁₀	1
55	Coimbatore	Satisfactory	88	PM _{2.5}	1
56	Cuddalore	Satisfactory	58	NO ₂	2
57	Damoh	Good	32	PM ₁₀	1
58	Dausa	Moderate	157	PM ₁₀	1
59	Davanagere	Satisfactory	68	PM ₁₀	1
60	Dehradun	Satisfactory	72	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	198	PM _{2.5}	38
62	Dewas	Satisfactory	95	PM _{2.5}	1
63	Dhanbad	Moderate	176	PM _{2.5}	1
64	Dharuhera	Moderate	183	PM ₁₀	1
65	Dharwad	Satisfactory	95	PM ₁₀	1
66	Dholpur	Satisfactory	87	PM ₁₀	1
67	Dindigul	Moderate	144	NO ₂	1
68	Durgapur	Moderate	135	PM _{2.5}	1
69	Eloor	Satisfactory	71	PM ₁₀	1
70	Faridabad	Moderate	161	PM _{2.5}	4
71	Firozabad	Satisfactory	72	PM ₁₀	2
72	Gadag	Good	32	SO ₂	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	129	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	54	O ₃	1
75	Gaya	Moderate	118	PM ₁₀ , PM _{2.5}	3
76	Ghaziabad	Moderate	187	03	4
77	Gorakhpur	Satisfactory	64	PM ₁₀	1
78	Greater Noida	Poor	225	PM ₁₀	2
79	Gummidipoondi	Satisfactory	88	PM ₁₀	1
80	Gurugram	Moderate	189	PM _{2.5}	4
81	Guwahati	Moderate	126	PM ₁₀	4
82	Gwalior	Moderate	139	O ₃ , PM ₁₀	3
83	Hajipur	Moderate	147	PM ₁₀	1
84	Haldia	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	137	PM _{2.5}	1
86	Hapur	Moderate	154	O ₃	1
87	Hassan	Moderate	104	PM ₁₀	1
88	Haveri	Satisfactory	66	PM ₁₀	1
89	Hisar	Moderate	122	PM _{2.5}	1
90	Hosur	Moderate	107	PM ₁₀	1
91	Howrah	Satisfactory	76	PM ₁₀ , CO	3
92	Hubballi	Moderate	116	PM ₁₀	2
93	Hyderabad	Satisfactory	91	PM ₁₀	13
94	Imphal	Satisfactory	99	PM ₁₀ , SO ₂	2
95	Indore	Moderate	120	PM ₁₀	2
96	Jabalpur	Moderate	123	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Satisfactory	97	O ₃ , PM ₁₀	5
98	Jalandhar	Satisfactory	81	PM ₁₀	1
99	Jhalawar	Moderate	124	PM ₁₀	1
100	Jhansi	Satisfactory	82	PM ₁₀	1
101	Jhunjhunu	Poor	228	03	1
102	Jind	Satisfactory	64	PM _{2.5}	1
103	Jodhpur	Moderate	194	PM ₁₀	2
104	Jorapokhar	Moderate	164	PM ₁₀	1
105	Kaithal	Satisfactory	92	PM _{2.5}	1
106	Kalaburgi	Moderate	130	PM _{2.5}	1
107	Kanchipuram	Good	46	PM ₁₀	1
108	Kannur	Satisfactory	68	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
110	Karauli	Good	48	O ₃	1
111	Karnal	Satisfactory	77	PM ₁₀	1
112	Kashipur	Satisfactory	100	PM _{2.5}	1
113	Katihar	Moderate	195	PM ₁₀	1
114	Katni	Moderate	123	PM ₁₀	1
115	Keonjhar	Moderate	134	PM _{2.5}	1
116	Khanna	Satisfactory	98	PM ₁₀	1
117	Khurja	Moderate	109	PM _{2.5}	1
118	Kishanganj	Moderate	138	PM ₁₀	1
119	Kochi	Satisfactory	78	PM ₁₀	1
120	Kohima	Satisfactory	68	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Satisfactory	55	PM ₁₀	7
122	Kollam	Satisfactory	74	PM ₁₀	1
123	Koppal	Satisfactory	54	03	1
124	Korba	Satisfactory	96	PM ₁₀	1
125	Kota	Moderate	163	O ₃ , PM _{2.5}	3
126	Kurukshetra	Satisfactory	93	PM _{2.5}	1
127	Lucknow	Moderate	111	PM _{2.5}	6
128	Ludhiana	Moderate	143	PM ₁₀	1
129	Madikeri	Good	40	PM ₁₀	1
130	Maihar	Good	47	PM ₁₀	1
131	Mandi Gobindgarh	Satisfactory	80	PM ₁₀	1
132	Mandideep	Moderate	173	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	30	PM ₁₀	1
134	Manesar	Moderate	179	PM _{2.5}	1
135	Mangalore	Moderate	106	PM ₁₀	1
136	Manguraha	Moderate	158	03	1
137	Meerut	Moderate	199	PM _{2.5}	3
138	Moradabad	Moderate	157	PM _{2.5}	6
139	Motihari	Moderate	112	NO ₂	1
140	Mumbai	Moderate	125	PM _{2.5} , PM ₁₀	20
141	Munger	Poor	239	PM ₁₀	1
142	Muzaffarnagar	Poor	246	PM _{2.5}	1
143	Muzaffarpur	Moderate	162	PM _{2.5}	3
144	Mysuru	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Moderate	105	PM ₁₀	1
146	Nagpur	Moderate	134	PM _{2.5}	1
147	Nalbari	Moderate	148	PM ₁₀	1
148	Nandesari	Good	38	со	1
149	Narnaul	Moderate	114	PM ₁₀	1
150	Nashik	Satisfactory	90	PM ₁₀	1
151	Navi Mumbai	Moderate	166	PM ₁₀	2
152	Noida	Moderate	158	PM ₁₀ , PM _{2.5}	4
153	Ooty	Satisfactory	70	PM _{2.5}	1
154	Pali	Satisfactory	98	PM ₁₀	1
155	Palkalaiperur	Satisfactory	52	SO ₂	1
156	Palwal	Satisfactory	74	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	100	PM _{2.5}	1
158	Panipat	Moderate	107	PM ₁₀	1
159	Patiala	Satisfactory	96	PM ₁₀	1
160	Patna	Moderate	179	PM ₁₀ , PM _{2.5}	6
161	Pithampur	Moderate	135	PM ₁₀	1
162	Pratapgarh	Satisfactory	96	03	1
163	Prayagraj	Satisfactory	92	PM ₁₀	3
164	Puducherry	Good	40	PM ₁₀	1
165	Pune	Satisfactory	91	NO ₂ , PM ₁₀	3
166	Purnia	Moderate	151	PM _{2.5}	1
167	Raichur	Satisfactory	63	SO ₂	1
168	Raipur	Moderate	104	PM _{2.5} , PM ₁₀	4

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Moderate	139	PM _{2.5}	1
170	Rajamahendravaram	Good	38	PM ₁₀	1
171	Rajgir	Moderate	114	PM ₁₀	1
172	Rajsamand	Satisfactory	85	PM ₁₀	1
173	Ramanagara	Satisfactory	74	PM ₁₀	1
174	Ramanathapuram	Satisfactory	53	PM ₁₀	1
175	Ratlam	Moderate	130	PM ₁₀	1
176	Rohtak	Satisfactory	97	PM _{2.5}	1
177	Rourkela	Moderate	132	PM ₁₀	3
178	Rupnagar	Satisfactory	98	PM ₁₀	1
179	Sagar	Moderate	108	O ₃	1
180	Saharsa	Moderate	160	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Salem	Satisfactory	79	SO ₂	1
182	Samastipur	Moderate	173	PM ₁₀	1
183	Sasaram	Moderate	102	со	1
184	Satna	Moderate	182	PM ₁₀	1
185	Sawai Madhopur	Moderate	118	PM ₁₀	1
186	Shillong	Satisfactory	70	PM _{2.5}	1
187	Shivamogga	Satisfactory	55	O ₃	1
188	Sikar	Moderate	153	PM ₁₀	1
189	Silchar	Good	27	со	1
190	Siliguri	Satisfactory	86	PM ₁₀	1
191	Singrauli	Moderate	182	PM ₁₀	1
192	Sirsa	Satisfactory	81	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	25	PM _{2.5}	1
194	Siwan	Moderate	146	PM ₁₀	1
195	Solapur	Moderate	128	PM ₁₀	1
196	Sri Ganganagar	Very Poor	341	PM ₁₀	1
197	Srinagar	Satisfactory	66	PM ₁₀	1
198	Suakati	Satisfactory	83	PM ₁₀	1
199	Surat	Satisfactory	99	PM _{2.5}	1
200	Talcher	Satisfactory	57	PM _{2.5}	1
201	Tensa	Satisfactory	79	PM ₁₀	1
202	Thiruvananthapuram	Satisfactory	72	PM ₁₀	2
203	Thoothukudi	Moderate	101	PM ₁₀	1
204	Thrissur	Satisfactory	100	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Satisfactory	67	PM _{2.5}	1
206	Tirupur	Satisfactory	62	PM ₁₀	1
207	Tonk	Moderate	136	PM ₁₀	1
208	Tumidih	Moderate	164	PM _{2.5}	1
209	Udaipur	Moderate	114	PM ₁₀	1
210	Ujjain	Moderate	141	PM ₁₀	1
211	Vapi	Moderate	174	PM _{2.5}	1
212	Varanasi	Satisfactory	75	PM ₁₀ , PM _{2.5}	3
213	Vatva	Moderate	167	PM ₁₀	1
214	Vijayapura	Good	42	PM ₁₀	1
215	Vijayawada	Satisfactory	62	PM _{2.5}	1
216	Visakhapatnam	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vrindavan	Moderate	150	O ₃	1
218	Yadgir	Satisfactory	76	PM ₁₀	1

Good	od Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Ernakulam, Fatehabad, Kadapa, Kalyan, Kolar, Kozhikode, Kunjemura, Milupara, Naharlagun, Nayagarh, Rishikesh, Sirohi, Sonipat, Thane, Tumakuru, Udupi, Yamunanagar, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.