

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	100	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	162	PM ₁₀ , PM _{2.5}	2
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Good	26	СО	1
8	Ambala	Moderate	108	PM ₁₀	1
9	Anantapur	Satisfactory	52	PM ₁₀	1
10	Araria	Moderate	150	PM _{2.5}	1
11	Arrah	Moderate	111	03	1
12	Asansol	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	109	PM ₁₀	1
14	Baddi	Poor	206	O ₃	1
15	Baghpat	Moderate	175	PM _{2.5}	1
16	Bahadurgarh	Moderate	179	PM _{2.5}	1
17	Ballabgarh	Moderate	156	PM ₁₀	1
18	Bareilly	Moderate	158	PM ₁₀	2
19	Bathinda	Moderate	159	PM ₁₀	1
20	Begusarai	Moderate	146	PM _{2.5}	1
21	Belgaum	Good	48	со	1
22	Bengaluru	Satisfactory	54	PM ₁₀ , CO, NO ₂	7
23	Bettiah	Moderate	138	PM ₁₀	1
24	Bhagalpur	Satisfactory	93	NO ₂ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	194	PM _{2.5}	1
26	Bhiwani	Moderate	137	PM _{2.5}	1
27	Bhopal	Moderate	142	PM _{2.5} , PM ₁₀	2
28	Bihar Sharif	Satisfactory	96	PM ₁₀	1
29	Bilaspur	Satisfactory	56	со	1
30	Bulandshahr	Poor	226	PM _{2.5}	1
31	Chamarajanagar	Good	37	PM ₁₀	1
32	Chandigarh	Moderate	119	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Satisfactory	71	PM ₁₀	1
34	Charkhi Dadri	Moderate	185	PM _{2.5}	1
35	Chennai	Satisfactory	63	CO, PM ₁₀	7
36	Chhapra	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	34	PM ₁₀	1
38	Chikkamagaluru	Good	45	PM ₁₀	1
39	Coimbatore	Good	47	со	1
40	Damoh	Satisfactory	95	PM _{2.5}	1
41	Darbhanga	Moderate	147	PM _{2.5}	1
42	Davanagere	Good	25	PM ₁₀	1
43	Delhi	Moderate	186	PM _{2.5} , O ₃ , PM ₁₀	32
44	Dewas	Moderate	134	PM ₁₀	1
45	Dharuhera	Poor	286	PM ₁₀	1
46	Durgapur	Satisfactory	70	PM ₁₀	1
47	Eloor	Satisfactory	84	PM ₁₀	1
48	Ernakulam	Satisfactory	71	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	199	PM _{2.5} , O ₃ , PM ₁₀	4
50	Fatehabad	Moderate	148	PM _{2.5}	1
51	Firozabad	Poor	217	PM _{2.5}	1
52	Gadag	Good	33	PM _{2.5}	1
53	Gandhinagar	Satisfactory	69	PM _{2.5}	1
54	Gangtok	Good	23	03	1
55	Gaya	Moderate	107	PM ₁₀ , PM _{2.5}	3
56	Ghaziabad	Moderate	194	PM _{2.5} , O ₃ , PM ₁₀	4
57	Gorakhpur	Satisfactory	88	PM _{2.5}	1
58	Greater Noida	Moderate	179	O ₃	1
59	Gurugram	Poor	213	PM _{2.5}	3
60	Guwahati	Satisfactory	68	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	121	PM ₁₀	1
62	Hajipur	Moderate	147	PM ₁₀	1
63	Hapur	Poor	205	PM _{2.5}	1
64	Hassan	Good	25	03	1
65	Haveri	Good	40	со	1
66	Hisar	Moderate	167	PM _{2.5}	1
67	Hosur	Satisfactory	73	СО	1
68	Howrah	Satisfactory	89	PM ₁₀	3
69	Hubballi	Satisfactory	53	со	1
70	Hyderabad	Satisfactory	54	CO, PM ₁₀ , PM _{2.5}	13
71	Imphal	Moderate	108	O ₃ , PM ₁₀	2
72	Indore	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Satisfactory	84	PM ₁₀	1
74	Jaipur	Moderate	134	PM _{2.5} , PM ₁₀	2
75	Jalandhar	Moderate	115	PM ₁₀	1
76	Jhansi	Moderate	123	PM ₁₀	1
77	Jind	Moderate	188	PM _{2.5}	1
78	Jodhpur	Moderate	165	PM _{2.5}	1
79	Jorapokhar	Moderate	132	PM ₁₀	1
80	Kaithal	Moderate	104	PM ₁₀	1
81	Kalaburgi	Good	36	SO ₂	1
82	Kalyan	Satisfactory	51	PM ₁₀	1
83	Kannur	Satisfactory	66	PM ₁₀	1
84	Kanpur	Satisfactory	93	PM _{2.5} , PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Moderate	134	PM _{2.5}	1
86	Katni	Moderate	137	PM ₁₀	1
87	Khanna	Moderate	107	PM ₁₀	1
88	Khurja	Moderate	140	PM ₁₀	1
89	Kishanganj	Satisfactory	69	PM _{2.5}	1
90	Kochi	Satisfactory	66	PM _{2.5}	1
91	Kolkata	Satisfactory	76	PM ₁₀ , NO ₂	7
92	Kollam	Satisfactory	57	PM ₁₀	1
93	Koppal	Poor	218	PM _{2.5}	1
94	Kota	Moderate	126	PM ₁₀	1
95	Kozhikode	Satisfactory	69	PM ₁₀	1
96	Kurukshetra	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Moderate	116	PM ₁₀ , PM _{2.5}	6
98	Ludhiana	Moderate	153	PM _{2.5}	1
99	Madikeri	Good	22	O ₃	1
100	Maihar	Good	21	PM ₁₀	1
101	Mandi Gobindgarh	Moderate	131	PM ₁₀	1
102	Mandideep	Moderate	117	PM ₁₀	1
103	Mandikhera	Moderate	107	PM ₁₀	1
104	Manesar	Poor	246	PM _{2.5}	1
105	Manglore	Satisfactory	62	со	1
106	Meerut	Poor	217	PM ₁₀ , PM _{2.5}	3
107	Moradabad	Satisfactory	88	O ₃ , PM _{2.5} , PM ₁₀	6
108	Motihari	Satisfactory	97	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	78	PM ₁₀ , CO	15
110	Munger	Satisfactory	87	PM ₁₀	1
111	Muzaffarnagar	Poor	228	PM _{2.5}	1
112	Muzaffarpur	Moderate	112	PM ₁₀ , PM _{2.5}	3
113	Mysuru	Satisfactory	51	PM ₁₀	1
114	Nagpur	Satisfactory	71	03	1
115	Nandesari	Moderate	191	PM _{2.5}	1
116	Narnaul	Moderate	128	PM ₁₀	1
117	Nashik	Satisfactory	61	PM _{2.5}	1
118	Navi Mumbai	Satisfactory	73	CO, PM ₁₀	3
119	Noida	Moderate	188	O ₃ , PM _{2.5} , PM ₁₀	4
120	Ooty	Good	49	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pali	Satisfactory	75	PM ₁₀	1
122	Palwal	Moderate	104	PM ₁₀	1
123	Panchkula	Good	34	PM _{2.5}	1
124	Panipat	Moderate	160	PM ₁₀	1
125	Patiala	Moderate	109	PM ₁₀	1
126	Patna	Moderate	124	PM ₁₀ , PM _{2.5}	6
127	Pithampur	Moderate	132	PM ₁₀	1
128	Prayagraj	Satisfactory	76	PM _{2.5} , PM ₁₀	3
129	Puducherry	Good	43	PM ₁₀	1
130	Purnia	Satisfactory	96	PM ₁₀	1
131	Raichur	Satisfactory	77	со	1
132	Rajamahendravaram	Good	34	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajgir	Satisfactory	79	PM ₁₀	1
134	Ramanagara	Good	38	03	1
135	Ramanathapuram	Good	18	со	1
136	Ratlam	Moderate	120	PM ₁₀	1
137	Rohtak	Moderate	113	PM _{2.5}	1
138	Rupnagar	Moderate	104	PM _{2.5}	1
139	Sagar	Satisfactory	53	со	1
140	Saharsa	Moderate	105	PM _{2.5}	1
141	Samastipur	Satisfactory	90	PM ₁₀	1
142	Sasaram	Satisfactory	85	NO ₂	1
143	Satna	Good	44	03	1
144	Shillong	Good	40	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shivamogga	Satisfactory	64	PM ₁₀	1
146	Siliguri	Satisfactory	72	PM ₁₀	1
147	Singrauli	Moderate	116	PM ₁₀	1
148	Sirsa	Moderate	161	O ₃	1
149	Sivasagar	Good	16	PM ₁₀	1
150	Siwan	Satisfactory	90	PM ₁₀	1
151	Solapur	Satisfactory	66	PM ₁₀	1
152	Sonipat	Moderate	148	PM ₁₀	1
153	Srinagar	Moderate	162	PM _{2.5}	1
154	Talcher	Satisfactory	64	PM _{2.5}	1
155	Thiruvananthapuram	Good	38	CO, PM ₁₀	2
156	Thoothukudi	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thrissur	Satisfactory	58	PM ₁₀	1
158	Tirupati	Good	47	со	1
159	Tiruppur	Satisfactory	100	PM ₁₀	1
160	Udaipur	Moderate	117	PM ₁₀	1
161	Udupi	Satisfactory	74	со	1
162	Ujjain	Moderate	130	PM ₁₀	1
163	Varanasi	Satisfactory	91	PM ₁₀ , PM _{2.5}	3
164	Vatva	Moderate	163	PM _{2.5}	1
165	Vijayapura	Good	39	PM ₁₀	1
166	Visakhapatnam	Satisfactory	63	PM ₁₀	1
167	Vrindavan	Satisfactory	77	03	1
168	Yadgir	Good	31	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Dindigul, Gummidipoondi, Haldia, Katihar, Kohima, Kolar, Manguraha, Naharlagun, Pune, Salem, Thane, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.