

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM ₁₀	1
2	Agra	Satisfactory	62	PM ₁₀ , NO ₂	6
3	Ahmedabad	Good	44	03	9
4	Ajmer	Satisfactory	76	PM ₁₀	1
5	Akola	Satisfactory	61	PM ₁₀	1
6	Alwar	Satisfactory	55	PM ₁₀	1
7	Amaravati	Good	48	PM ₁₀	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Satisfactory	52	PM ₁₀	2
10	Amritsar	Satisfactory	88	со	1
11	Ankleshwar	Good	39	PM ₁₀	1
12	Araria	Good	47	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	29	PM ₁₀	1
14	Arrah	Satisfactory	89	со	1
15	Asansol	Good	28	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	55	PM ₁₀	3
17	Baddi	Satisfactory	79	PM ₁₀	1
18	Badlapur	Good	49	PM ₁₀	1
19	Bagalkot	Good	43	PM ₁₀	1
20	Baghpat	Moderate	178	O ₃	1
21	Bahadurgarh	Moderate	143	PM ₁₀	1
22	Ballabgarh	Satisfactory	54	PM ₁₀	1
23	Banswara	Satisfactory	60	NH ₃	1
24	Baran	Satisfactory	59	PM _{2.5}	1

Notes: Dharuh

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	38	PM ₁₀	1
26	Baripada	Good	32	PM ₁₀	1
27	Bathinda	Satisfactory	62	PM ₁₀	1
28	Begusarai	Moderate	163	со	1
29	Belapur	Good	37	PM ₁₀	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Satisfactory	56	PM ₁₀	10
32	Bettiah	Satisfactory	71	PM ₁₀	1
33	Bhagalpur	Satisfactory	75	со	2
34	Bharatpur	Moderate	161	03	1
35	Bhilai	Good	38	PM ₁₀	2
36	Bhilwara	Satisfactory	85	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	128	PM ₁₀	1
38	Bhiwandi	Good	42	PM ₁₀	1
39	Bhiwani	Satisfactory	70	со	1
40	Bhopal	Good	47	PM ₁₀	2
41	Bihar Sharif	Good	28	PM ₁₀	1
42	Bikaner	Moderate	133	PM ₁₀	1
43	Bilaspur	Satisfactory	61	PM ₁₀	1
44	Bulandshahr	Satisfactory	77	PM ₁₀	1
45	Bundi	Satisfactory	63	O ₃	1
46	Chamarajanagar	Good	42	СО	1
47	Chandigarh	Satisfactory	65	O ₃ , PM ₁₀	3
48	Chandrapur	Satisfactory	60	PM ₁₀	1

Notes:

 * AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon,

Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Good	50	PM ₁₀	1
50	Chennai	Satisfactory	59	NO ₂ , PM ₁₀	7
51	Chhapra	Satisfactory	57	PM ₁₀	1
52	Chikkaballapur	Good	36	PM ₁₀	1
53	Chikkamagaluru	Good	42	PM ₁₀	1
54	Chittoor	Good	23	PM ₁₀	1
55	Chittorgarh	Satisfactory	71	PM ₁₀	1
56	Churu	Good	45	PM ₁₀	1
57	Cuddalore	Good	28	PM _{2.5}	1
58	Damoh	Good	50	PM ₁₀	1
59	Dausa	Satisfactory	81	PM ₁₀	1
60	Davanagere	Good	24	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Moderate	112	co	1
62	Delhi	Satisfactory	97	O ₃ , CO	35
63	Dewas	Good	47	PM ₁₀	1
64	Dhanbad	Moderate	145	со	1
65	Dharwad	Good	41	со	1
66	Dholpur	Satisfactory	53	PM ₁₀	1
67	Dhule	Good	34	PM ₁₀	1
68	Durgapur	Good	37	PM ₁₀	1
69	Eloor	Good	47	PM ₁₀	1
70	Faridabad	Moderate	103	PM ₁₀ , PM _{2.5}	3
71	Fatehabad	Moderate	181	O ₃	1
72	Firozabad	Satisfactory	75	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	46	SO ₂	1
74	Gandhinagar	Good	45	O ₃	3
75	Gangtok	Satisfactory	59	SO ₂	1
76	Gaya	Good	44	03	3
77	Ghaziabad	Moderate	134	03	4
78	Gorakhpur	Satisfactory	58	PM ₁₀	1
79	Greater Noida	Moderate	183	PM ₁₀ , O ₃	2
80	Gummidipoondi	Satisfactory	100	PM ₁₀	1
81	Gurugram	Moderate	122	PM _{2.5}	4
82	Gwalior	Satisfactory	82	PM ₁₀	3
83	Hajipur	Satisfactory	69	03	1
84	Haldia	Good	34	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

available.

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Good	43	PM ₁₀	1
86	Hapur	Satisfactory	59	со	1
87	Hassan	Satisfactory	51	PM ₁₀	1
88	Haveri	Good	40	со	1
89	Hisar	Moderate	101	PM ₁₀	1
90	Hosur	Good	44	PM ₁₀	1
91	Howrah	Good	32	PM ₁₀	3
92	Hubballi	Satisfactory	53	СО	2
93	Hyderabad	Satisfactory	67	PM _{2.5} , PM ₁₀	7
94	Indore	Satisfactory	57	PM ₁₀	1
95	Jabalpur	Satisfactory	71	PM ₁₀	2
96	Jaipur	Satisfactory	60	O ₃ , PM ₁₀	4

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Good	36	PM ₁₀	1
98	Jalandhar	Satisfactory	52	PM ₁₀	1
99	Jalgaon	Satisfactory	99	PM ₁₀	1
100	Jalna	Satisfactory	54	PM ₁₀	1
101	Jhalawar	Satisfactory	58	PM ₁₀	1
102	Jhansi	Satisfactory	80	PM ₁₀	1
103	Jhunjhunu	Satisfactory	74	O ₃	1
104	Jind	Satisfactory	99	СО	1
105	Jodhpur	Good	46	O ₃	2
106	Kadapa	Good	27	NO ₂	1
107	Kaithal	Satisfactory	53	PM _{2.5}	1
108	Kalaburgi	Satisfactory	58	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	69	PM ₁₀	1
110	Kanpur	Satisfactory	64	PM ₁₀	3
111	Karauli	Satisfactory	56	03	1
112	Karnal	Satisfactory	58	PM ₁₀	1
113	Kashipur	Satisfactory	56	PM ₁₀	1
114	Katihar	Satisfactory	51	PM _{2.5}	1
115	Katni	Satisfactory	84	PM ₁₀	1
116	Keonjhar	Good	44	PM ₁₀	1
117	Khanna	Good	43	PM ₁₀	1
118	Khurja	Satisfactory	91	PM _{2.5}	1
119	Kishanganj	Moderate	163	СО	1
120	Kohima	Satisfactory	53	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolar	Good	43	PM ₁₀	1
122	Kolhapur	Good	34	PM ₁₀	1
123	Kolkata	Good	28	CO, PM ₁₀	7
124	Kollam	Satisfactory	65	PM ₁₀	1
125	Korba	Good	21	PM ₁₀	2
126	Kota	Satisfactory	56	PM ₁₀ , PM _{2.5}	3
127	Kunjemura	Good	26	СО	1
128	Kurukshetra	Satisfactory	60	PM ₁₀	1
129	Latur	Good	39	PM ₁₀	1
130	Lucknow	Good	48	PM ₁₀	6
131	Ludhiana	Satisfactory	59	PM ₁₀	1
132	Madikeri	Good	40	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Satisfactory	69	PM ₁₀	1
134	Maihar	Good	36	со	1
135	Mandi Gobindgarh	Satisfactory	100	PM _{2.5}	1
136	Mandideep	Satisfactory	53	PM ₁₀	1
137	Mandikhera	Good	30	PM ₁₀	1
138	Manesar	Satisfactory	62	PM _{2.5}	1
139	Mangalore	Good	45	PM ₁₀	1
140	Meerut	Satisfactory	95	PM ₁₀	3
141	Milupara	Good	27	03	1
142	Moradabad	Satisfactory	83	PM ₁₀	5
143	Motihari	Good	42	со	1
144	Mumbai	Satisfactory	51	CO, PM ₁₀	21

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Munger	Satisfactory	58	PM ₁₀	1
146	Muzaffarnagar	Satisfactory	94	PM _{2.5}	1
147	Muzaffarpur	Satisfactory	60	NO ₂	2
148	Mysuru	Good	46	03	1
149	Nagaon	Good	34	03	1
150	Nagaur	Good	40	03	1
151	Nagpur	Good	49	PM ₁₀	4
152	Naharlagun	Good	24	PM ₁₀	1
153	Nanded	Satisfactory	72	PM ₁₀	1
154	Narnaul	Moderate	139	со	1
155	Nashik	Good	37	PM ₁₀ , O ₃	4
156	Navi Mumbai	Good	36	CO, PM ₁₀	5

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nayagarh	Good	32	PM ₁₀	1
158	Noida	Satisfactory	88	PM ₁₀	3
159	Ooty	Good	50	PM ₁₀	1
160	Pali	Satisfactory	94	PM ₁₀	1
161	Palkalaiperur	Good	25	SO ₂	1
162	Palwal	Satisfactory	53	PM _{2.5}	1
163	Panchkula	Satisfactory	53	O ₃	1
164	Panipat	Satisfactory	71	PM ₁₀	1
165	Parbhani	Good	35	PM ₁₀	1
166	Patiala	Good	40	O ₃	1
167	Patna	Satisfactory	60	PM _{2.5} , CO	6
168	Pimpri Chinchwad	Good	41	PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, E

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Good	47	PM ₁₀	1
170	Pratapgarh	Good	47	PM ₁₀	1
171	Prayagraj	Satisfactory	74	PM ₁₀	3
172	Puducherry	Good	44	со	1
173	Pune	Satisfactory	73	NO ₂ , PM ₁₀	8
174	Raichur	Satisfactory	87	SO ₂	1
175	Raipur	Satisfactory	61	PM ₁₀	4
176	Rairangpur	Good	33	PM ₁₀	1
177	Rajamahendravaram	Satisfactory	59	PM ₁₀	1
178	Rajgir	Good	34	PM ₁₀	1
179	Rajsamand	Good	35	со	1
180	Ramanagara	Good	36	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not

available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ramanathapuram	Good	22	PM ₁₀	1
182	Ratlam	Good	24	PM ₁₀	1
183	Rishikesh	Good	29	PM _{2.5}	1
184	Rohtak	Satisfactory	94	PM _{2.5}	1
185	Rourkela	Good	48	PM ₁₀ , NO ₂	2
186	Rupnagar	Satisfactory	80	PM ₁₀	1
187	Sagar	Good	50	СО	2
188	Saharsa	Good	48	PM ₁₀	1
189	Salem	Satisfactory	77	SO ₂	1
190	Samastipur	Satisfactory	56	PM ₁₀	1
191	Sangli	Good	21	PM ₁₀	1
192	Satna	Moderate	119	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sawai Madhopur	Satisfactory	51	co	1
194	Shillong	Good	21	PM ₁₀ , SO ₂	2
195	Shivamogga	Good	49	PM ₁₀	1
196	Sikar	Satisfactory	66	03	1
197	Silchar	Good	31	со	1
198	Siliguri	Good	38	O ₃	1
199	Singrauli	Satisfactory	74	SO ₂	1
200	Sirohi	Good	41	O ₃	1
201	Sirsa	Satisfactory	84	O ₃	1
202	Siwan	Moderate	126	NO ₂	1
203	Solapur	Satisfactory	53	PM ₁₀	3
204	Sonipat	Moderate	188	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Notes: Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Sri Ganganagar	Satisfactory	91	PM ₁₀	1
206	Srinagar	Good	33	PM ₁₀	1
207	Suakati	Good	48	PM ₁₀	1
208	Surat	Moderate	187	PM _{2.5}	1
209	Talcher	Good	42	со	1
210	Tensa	Good	47	PM ₁₀	1
211	Thane	Good	44	PM ₁₀	2
212	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
213	Thoothukudi	Good	49	PM ₁₀	1
214	Thrissur	Satisfactory	57	PM ₁₀	1
215	Tirupati	Good	42	NO ₂	1
216	Tonk	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, tapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, B

Notes:

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Udaipur	Satisfactory	59	PM ₁₀	1
218	Ujjain	Good	46	СО	1
219	Ulhasnagar	Good	43	PM ₁₀	1
220	Varanasi	Good	27	03	4
221	Vatva	Satisfactory	57	со	1
222	Vijayapura	Good	46	PM ₁₀	1
223	Vijayawada	Satisfactory	58	NO ₂	2
224	Visakhapatnam	Moderate	114	PM ₁₀	1
225	Vrindavan	Good	36	PM ₁₀	1
226	Yadgir	Good	28	со	1
227	Yamunanagar	Satisfactory	79	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- Anantapur, Aurangabad (Bihar), Barmer, Bidar, Bileipada, Boisar,

Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Guwahati, Imphal, Jalore, Jorapokhar, Kalyan, Kanchipuram, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nalbari, Nandesari, Purnia, Sasaram, Sivasagar, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.