

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	38	PM ₁₀	1
2	Agra	Good	47	O ₃ , PM ₁₀	6
3	Ahmedabad	Satisfactory	67	PM ₁₀	5
4	Aizawl	Good	8	PM ₁₀	1
5	Ajmer	Satisfactory	97	PM ₁₀	1
6	Akola	Good	31	PM ₁₀	1
7	Alwar	Satisfactory	79	PM ₁₀	1
8	Amaravati	Good	18	PM ₁₀	1
9	Ambala	Satisfactory	90	со	1
10	Amravati	Good	39	03	2
11	Amritsar	Satisfactory	76	PM _{2.5}	1
12	Anantapur	Good	36	03	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipoor

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Poor	202	O ₃	1
14	Ariyalur	Good	31	NO ₂	1
15	Arrah	Moderate	124	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	54	O ₃ , CO	3
17	Baddi	Satisfactory	86	PM ₁₀	1
18	Badlapur	Satisfactory	56	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	71	O ₃	1
21	Bahadurgarh	Satisfactory	56	PM _{2.5}	1
22	Ballabgarh	Good	49	PM ₁₀	1
23	Banswara	Satisfactory	70	O ₃	1
24	Bareilly	Good	42	PM _{2.5} , CO	2

Notes:

available.

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Gadag, Gummidipoon

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	36	PM ₁₀	1
26	Barmer	Satisfactory	58	PM ₁₀	1
27	Bathinda	Good	50	СО	1
28	Begusarai	Poor	212	PM _{2.5}	1
29	Belapur	Satisfactory	61	со	1
30	Belgaum	Good	45	СО	1
31	Bengaluru	Good	37	PM ₁₀	11
32	Bhagalpur	Satisfactory	61	PM ₁₀	2
33	Bharatpur	Satisfactory	63	O ₃	1
34	Bhilai	Good	25	PM _{2.5}	3
35	Bhiwadi	Moderate	119	PM ₁₀	1
36	Bhiwandi	Satisfactory	85	PM ₁₀	1

Notes:

rbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Gadag, G

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram,

Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	66	PM _{2.5}	1
38	Bhopal	Satisfactory	64	PM ₁₀	3
39	Bihar Sharif	Good	25	PM ₁₀	1
40	Bikaner	Satisfactory	82	PM ₁₀	1
41	Bileipada	Satisfactory	72	PM ₁₀	1
42	Bulandshahr	Good	44	PM ₁₀	1
43	Bundi	Satisfactory	97	PM ₁₀	1
44	Byrnihat	Moderate	161	PM _{2.5}	1
45	Chamarajanagar	Good	37	PM ₁₀	1
46	Chandigarh	Satisfactory	56	PM ₁₀	3
47	Chandrapur	Satisfactory	75	PM ₁₀	1
48	Charkhi Dadri	Moderate	102	PM _{2.5}	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipoor

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	66	PM ₁₀ , NO ₂	7
50	Chhal	Good	44	PM ₁₀	1
51	Chhapra	Moderate	106	со	1
52	Chikkaballapur	Good	35	03	1
53	Chikkamagaluru	Good	34	со	1
54	Chittoor	Good	42	03	1
55	Churu	Satisfactory	71	03	1
56	Cuddalore	Moderate	136	NO ₂	1
57	Damoh	Good	25	PM ₁₀	1
58	Dausa	Satisfactory	61	O ₃	1
59	Davanagere	Good	16	03	1
60	Dehradun	Satisfactory	76	со	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Satisfactory	72	NO ₂ , CO	36
62	Dewas	Moderate	138	PM ₁₀	1
63	Dhanbad	Moderate	175	со	1
64	Dhule	Satisfactory	58	со	1
65	Dindigul	Good	41	SO ₂	1
66	Durgapur	Good	44	PM ₁₀	1
67	Eloor	Satisfactory	67	PM ₁₀	1
68	Faridabad	Moderate	126	PM ₁₀ , PM _{2.5}	2
69	Fatehabad	Moderate	140	PM ₁₀	1
70	Firozabad	Satisfactory	66	PM _{2.5} , PM ₁₀	2
71	Gandhinagar	Satisfactory	55	PM ₁₀	3
72	Gangtok	Satisfactory	53	SO ₂	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipoor

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	actory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	56	O ₃	3
74	Ghaziabad	Satisfactory	68	CO, PM ₁₀	4
75	Gorakhpur	Satisfactory	57	PM _{2.5}	1
76	Greater Noida	Satisfactory	78	PM ₁₀ , O ₃	2
77	Gurugram	Satisfactory	88	PM _{2.5} , CO	4
78	Guwahati	Satisfactory	80	PM _{2.5} , SO ₂	4
79	Gwalior	Good	43	O ₃ , PM _{2.5}	3
80	Hajipur	Satisfactory	68	PM ₁₀	1
81	Haldia	Good	47	03	1
82	Hanumangarh	Satisfactory	83	PM ₁₀	1
83	Hapur	Good	42	PM ₁₀	1
84	Hosur	Good	32	PM ₁₀	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Possible Health Impacts

Poor

Very Poor

Respiratory illness on prolonged exposure

Severe

Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Good	46	NO ₂	2
86	Hubballi	Good	26	PM ₁₀	2
87	Hyderabad	Satisfactory	54	PM ₁₀ , NO ₂	11
88	Indore	Satisfactory	86	PM ₁₀	1
89	Jabalpur	Satisfactory	75	PM ₁₀ , O ₃	3
90	Jaipur	Satisfactory	98	03	6
91	Jaisalmer	Satisfactory	84	PM ₁₀	1
92	Jalandhar	Satisfactory	70	O ₃	1
93	Jalgaon	Satisfactory	85	PM ₁₀	1
94	Jalna	Good	37	NO ₂	1
95	Jhalawar	Satisfactory	62	O ₃	1
96	Jhansi	Moderate	106	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	71	PM ₁₀	5
98	Kadapa	Good	33	03	1
99	Kaithal	Satisfactory	52	со	1
100	Kanchipuram	Good	19	SO ₂	1
101	Kanpur	Satisfactory	72	со	3
102	Karauli	Moderate	173	03	1
103	Karnal	Good	27	PM ₁₀	1
104	Kashipur	Good	38	PM ₁₀	1
105	Katihar	Satisfactory	83	со	1
106	Katni	Satisfactory	65	PM ₁₀	1
107	Keonjhar	Good	39	PM ₁₀	1
108	Khanna	Moderate	102	PM ₁₀	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	97	PM _{2.5}	1
110	Kishanganj	Good	38	PM ₁₀	1
111	Kochi	Satisfactory	75	со	1
112	Kolkata	Good	29	O ₃ , PM ₁₀	7
113	Korba	Good	44	NO ₂ , PM ₁₀	2
114	Kota	Satisfactory	96	PM _{2.5}	3
115	Kunjemura	Satisfactory	56	PM ₁₀	1
116	Kurukshetra	Good	47	03	1
117	Latur	Good	31	со	1
118	Lucknow	Satisfactory	68	PM _{2.5}	5
119	Ludhiana	Satisfactory	82	PM ₁₀	1
120	Mahad	Good	32	со	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipoor

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	39	PM ₁₀	1
122	Mandi Gobindgarh	Good	41	PM ₁₀	1
123	Mandideep	Satisfactory	96	O ₃	1
124	Mandikhera	Satisfactory	75	PM ₁₀	1
125	Manguraha	Poor	212	O ₃	1
126	Meerut	Satisfactory	53	CO, PM ₁₀	3
127	Moradabad	Satisfactory	63	PM _{2.5}	6
128	Motihari	Good	43	СО	1
129	Mumbai	Satisfactory	51	CO, PM ₁₀	20
130	Munger	Moderate	176	PM ₁₀	1
131	Muzaffarpur	Satisfactory	97	со	3
132	Mysuru	Good	41	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Good	48	PM _{2.5}	1
134	Nagaur	Satisfactory	93	O ₃	1
135	Nagpur	Satisfactory	52	PM ₁₀ , O ₃	4
136	Nalbari	Good	49	PM _{2.5}	1
137	Nanded	Good	48	O ₃	1
138	Narnaul	Poor	219	PM ₁₀	1
139	Nashik	Good	48	PM _{2.5}	3
140	Navi Mumbai	Satisfactory	64	NO ₂	2
141	Nayagarh	Good	36	PM ₁₀	1
142	Noida	Satisfactory	84	NO ₂ , PM ₁₀	4
143	Pali	Moderate	118	PM ₁₀	1
144	Palkalaiperur	Satisfactory	65	SO ₂	1

Notes:

Parbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Gadag, Gummidipoon

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Good	28	03	1
146	Panchkula	Satisfactory	51	03	1
147	Panipat	Satisfactory	68	PM _{2.5}	1
148	Parbhani	Good	33	PM ₁₀	1
149	Patiala	Satisfactory	52	03	1
150	Patna	Satisfactory	80	O ₃ , PM ₁₀	6
151	Pimpri Chinchwad	Good	44	CO, PM ₁₀	3
152	Pithampur	Satisfactory	62	PM ₁₀	1
153	Pratapgarh	Satisfactory	78	O ₃	1
154	Prayagraj	Satisfactory	88	PM _{2.5} , PM ₁₀	3
155	Puducherry	Good	50	PM ₁₀	1
156	Pune	Satisfactory	90	NO ₂ , CO	4

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart disease

Possible Health Impacts

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Satisfactory	64	СО	1
158	Raichur	Moderate	113	O ₃	1
159	Raipur	Satisfactory	51	PM ₁₀ , NO ₂	3
160	Rairangpur	Good	33	PM ₁₀	1
161	Rajamahendravaram	Good	18	со	1
162	Rajsamand	Satisfactory	91	PM ₁₀	1
163	Ramanagara	Good	31	O ₃	1
164	Ramanathapuram	Good	21	PM ₁₀	1
165	Rishikesh	Good	29	PM ₁₀	1
166	Rohtak	Satisfactory	79	PM _{2.5}	1
167	Rourkela	Good	49	PM ₁₀	2
168	Rupnagar	Moderate	118	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Gadag, Gummidipoon

Notes: Ka

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sagar	Satisfactory	53	03	1
170	Saharsa	Satisfactory	63	PM ₁₀	1
171	Samastipur	Satisfactory	93	PM ₁₀	1
172	Sangli	Good	39	03	1
173	Satna	Satisfactory	66	PM ₁₀	1
174	Sawai Madhopur	Satisfactory	96	PM _{2.5}	1
175	Shillong	Good	21	SO ₂	1
176	Shivamogga	Good	47	PM ₁₀	1
177	Silchar	Good	32	со	1
178	Siliguri	Good	42	PM ₁₀	1
179	Singrauli	Satisfactory	75	PM ₁₀	1
180	Sirohi	Satisfactory	70	03	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sirsa	Moderate	103	O ₃	1
182	Sivasagar	Good	12	PM _{2.5}	1
183	Siwan	Satisfactory	63	PM ₁₀	1
184	Solapur	Satisfactory	58	PM ₁₀	3
185	Sri Ganganagar	Satisfactory	93	PM ₁₀	1
186	Srinagar	Satisfactory	84	PM ₁₀	1
187	Suakati	Good	43	PM ₁₀	1
188	Surat	Good	39	PM _{2.5}	1
189	Talcher	Satisfactory	88	со	1
190	Tensa	Good	43	PM ₁₀	1
191	Thane	Good	37	PM ₁₀	2
192	Thiruvananthapuram	Good	31	PM ₁₀ , CO	2

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipooi

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Satisfactory	96	03	1
194	Thrissur	Good	44	PM ₁₀	1
195	Tirupati	Good	36	NO ₂	1
196	Tirupur	Good	29	со	1
197	Tumidih	Satisfactory	62	PM ₁₀	1
198	Udaipur	Satisfactory	69	PM _{2.5}	1
199	Vapi	Good	45	PM _{2.5}	1
200	Varanasi	Good	45	PM ₁₀	4
201	Vatva	Satisfactory	77	PM _{2.5}	1
202	Vijayapura	Good	49	PM ₁₀	1
203	Vijayawada	Good	42	O ₃	1
204	Visakhapatnam	Satisfactory	88	PM ₁₀	1

Notes:

Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Cadag, Gummidipoor

Hassan, Haveri, Hisar, Imphal, Jhunjhunu, Jind, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kohima, Kolar, Kolhapur, Kollam, Koppal, Kozhikode, Madikeri, Malegaon, Manesar, Mangalore, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Ooty, Rajgir, Ratlam, Salem, Sasaram, Sikar, Sonipat, Tonk, Tumakuru, Udupi, Ujjain, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vrindavan	Satisfactory	63	PM ₁₀	1
206	Yadgir	Good	29	со	1
207	Yamunanagar	Good	34	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Baran, Bettiah, Bhilwara, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore,

- Darbhanga, Dharuhera, Dharwad, Dholpur, Ernakulam, Gadag, Gummidipoo

Notes: K

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.