

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	263	PM _{2.5}	1
2	Agra	Moderate	106	PM _{2.5}	1
3	Ahmedabad	Moderate	177	PM ₁₀	1
4	Aizawl	Moderate	109	PM ₁₀	1
5	Ajmer	Satisfactory	77	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Moderate	104	PM ₁₀	1
8	Ambala	Satisfactory	86	PM ₁₀	1
9	Amritsar	Satisfactory	60	PM ₁₀	1
10	Ankleshwar	Moderate	181	PM _{2.5}	1
11	Asansol	Moderate	164	PM ₁₀	1
12	Aurangabad	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	207	PM ₁₀	1
14	Bahadurgarh	Moderate	149	PM ₁₀	1
15	Ballabgarh	Moderate	119	PM ₁₀	1
16	Bathinda	Moderate	112	PM _{2.5}	1
17	Bengaluru	Satisfactory	84	CO, PM _{2.5} , PM ₁₀	8
18	Bhiwadi	Moderate	142	PM ₁₀	1
19	Bhopal	Moderate	106	O ₃	1
20	Brajrajnagar	Satisfactory	59	СО	1
21	Bulandshahr	Moderate	195	O ₃	1
22	Chandigarh	Satisfactory	85	PM ₁₀	1
23	Chandrapur	Satisfactory	87	PM ₁₀	2
24	Charkhi Dadri	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Moderate	108	PM ₁₀ , PM _{2.5}	7
26	Chikkaballapur	Satisfactory	88	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	92	PM _{2.5}	1
28	Damoh	Satisfactory	53	PM ₁₀	1
29	Davanagere	Moderate	116	PM ₁₀	1
30	Delhi	Moderate	175	PM ₁₀	29
31	Dewas	Moderate	119	PM ₁₀	1
32	Dharuhera	Moderate	148	PM ₁₀	1
33	Durgapur	Poor	251	PM _{2.5}	1
34	Eloor	Satisfactory	63	O ₃	1
35	Faridabad	Moderate	174	PM _{2.5} , O ₃ , PM ₁₀	4
36	Gandhinagar	Moderate	117	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	95	O ₃	1
38	Ghaziabad	Poor	222	PM ₁₀	4
39	Greater Noida	Poor	235	03	1
40	Gurugram	Moderate	173	PM _{2.5} , PM ₁₀	3
41	Guwahati	Very Poor	316	PM _{2.5}	2
42	Gwalior	Satisfactory	81	03	1
43	Hajipur	Poor	232	PM ₁₀	1
44	Haldia	Moderate	129	PM ₁₀	1
45	Hapur	Moderate	185	PM ₁₀	1
46	Hisar	Moderate	130	PM _{2.5}	1
47	Howrah	Moderate	183	PM _{2.5}	3
48	Hubballi	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	134	O ₃ , PM ₁₀ , PM _{2.5}	6
50	Indore	Moderate	123	PM ₁₀	1
51	Jabalpur	Moderate	110	PM ₁₀	1
52	Jaipur	Satisfactory	86	PM ₁₀	3
53	Jalandhar	Satisfactory	77	PM _{2.5}	1
54	Jind	Satisfactory	98	PM ₁₀	1
55	Jodhpur	Poor	217	PM ₁₀	1
56	Kaithal	Moderate	114	PM ₁₀	1
57	Kalyan	Poor	291	PM _{2.5}	1
58	Kannur	Moderate	158	PM ₁₀	1
59	Kanpur	Satisfactory	62	PM _{2.5}	2
60	Karnal	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	132	PM ₁₀	1
62	Khanna	Satisfactory	77	PM ₁₀	1
63	Kochi	Satisfactory	83	PM ₁₀	1
64	Kohima	Moderate	181	PM ₁₀	1
65	Kolar	Satisfactory	62	со	1
66	Kolkata	Moderate	181	PM _{2.5} , O ₃ , PM ₁₀	7
67	Kota	Moderate	136	PM ₁₀	1
68	Kozhikode	Satisfactory	74	PM ₁₀	1
69	Kurukshetra	Satisfactory	96	PM ₁₀	1
70	Lucknow	Moderate	148	PM ₁₀ , PM _{2.5}	4
71	Ludhiana	Satisfactory	92	PM _{2.5}	1
72	Mandi Gobindgarh	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Good	45	O ₃	1
74	Mandikhera	Moderate	113	PM ₁₀	1
75	Manesar	Moderate	126	PM _{2.5}	1
76	Manglore	Good	33	SO ₂	1
77	Medikeri	Satisfactory	74	PM ₁₀	1
78	Meerut	Poor	278	NO ₂	1
79	Mumbai	Moderate	193	PM _{2.5} , O ₃ , PM ₁₀	18
80	Muzaffarnagar	Moderate	193	PM ₁₀	1
81	Muzaffarpur	Poor	228	PM _{2.5} , PM ₁₀	2
82	Mysuru	Satisfactory	68	PM ₁₀	1
83	Nandesari	Good	50	со	1
84	Narnaul	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	90	PM _{2.5}	1
86	Navi Mumbai	Moderate	193	O ₃ , PM _{2.5} , PM ₁₀	3
87	Noida	Moderate	183	PM ₁₀	3
88	Pali	Very Poor	310	PM ₁₀	1
89	Palwal	Satisfactory	79	PM ₁₀	1
90	Panchkula	Satisfactory	52	со	1
91	Panipat	Moderate	147	PM ₁₀	1
92	Patiala	Satisfactory	90	PM ₁₀	1
93	Patna	Poor	251	PM _{2.5} , PM ₁₀	5
94	Pithampur	Satisfactory	99	03	1
95	Puducherry	Satisfactory	100	PM ₁₀	1
96	Pune	Moderate	162	PM _{2.5} , PM ₁₀	7

Possible Health Impacts

pacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	117	PM ₁₀	1
98	Rajamahendravaram	Moderate	150	PM ₁₀	1
99	Ramanagara	Satisfactory	68	03	1
100	Ratlam	Moderate	130	PM ₁₀	1
101	Rohtak	Moderate	193	PM _{2.5}	1
102	Rupnagar	Moderate	106	PM ₁₀	1
103	Sagar	Satisfactory	51	PM _{2.5}	1
104	Satna	Satisfactory	80	PM ₁₀	1
105	Shillong	Satisfactory	75	03	1
106	Shivamogga	Satisfactory	61	PM _{2.5}	1
107	Siliguri	Very Poor	319	PM _{2.5}	1
108	Singrauli	Moderate	172	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	78	PM ₁₀	1
110	Solapur	Moderate	101	PM ₁₀	1
111	Sonipat	Poor	249	PM ₁₀	1
112	Talcher	Moderate	102	PM _{2.5}	1
113	Thiruvananthapuram	Satisfactory	77	PM ₁₀ , PM _{2.5}	2
114	Thoothukudi	Satisfactory	84	PM ₁₀	1
115	Tirupati	Satisfactory	98	PM ₁₀	1
116	Udaipur	Moderate	141	PM ₁₀	1
117	Udupi	Satisfactory	71	СО	1
118	Ujjain	Moderate	154	PM ₁₀	1
119	Vapi	Moderate	152	PM ₁₀	1
120	Varanasi	Poor	255	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Poor	264	PM _{2.5}	1
122	Vijayapura	Good	50	PM _{2.5}	1
123	Visakhapatnam	Poor	204	PM ₁₀	1
124	Yadgir	Moderate	169	O ₃	1
125	Yamunanagar	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwani, Bidar, Chamarajanagar, Coimbatore, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kollam, Koppal, Maihar, Moradabad, Nagpur, Srinagar, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.