

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	122	PM _{2.5}	1
2	Ahmedabad	Poor	283	PM _{2.5}	1
3	Ajmer	Moderate	125	PM ₁₀	1
4	Alwar	Satisfactory	94	PM ₁₀	1
5	Amaravati	Moderate	104	PM _{2.5}	1
6	Ambala	Good	43	OZONE	1
7	Amritsar	Satisfactory	76	PM _{2.5}	1
8	Ankleshwar	Moderate	175	PM ₁₀	1
9	Asanol	Poor	288	PM _{2.5}	1
10	Aurangabad	Satisfactory	92	OZONE	1
11	Baghpat	Moderate	107	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	113	со	1
14	Bathinda	Satisfactory	85	PM ₁₀	1
15	Bengaluru	Moderate	106	OZONE, PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Poor	204	PM _{2.5}	1
17	Bhiwani	Moderate	112	PM ₁₀	1
18	Brajrajnagar	Poor	212	PM _{2.5}	1
19	Bulandshahr	Moderate	104	PM _{2.5}	1
20	Chandrapur	Satisfactory	88	OZONE	1
21	Chennai	Satisfactory	67	PM _{2.5} , CO	3
22	Damoh	Satisfactory	97	PM ₁₀	1
23	Delhi	Moderate	144	PM ₁₀ , PM _{2.5}	34
24	Dewas	Poor	207	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	137	PM ₁₀	1
26	Fatehabad	Moderate	122	PM ₁₀	1
27	GandhiNagar	Moderate	189	PM ₁₀	1
28	Gaya	Poor	296	PM _{2.5}	1
29	Ghaziabad	Moderate	193	PM _{2.5}	1
30	Greater_Noida	Moderate	133	PM _{2.5}	1
31	Gurugram	Moderate	132	PM _{2.5}	1
32	Haldia	Moderate	136	PM ₁₀	1
33	Hapur	Moderate	107	PM _{2.5}	1
34	Hisar	Moderate	143	PM ₁₀	1
35	Howrah	Very Poor	312	PM _{2.5}	2
36	Hyderabad	Moderate	117	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Moderate	129	PM ₁₀	3
38	Jalandhar	Moderate	179	PM ₁₀	1
39	Jind	Satisfactory	88	PM _{2.5}	1
40	Jodhpur	Very Poor	361	PM ₁₀	1
41	Jorapokhar	Moderate	187	PM ₁₀	1
42	Kalaburgi	Moderate	124	PM ₁₀	1
43	Kanpur	Poor	203	PM _{2.5}	1
44	Karnal	Satisfactory	76	PM ₁₀	1
45	Khanna	Good	26	PM _{2.5}	1
46	Kolkata	Very Poor	306	PM _{2.5}	2
47	Kota	Moderate	177	PM ₁₀	1
48	Kurushketra	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Moderate	143	PM _{2.5}	3
50	Ludhiana	Good	40	PM _{2.5}	1
51	Mandi Gobindgarh	Good	50	PM ₁₀	1
52	Mandideep	Moderate	133	PM ₁₀	1
53	Mandikhera	Moderate	120	PM ₁₀	1
54	Manesar	Moderate	134	PM ₁₀	1
55	Moradabad	Moderate	127	PM _{2.5}	1
56	Mumbai	Moderate	162	PM ₁₀	1
57	Muzaffarnagar	Satisfactory	99	PM _{2.5}	1
58	Muzaffarpur	Poor	257	PM _{2.5}	1
59	Nagpur	Moderate	140	OZONE	1
60	Narnaul	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Moderate	109	PM ₁₀	1
62	Navi Mumbai	Moderate	117	со	1
63	Noida	Moderate	140	PM _{2.5} , PM ₁₀	2
64	Pali	Moderate	191	PM _{2.5}	1
65	Palwal	Moderate	116	PM ₁₀	1
66	Panchkula	Satisfactory	77	OZONE	1
67	Patiala	Good	27	PM ₁₀	1
68	Patna	Very Poor	303	PM _{2.5}	1
69	Pithampur	Poor	208	PM ₁₀	1
70	Pune	Satisfactory	94	PM ₁₀	1
71	Rajamahendravaram	Moderate	113	PM _{2.5}	1
72	Rohtak	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rupnagar	Good	30	PM ₁₀	1
74	Siliguri	Poor	262	PM _{2.5}	1
75	Singrauli	Poor	297	PM _{2.5}	1
76	Sirsa	Satisfactory	97	PM ₁₀	1
77	Solapur	Satisfactory	100	PM ₁₀	1
78	Sonipat	Moderate	101	PM ₁₀	1
79	Talcher	Poor	208	PM ₁₀	1
80	Thane	Moderate	108	PM ₁₀	1
81	Thiruvananthapuram	Satisfactory	98	OZONE	1
82	Tirupati	Satisfactory	78	PM _{2.5}	1
83	Udaipur	Poor	223	PM ₁₀	1
84	Ujjain	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Varanasi	Poor	284	PM _{2.5}	1
86	Vatva	Poor	284	PM ₁₀	1
87	Vijayawada	Satisfactory	69	PM ₁₀	1
88	Visakhapatnam	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Faridabad, Hubballi, Panipat, Ratlam, Satna, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.