

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	91	PM _{2.5}	1
2	Ahmedabad	Moderate	166	PM _{2.5}	1
3	Ajmer	Moderate	101	PM _{2.5}	1
4	Alwar	Very Poor	309	PM _{2.5}	1
5	Amaravati	Good	33	PM ₁₀	1
6	Ambala	Poor	220	PM ₁₀	1
7	Amritsar	Satisfactory	84	PM ₁₀	1
8	Asanol	Satisfactory	77	PM _{2.5}	1
9	Aurangabad	Satisfactory	73	OZONE	1
10	Bahadurgarh	Poor	218	PM _{2.5}	1
11	Ballabgarh	Poor	291	PM _{2.5}	1
12	Bathinda	Moderate	190	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	109	PM _{2.5} , PM ₁₀ , OZONE	7
14	Bhiwani	Poor	270	PM _{2.5}	1
15	Bulandshahr	Poor	224	PM ₁₀	1
16	Chandrapur	Moderate	131	OZONE, PM ₁₀	2
17	Chennai	Satisfactory	76	PM _{2.5} , CO	3
18	Damoh	Moderate	125	PM ₁₀	1
19	Delhi	Poor	264	PM _{2.5} , PM ₁₀	34
20	Dewas	Moderate	148	PM ₁₀	1
21	Ghaziabad	Poor	281	PM ₁₀	3
22	Greater_Noida	Poor	280	PM ₁₀	1
23	Guwahati	Satisfactory	54	OZONE	1
24	Hapur	Poor	252	PM ₁₀	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Howrah	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
26	Hyderabad	Satisfactory	77	PM ₁₀ , PM _{2.5}	5
27	Jaipur	Very Poor	364	PM ₁₀	2
28	Jalandhar	Satisfactory	97	PM ₁₀	1
29	Jodhpur	Moderate	154	PM _{2.5}	1
30	Jorapokhar	Satisfactory	80	PM ₁₀	1
31	Kaithal	Severe	401	PM ₁₀	1
32	Kalaburagi	Moderate	124	PM ₁₀	1
33	Kanpur	Satisfactory	81	со	1
34	Karnal	Very Poor	362	PM _{2.5}	1
35	Khanna	Moderate	107	PM ₁₀	1
36	Kolkata	Satisfactory	68	PM ₁₀ , PM _{2.5}	2

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kota	Moderate	133	PM _{2.5}	1
38	Kurukshetra	Poor	229	PM ₁₀	1
39	Loni_Dehat	Very Poor	357	PM ₁₀	1
40	Lucknow	Moderate	136	PM _{2.5} , NO ₂ , CO	4
41	Ludhiana	Moderate	136	PM _{2.5}	1
42	Maihar	Satisfactory	54	со	1
43	Mandideep	Moderate	149	PM ₁₀	1
44	Mandikhera	Moderate	146	PM ₁₀	1
45	Manesar	Poor	225	PM ₁₀	1
46	Mumbai	Satisfactory	93	СО	1
47	Muzaffarnagar	Poor	298	PM ₁₀	1
48	Muzaffarpur	Moderate	166	OZONE	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Nagpur	Moderate	102	OZONE	1
50	Narnaul	Moderate	195	PM _{2.5}	1
51	Nashik	Satisfactory	74	PM ₁₀	1
52	Navi Mumbai	Moderate	105	со	1
53	Noida	Poor	270	PM ₁₀	2
54	Pali	Moderate	131	PM ₁₀	1
55	Palwal	Poor	247	PM _{2.5}	1
56	Panchkula	Moderate	141	PM _{2.5}	1
57	Panipat	Very Poor	372	PM ₁₀	1
58	Patiala	Very Poor	332	PM ₁₀	1
59	Patna	Satisfactory	94	OZONE	1
60	Pithampur	Moderate	155	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pune	Satisfactory	88	PM ₁₀	1
62	Rajamahendravaram	Good	43	OZONE	1
63	Ratlam	Moderate	145	PM ₁₀	1
64	Rohtak	Very Poor	399	PM _{2.5}	1
65	Rupnagar	Good	44	PM _{2.5}	1
66	Satna	Satisfactory	94	PM ₁₀	1
67	Siliguri	Satisfactory	68	OZONE	1
68	Singrauli	Moderate	159	PM ₁₀	1
69	Sirsa	Severe	404	PM _{2.5}	1
70	Solapur	Moderate	107	PM ₁₀	1
71	Sonipat	Poor	296	PM _{2.5}	1
72	Talcher	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Thane	Very Poor	348	PM _{2.5}	1
74	Thiruvananthapuram	Satisfactory	71	PM ₁₀	1
75	Udaipur	Satisfactory	79	PM ₁₀	1
76	Ujjain	Moderate	139	PM ₁₀	1
77	Vapi	Satisfactory	96	PM _{2.5}	1
78	Varanasi	Poor	201	PM ₁₀	1
79	Vatva	Moderate	135	PM ₁₀	1
80	Visakhapatnam	Satisfactory	76	PM ₁₀	1
81	Yamunanagar	Moderate	189	PM ₁₀	1

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

- * Athers to calculated for today's bulletin for Ankleshwar, Baghpat, Bhiwadi, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Faridabad, Fatehabad, GandhiNagar, Gaya, Gurugram, Haldia, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Tirupati, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.