

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	264	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	38	PM ₁₀	5
3	Ahmedabad	Moderate	154	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	54	PM ₁₀	1
5	Ajmer	Poor	220	PM _{2.5}	1
6	Alwar	Moderate	118	PM _{2.5}	1
7	Amaravati	Satisfactory	86	PM _{2.5}	1
8	Ambala	Moderate	126	PM ₁₀	1
9	Amritsar	Moderate	122	PM _{2.5}	1
10	Anantapur	Good	42	03	1
11	Ankleshwar	Moderate	111	PM _{2.5}	1
12	Araria	Very Poor	323	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	49	PM _{2.5}	1
14	Arrah	Very Poor	310	PM _{2.5}	1
15	Asansol	Very Poor	327	PM _{2.5}	1
16	Aurangabad (Bihar)	Very Poor	323	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Moderate	128	PM ₁₀	1
18	Baddi	Moderate	151	PM _{2.5}	1
19	Bagalkot	Good	50	PM ₁₀	1
20	Baghpat	Poor	281	PM _{2.5}	1
21	Bahadurgarh	Moderate	196	PM _{2.5}	1
22	Ballabgarh	Moderate	132	со	1
23	Bareilly	Satisfactory	66	PM ₁₀	2
24	Baripada	Poor	217	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	439	PM _{2.5}	1
26	Belgaum	Poor	208	PM _{2.5}	1
27	Bengaluru	Satisfactory	64	со	8
28	Bettiah	Severe	405	PM _{2.5}	1
29	Bhagalpur	Very Poor	387	PM _{2.5}	2
30	Bhilai	Moderate	133	O ₃	2
31	Bhiwadi	Poor	258	PM ₁₀	1
32	Bhiwani	Moderate	155	PM _{2.5}	1
33	Bhopal	Moderate	148	PM ₁₀ , PM _{2.5}	2
34	Bidar	Satisfactory	80	со	1
35	Bileipada	Poor	224	PM _{2.5}	1
36	Brajrajnagar	Moderate	104	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	115	PM _{2.5}	1
38	Byrnihat	Very Poor	377	PM _{2.5}	1
39	Chamarajanagar	Good	43	PM ₁₀	1
40	Chandigarh	Poor	218	PM _{2.5}	3
41	Chandrapur	Moderate	178	03	2
42	Charkhi Dadri	Poor	244	PM _{2.5}	1
43	Chengalpattu	Satisfactory	76	PM ₁₀	1
44	Chennai	Satisfactory	72	PM _{2.5}	8
45	Chhapra	Very Poor	360	PM ₁₀	1
46	Chikkaballapur	Satisfactory	82	PM ₁₀	1
47	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
48	Chittoor	Satisfactory	54	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Satisfactory	85	PM _{2.5}	1
50	Davanagere	Satisfactory	71	PM ₁₀	1
51	Delhi	Poor	237	PM _{2.5}	38
52	Dewas	Poor	208	PM ₁₀	1
53	Dharuhera	Poor	243	PM _{2.5}	1
54	Durgapur	Poor	234	PM _{2.5}	1
55	Faridabad	Poor	280	PM _{2.5} , PM ₁₀	4
56	Firozabad	Satisfactory	62	NO ₂	1
57	Gadag	Good	35	O ₃	1
58	Gandhinagar	Poor	222	PM _{2.5}	3
59	Gangtok	Moderate	110	PM _{2.5}	1
60	Gaya	Very Poor	362	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	199	PM ₁₀	4
62	Gorakhpur	Satisfactory	99	PM ₁₀	1
63	Greater Noida	Poor	245	PM ₁₀	2
64	Gummidipoondi	Moderate	144	PM _{2.5}	1
65	Gurugram	Poor	259	PM _{2.5}	3
66	Guwahati	Very Poor	306	PM _{2.5}	4
67	Gwalior	Poor	253	PM _{2.5}	3
68	Hajipur	Poor	233	PM ₁₀	1
69	Haldia	Moderate	132	PM ₁₀	1
70	Hapur	Satisfactory	75	PM _{2.5}	1
71	Haveri	Satisfactory	100	PM ₁₀	1
72	Hosur	Moderate	130	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Very Poor	311	PM _{2.5}	3
74	Hubballi	Moderate	160	PM _{2.5}	2
75	Hyderabad	Satisfactory	82	PM ₁₀	10
76	Imphal	Moderate	138	PM _{2.5} , SO ₂	2
77	Indore	Moderate	188	PM ₁₀	1
78	Jabalpur	Moderate	115	PM ₁₀	1
79	Jaipur	Moderate	173	PM _{2.5} , PM ₁₀	3
80	Jalandhar	Moderate	146	PM _{2.5}	1
81	Jhansi	Moderate	101	PM ₁₀	1
82	Jind	Moderate	105	PM _{2.5}	1
83	Jodhpur	Moderate	143	PM ₁₀	1
84	Jorapokhar	Moderate	178	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	149	PM _{2.5}	1
86	Kalaburgi	Satisfactory	62	PM _{2.5}	1
87	Kanchipuram	Satisfactory	53	PM ₁₀	1
88	Kannur	Satisfactory	94	PM _{2.5}	1
89	Kanpur	Moderate	170	PM _{2.5} , NO ₂	4
90	Karnal	Moderate	150	PM _{2.5}	1
91	Katihar	Severe	401	PM _{2.5}	1
92	Keonjhar	Poor	215	PM _{2.5}	1
93	Khanna	Satisfactory	63	PM ₁₀	1
94	Khurja	Moderate	115	PM _{2.5}	1
95	Kishanganj	Very Poor	310	PM _{2.5}	1
96	Kochi	Moderate	157	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Moderate	114	PM _{2.5}	1
98	Kolar	Moderate	166	SO ₂	1
99	Kolkata	Poor	244	PM _{2.5}	7
100	Koppal	Moderate	152	03	1
101	Korba	Moderate	189	PM ₁₀	1
102	Kota	Moderate	135	PM ₁₀	1
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Kurukshetra	Moderate	134	PM _{2.5}	1
105	Lucknow	Moderate	141	PM ₁₀	6
106	Ludhiana	Satisfactory	87	PM _{2.5}	1
107	Madikeri	Good	34	O ₃	1
108	Maihar	Satisfactory	64	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	116	PM _{2.5}	1
110	Mandideep	Moderate	139	PM _{2.5}	1
111	Mandikhera	Moderate	141	PM ₁₀	1
112	Manesar	Poor	275	PM _{2.5}	1
113	Mangalore	Moderate	111	PM ₁₀	1
114	Manguraha	Poor	236	PM _{2.5}	1
115	Meerut	Poor	234	PM ₁₀ , PM _{2.5}	3
116	Moradabad	Moderate	104	PM _{2.5}	6
117	Motihari	Poor	261	PM ₁₀	1
118	Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	19
119	Munger	Very Poor	351	PM ₁₀	1
120	Muzaffarnagar	Poor	267	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Very Poor	378	PM _{2.5}	3
122	Mysuru	Good	31	PM ₁₀	1
123	Nagpur	Poor	204	PM _{2.5}	1
124	Naharlagun	Satisfactory	59	PM _{2.5}	1
125	Nalbari	Poor	219	PM ₁₀	1
126	Narnaul	Very Poor	313	PM _{2.5}	1
127	Nashik	Satisfactory	82	PM _{2.5}	1
128	Navi Mumbai	Poor	229	PM _{2.5}	3
129	Nayagarh	Moderate	162	PM _{2.5}	1
130	Noida	Poor	203	PM ₁₀ , PM _{2.5}	4
131	Ooty	Good	46	SO ₂	1
132	Pali	Moderate	158	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palwal	Moderate	116	PM _{2.5}	1
134	Panipat	Moderate	104	PM ₁₀	1
135	Patiala	Moderate	120	PM _{2.5}	1
136	Patna	Very Poor	348	PM ₁₀ , PM _{2.5}	6
137	Pithampur	Poor	225	PM _{2.5}	1
138	Prayagraj	Moderate	120	PM ₁₀	3
139	Puducherry	Good	47	PM ₁₀	1
140	Pune	Poor	209	PM _{2.5} , CO	4
141	Purnia	Very Poor	383	PM _{2.5}	1
142	Raichur	Satisfactory	75	PM ₁₀	1
143	Raipur	Satisfactory	93	PM ₁₀	4
144	Rairangpur	Poor	231	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Moderate	158	PM _{2.5}	1
146	Rajgir	Very Poor	339	PM _{2.5}	1
147	Ramanagara	Satisfactory	59	PM ₁₀	1
148	Ramanathapuram	Good	24	PM ₁₀	1
149	Ratlam	Moderate	196	PM _{2.5}	1
150	Rohtak	Moderate	125	PM _{2.5}	1
151	Rourkela	Moderate	147	PM _{2.5}	3
152	Rupnagar	Poor	278	PM ₁₀	1
153	Sagar	Moderate	113	PM _{2.5} , CO	2
154	Saharsa	Severe	418	PM ₁₀	1
155	Salem	Satisfactory	98	SO ₂	1
156	Sasaram	Very Poor	312	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shillong	Moderate	144	PM _{2.5}	1
158	Shivamogga	Good	35	PM ₁₀	1
159	Siliguri	Moderate	136	PM ₁₀	1
160	Singrauli	Poor	265	PM _{2.5}	1
161	Sirsa	Moderate	107	PM ₁₀	1
162	Sivasagar	Good	47	PM _{2.5}	1
163	Siwan	Severe	405	PM _{2.5}	1
164	Solapur	Moderate	121	PM ₁₀	1
165	Sonipat	Moderate	165	PM ₁₀	1
166	Srinagar	Good	43	PM ₁₀	1
167	Suakati	Poor	236	PM _{2.5}	1
168	Surat	Poor	231	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tensa	Satisfactory	100	PM _{2.5}	1
170	Thane	Moderate	184	03	1
171	Thiruvananthapuram	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
172	Thoothukudi	Poor	242	03	1
173	Tirupati	Satisfactory	71	NO ₂ , PM _{2.5}	2
174	Udaipur	Poor	254	PM _{2.5}	1
175	Udupi	Moderate	103	СО	1
176	Ujjain	Poor	252	PM _{2.5}	1
177	Vapi	Poor	276	PM _{2.5}	1
178	Varanasi	Satisfactory	78	PM ₁₀ , PM _{2.5}	4
179	Vatva	Moderate	177	PM _{2.5}	1
180	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif,

Notes:

Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul,
Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam,

Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher,
Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Poor	209	PM _{2.5}	1
182	Vrindavan	Satisfactory	59	PM _{2.5}	1
183	Yadgir	Satisfactory	62	PM ₁₀	1
184	Yamunanagar	Moderate	180	PM _{2.5}	1
185	vellore	Satisfactory	67	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bihar Sharif, Notes: Bilaspur, Buxar, Chhal, Damoh, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Hassan, Hisar, Kalyan, Katni, Kollam, Kunjemura, Nandesari, Panchkula, Samastipur, Satna, Silchar, Talcher, Thrissur, Tirupur, Tumakuru, Tumidih, Vijayawada as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.