

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	113	PM <sub>2.5</sub>	1
2	Agra	Poor	275	PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	80	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	9
4	Aizawl	Good	25	SO <sub>2</sub>	1
5	Ajmer	Moderate	132	PM <sub>2.5</sub>	1
6	Alwar	Moderate	114	PM <sub>2.5</sub>	1
7	Amaravati	Good	28	СО	1
8	Ambala	Poor	275	PM <sub>2.5</sub>	1
9	Amritsar	Very Poor	319	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	221	PM <sub>2.5</sub>	1
11	Asansol	Poor	220	O <sub>3</sub>	1
12	Aurangabad	Satisfactory	64	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	39	PM <sub>2.5</sub>	1
14	Baghpat	Very Poor	338	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	337	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	259	PM <sub>10</sub>	1
17	Bengaluru	Good	47	NO <sub>2</sub> , PM <sub>2.5</sub> , CO	9
18	Bhiwadi	Very Poor	355	PM <sub>2.5</sub>	1
19	Bhiwani	Very Poor	314	PM <sub>2.5</sub>	1
20	Bhopal	Very Poor	322	PM <sub>2.5</sub>	1
21	Bilaspur	Satisfactory	79	со	1
22	Brajrajnagar	Satisfactory	70	PM <sub>10</sub>	1
23	Bulandshahr	Very Poor	307	PM <sub>10</sub>	1
24	Chamarajanagar	Good	33	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	166	O <sub>3</sub> , PM <sub>10</sub>	2
26	Chandrapur	Satisfactory	68	PM <sub>10</sub>	2
27	Chennai	Good	47	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8
28	Chikkaballapur	Good	29	со	1
29	Chikkamagaluru	Good	33	со	1
30	Coimbatore	Good	33	PM <sub>2.5</sub>	1
31	Damoh	Poor	269	PM <sub>2.5</sub>	1
32	Darbhanga	Very Poor	366	PM <sub>2.5</sub>	1
33	Davanagere	Good	21	со	1
34	Delhi	Very Poor	374	PM <sub>2.5</sub>	36
35	Dewas	Moderate	101	PM <sub>10</sub>	1
36	Durgapur	Very Poor	340	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Good	47	СО	1
38	Ernakulam	Good	43	СО	1
39	Faridabad	Very Poor	347	PM <sub>10</sub> , PM <sub>2.5</sub>	4
40	Fatehabad	Poor	277	PM <sub>2.5</sub>	1
41	Firozabad	Poor	289	PM <sub>2.5</sub>	1
42	Gandhinagar	Satisfactory	51	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Gaya	Moderate	148	PM <sub>2.5</sub>	2
44	Ghaziabad	Very Poor	344	PM <sub>2.5</sub> , PM <sub>10</sub>	4
45	Gorakhpur	Poor	281	PM <sub>2.5</sub>	1
46	Greater Noida	Very Poor	322	PM <sub>2.5</sub>	2
47	Gurugram	Very Poor	345	PM <sub>2.5</sub>	4
48	Guwahati	Moderate	122	PM <sub>2.5</sub>	2

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	2
50	Hajipur	Poor	282	PM <sub>2.5</sub>	1
51	Haldia	Moderate	139	PM <sub>2.5</sub>	1
52	Hapur	Very Poor	325	PM <sub>2.5</sub>	1
53	Hisar	Very Poor	365	PM <sub>2.5</sub>	1
54	Howrah	Poor	207	PM <sub>2.5</sub>	3
55	Hubballi	Good	37	СО	1
56	Hyderabad	Good	40	PM <sub>10</sub> , NO <sub>2</sub> , CO	6
57	Indore	Poor	232	PM <sub>2.5</sub>	1
58	Jabalpur	Very Poor	309	PM <sub>2.5</sub>	1
59	Jaipur	Poor	236	PM <sub>2.5</sub>	2
60	Jalandhar	Poor	265	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Very Poor	344	PM <sub>2.5</sub>	1
62	Jodhpur	Moderate	161	PM <sub>2.5</sub>	1
63	Kaithal	Poor	247	PM <sub>2.5</sub>	1
64	Kalyan	Satisfactory	83	PM <sub>10</sub>	1
65	Kannur	Satisfactory	54	СО	1
66	Kanpur	Very Poor	301	PM <sub>2.5</sub>	3
67	Karnal	Poor	227	PM <sub>2.5</sub>	1
68	Katni	Poor	294	PM <sub>2.5</sub>	1
69	Khanna	Moderate	175	PM <sub>2.5</sub>	1
70	Kohima	Satisfactory	63	PM <sub>10</sub>	1
71	Kolkata	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	6
72	Kollam	Satisfactory	60	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	52	03	1
74	Kota	Moderate	137	PM <sub>2.5</sub>	1
75	Kozhikode	Good	46	PM <sub>10</sub>	1
76	Kurukshetra	Poor	281	PM <sub>2.5</sub>	1
77	Lucknow	Poor	213	PM <sub>2.5</sub> , PM <sub>10</sub>	6
78	Ludhiana	Poor	214	PM <sub>2.5</sub>	1
79	Mandi Gobindgarh	Poor	227	PM <sub>10</sub>	1
80	Mandideep	Moderate	140	PM <sub>10</sub>	1
81	Mandikhera	Satisfactory	82	PM <sub>2.5</sub>	1
82	Manesar	Very Poor	347	PM <sub>2.5</sub>	1
83	Manglore	Satisfactory	62	со	1
84	Medikeri	Good	18	СО	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Poor	287	PM <sub>10</sub> , PM <sub>2.5</sub>	3
86	Moradabad	Very Poor	330	PM <sub>2.5</sub>	2
87	Motihari	Very Poor	345	PM <sub>2.5</sub>	1
88	Mumbai	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	19
89	Munger	Very Poor	311	PM <sub>2.5</sub>	1
90	Muzaffarnagar	Poor	250	PM <sub>2.5</sub>	1
91	Muzaffarpur	Very Poor	335	PM <sub>2.5</sub> , PM <sub>10</sub>	3
92	Narnaul	Very Poor	332	PM <sub>2.5</sub>	1
93	Nashik	Satisfactory	97	PM <sub>2.5</sub>	1
94	Navi Mumbai	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	3
95	Noida	Very Poor	356	PM <sub>10</sub> , PM <sub>2.5</sub>	3
96	Pali	Moderate	101	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	116	PM <sub>2.5</sub>	1
98	Panchkula	Satisfactory	88	PM <sub>2.5</sub>	1
99	Panipat	Very Poor	310	PM <sub>10</sub>	1
100	Patiala	Poor	260	PM <sub>2.5</sub>	1
101	Patna	Poor	290	PM <sub>2.5</sub> , PM <sub>10</sub>	5
102	Pithampur	Moderate	197	PM <sub>2.5</sub>	1
103	Prayagraj	Poor	259	PM <sub>2.5</sub>	3
104	Puducherry	Good	49	O <sub>3</sub>	1
105	Pune	Satisfactory	70	PM <sub>2.5</sub>	1
106	Raichur	Good	35	PM <sub>10</sub>	1
107	Rajamahendravaram	Good	49	O <sub>3</sub>	1
108	Ramanagara	Good	37	O <sub>3</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Moderate	138	PM <sub>2.5</sub>	1
110	Rohtak	Very Poor	342	PM <sub>2.5</sub>	1
111	Rupnagar	Moderate	155	PM <sub>10</sub>	1
112	Sagar	Moderate	117	PM <sub>2.5</sub>	1
113	Sasaram	Poor	243	PM <sub>2.5</sub>	1
114	Satna	Satisfactory	67	PM <sub>10</sub>	1
115	Shillong	Good	25	PM <sub>2.5</sub>	1
116	Siliguri	Moderate	114	PM <sub>10</sub>	1
117	Singrauli	Very Poor	331	PM <sub>2.5</sub>	1
118	Sirsa	Poor	266	PM <sub>2.5</sub>	1
119	Solapur	Good	39	со	1
120	Sonipat	Poor	282	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Moderate	128	PM <sub>10</sub>	1
122	Talcher	Satisfactory	81	PM <sub>2.5</sub>	1
123	Thane	Moderate	125	PM <sub>10</sub>	1
124	Thiruvananthapuram	Good	46	PM <sub>10</sub> , NO <sub>2</sub>	2
125	Thoothukudi	Satisfactory	77	со	1
126	Thrissur	Good	37	PM <sub>10</sub>	1
127	Tirupati	Good	42	СО	1
128	Udaipur	Good	50	PM <sub>2.5</sub>	1
129	Ujjain	Poor	209	PM <sub>2.5</sub>	1
130	Varanasi	Poor	246	PM <sub>2.5</sub>	4
131	Vatva	Moderate	103	PM <sub>2.5</sub>	1
132	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Satisfactory	70	PM <sub>2.5</sub>	1
134	Vrindavan	Poor	294	PM <sub>2.5</sub>	1
135	Yadgir	Good	24	SO <sub>2</sub>	1
136	Yamunanagar	Poor	259	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Nandesari, Shivamogga, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.