

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM ₁₀	1
2	Agra	Good	28	PM ₁₀ , SO ₂ , CO	6
3	Ahmedabad	Satisfactory	88	PM ₁₀	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	62	PM ₁₀	1
6	Alwar	Satisfactory	61	PM ₁₀	1
7	Amaravati	Good	37	со	1
8	Ambala	Satisfactory	58	PM ₁₀	1
9	Amritsar	Satisfactory	56	NO ₂	1
10	Ankleshwar	Satisfactory	86	PM _{2.5}	1
11	Arrah	Satisfactory	97	со	1
12	Asansol	Satisfactory	68	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	78	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Satisfactory	59	СО	1
15	Baddi	Satisfactory	51	O ₃	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Good	44	O ₃	1
18	Bahadurgarh	Good	38	PM ₁₀	1
19	Ballabgarh	Good	46	PM ₁₀	1
20	Bareilly	Good	24	O ₃	1
21	Bathinda	Moderate	106	PM ₁₀	1
22	Bengaluru	Satisfactory	67	PM ₁₀ , CO	8
23	Bettiah	Good	41	со	1
24	Bhagalpur	Satisfactory	70	NO ₂ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Good	44	PM ₁₀	1
26	Bhiwani	Satisfactory	72	СО	1
27	Bihar Sharif	Good	50	PM _{2.5}	1
28	Bilaspur	Moderate	101	со	1
29	Bulandshahr	Good	40	PM ₁₀	1
30	Buxar	Satisfactory	86	со	1
31	Chamarajanagar	Good	35	PM ₁₀	1
32	Chandigarh	Good	45	03	3
33	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
34	Charkhi Dadri	Satisfactory	54	PM ₁₀	1
35	Chennai	Satisfactory	70	CO, PM ₁₀	7
36	Chhapra	Satisfactory	66	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	25	O ₃	1
38	Coimbatore	Good	29	PM ₁₀	1
39	Damoh	Good	21	со	1
40	Darbhanga	Satisfactory	97	PM ₁₀	1
41	Davanagere	Good	17	PM ₁₀	1
42	Dehradun	Good	30	03	1
43	Delhi	Satisfactory	67	O ₃ , CO	33
44	Dewas	Good	29	PM ₁₀	1
45	Dharuhera	Moderate	114	PM _{2.5}	1
46	Durgapur	Satisfactory	56	PM ₁₀	1
47	Eloor	Satisfactory	54	PM ₁₀	1
48	Ernakulam	Satisfactory	64	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Satisfactory	80	SO ₂ , PM ₁₀	2
50	Firozabad	Good	48	O ₃ , NO ₂	2
51	Gadag	Good	25	SO ₂	1
52	Gandhinagar	Good	35	со	1
53	Gangtok	Good	13	03	1
54	Gaya	Satisfactory	70	PM ₁₀ , PM _{2.5} , CO	3
55	Ghaziabad	Satisfactory	53	PM ₁₀	4
56	Greater Noida	Satisfactory	52	PM ₁₀	2
57	Gurugram	Satisfactory	56	PM ₁₀ , O ₃	2
58	Guwahati	Good	50	O ₃ , CO	2
59	Gwalior	Good	31	со	1
60	Hajipur	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	32	со	1
62	Hapur	Good	45	со	1
63	Hassan	Good	44	SO ₂	1
64	Haveri	Good	40	со	1
65	Hisar	Satisfactory	54	03	1
66	Howrah	Good	30	CO, PM ₁₀ , PM _{2.5}	3
67	Hubballi	Satisfactory	54	со	1
68	Hyderabad	Good	43	PM _{2.5} , PM ₁₀ , NO ₂	12
69	Imphal	Satisfactory	54	O ₃ , SO ₂	2
70	Indore	Good	43	со	1
71	Jabalpur	Satisfactory	62	со	1
72	Jaipur	Good	48	CO, O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Good	37	O ₃	1
74	Jhansi	Good	24	PM ₁₀	1
75	Jind	Good	41	со	1
76	Jodhpur	Satisfactory	63	PM ₁₀	1
77	Kaithal	Good	42	PM _{2.5}	1
78	Kalaburgi	Good	34	PM ₁₀	1
79	Kalyan	Satisfactory	58	PM ₁₀	1
80	Kannur	Satisfactory	53	PM _{2.5}	1
81	Kanpur	Good	30	PM ₁₀ , CO	4
82	Karnal	Good	29	PM ₁₀	1
83	Katihar	Satisfactory	67	PM ₁₀	1
84	Katni	Good	34	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	55	PM ₁₀	1
86	Khurja	Satisfactory	87	PM ₁₀	1
87	Kochi	Satisfactory	96	PM _{2.5}	1
88	Kohima	Satisfactory	52	SO ₂	1
89	Kolkata	Good	37	PM ₁₀ , O ₃ , CO	7
90	Kollam	Satisfactory	61	PM ₁₀	1
91	Koppal	Good	25	PM ₁₀	1
92	Kota	Satisfactory	52	PM ₁₀	1
93	Kozhikode	Satisfactory	66	PM ₁₀	1
94	Kurukshetra	Good	37	03	1
95	Lucknow	Good	49	NO ₂ , CO, PM _{2.5}	5
96	Ludhiana	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	23	SO ₂	1
98	Mandi Gobindgarh	Satisfactory	61	PM _{2.5}	1
99	Mandideep	Satisfactory	51	03	1
100	Manesar	Satisfactory	56	PM ₁₀	1
101	Manglore	Satisfactory	58	NO ₂	1
102	Manguraha	Good	31	PM ₁₀	1
103	Meerut	Satisfactory	63	CO, PM ₁₀	3
104	Moradabad	Good	44	CO, O ₃ , PM ₁₀	6
105	Motihari	Satisfactory	55	03	1
106	Mumbai	Good	49	CO, SO ₂ , PM ₁₀	12
107	Muzaffarpur	Satisfactory	70	O ₃ , PM ₁₀	2
108	Mysuru	Good	45	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Good	29	PM ₁₀	1
110	Narnaul	Satisfactory	56	PM _{2.5}	1
111	Navi Mumbai	Satisfactory	68	CO, PM ₁₀	3
112	Noida	Satisfactory	63	CO, SO ₂ , PM ₁₀	4
113	Pali	Good	48	PM ₁₀	1
114	Palwal	Satisfactory	70	PM ₁₀	1
115	Panchkula	Good	30	NO ₂	1
116	Patiala	Good	39	PM _{2.5}	1
117	Patna	Satisfactory	90	PM ₁₀ , O ₃ , NO ₂	6
118	Pithampur	Good	37	PM ₁₀	1
119	Prayagraj	Satisfactory	87	PM ₁₀ , SO ₂	3
120	Puducherry	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Satisfactory	64	PM ₁₀	1
122	Raichur	Satisfactory	61	со	1
123	Rajamahendravaram	Good	20	PM ₁₀	1
124	Rajgir	Good	30	03	1
125	Ramanagara	Good	40	PM ₁₀	1
126	Ratlam	Good	43	PM _{2.5}	1
127	Rohtak	Good	41	PM _{2.5}	1
128	Rupnagar	Moderate	151	PM ₁₀	1
129	Sagar	Satisfactory	64	СО	1
130	Satna	Satisfactory	65	PM ₁₀	1
131	Shillong	Good	18	PM ₁₀ , SO ₂	2
132	Shivamogga	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	31	PM ₁₀	1
134	Singrauli	Moderate	102	NO ₂	1
135	Sirsa	Satisfactory	87	03	1
136	Siwan	Good	48	PM ₁₀	1
137	Solapur	Satisfactory	68	PM ₁₀	1
138	Sonipat	Satisfactory	54	PM ₁₀	1
139	Srinagar	Good	45	PM ₁₀	1
140	Talcher	Satisfactory	76	со	1
141	Thane	Moderate	127	PM ₁₀	1
142	Thiruvananthapuram	Satisfactory	51	со	1
143	Thoothukudi	Good	39	PM ₁₀	1
144	Tirupati	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Good	32	PM ₁₀	1
146	Ujjain	Satisfactory	67	PM ₁₀	1
147	Varanasi	Good	43	PM ₁₀ , O ₃ , CO	3
148	Vatva	Satisfactory	59	PM ₁₀	1
149	Vijayapura	Good	40	PM ₁₀	1
150	Visakhapatnam	Satisfactory	82	PM ₁₀	1
151	Vrindavan	Good	43	SO ₂	1
152	Yadgir	Good	31	со	1
153	Yamunanagar	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bhopal, Bidar, Brajrajnagar, Chikkaballapur, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar, Kishanganj, Kolar, Maihar, Mandikhera, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Pune, Saharsa, Samastipur, Sasaram, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.