

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	280	PM _{2.5}	1
2	Agra	Satisfactory	89	PM ₁₀ , O ₃	5
3	Ahmedabad	Satisfactory	86	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	85	PM ₁₀	1
5	Ajmer	Satisfactory	95	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Satisfactory	77	PM ₁₀	1
8	Ambala	Moderate	110	PM ₁₀	1
9	Amritsar	Satisfactory	92	PM ₁₀	1
10	Ankleshwar	Moderate	111	PM _{2.5}	1
11	Araria	Poor	219	PM _{2.5}	1
12	Arrah	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	141	PM _{2.5}	1
14	Aurangabad	Satisfactory	93	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Moderate	147	PM ₁₀	1
17	Ballabgarh	Poor	210	PM _{2.5}	1
18	Bathinda	Moderate	109	PM ₁₀	1
19	Bengaluru	Moderate	113	PM _{2.5} , PM ₁₀ , CO	7
20	Bettiah	Moderate	120	PM ₁₀	1
21	Bhagalpur	Poor	263	PM _{2.5}	2
22	Bhiwadi	Moderate	172	PM _{2.5}	1
23	Bhiwani	Moderate	161	PM _{2.5}	1
24	Bhopal	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	119	PM ₁₀	1
26	Bihar Sharif	Moderate	142	PM _{2.5}	1
27	Bilaspur	Good	49	PM ₁₀	1
28	Brajrajnagar	Satisfactory	74	03	1
29	Bulandshahr	Poor	204	PM _{2.5}	1
30	Buxar	Moderate	168	PM ₁₀	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Moderate	116	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	153	O ₃ , PM ₁₀	2
34	Charkhi Dadri	Moderate	115	PM ₁₀	1
35	Chennai	Satisfactory	69	PM ₁₀ , CO	5
36	Chhapra	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	91	PM _{2.5}	1
38	Damoh	Satisfactory	89	PM _{2.5}	1
39	Darbhanga	Moderate	169	PM _{2.5}	1
40	Davanagere	Moderate	102	PM ₁₀	1
41	Delhi	Moderate	184	PM ₁₀ , PM _{2.5}	34
42	Dewas	Satisfactory	76	PM ₁₀	1
43	Dharuhera	Moderate	140	PM ₁₀	1
44	Eloor	Satisfactory	63	PM _{2.5}	1
45	Ernakulam	Satisfactory	87	PM _{2.5}	1
46	Faridabad	Moderate	187	PM _{2.5} , PM ₁₀	4
47	Fatehabad	Moderate	131	PM ₁₀	1
48	Firozabad	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	68	PM _{2.5}	1
50	Gandhinagar	Satisfactory	94	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	153	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Moderate	140	PM ₁₀	3
53	Gorakhpur	Satisfactory	65	03	1
54	Greater Noida	Moderate	130	PM ₁₀	2
55	Gummidipoondi	Good	39	PM ₁₀	1
56	Gurugram	Moderate	147	PM _{2.5} , PM ₁₀	4
57	Guwahati	Poor	245	PM _{2.5}	2
58	Gwalior	Moderate	142	PM _{2.5}	1
59	Hajipur	Moderate	145	PM ₁₀	1
60	Haldia	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	161	O ₃	1
62	Hassan	Satisfactory	71	PM ₁₀	1
63	Hisar	Moderate	173	PM _{2.5}	1
64	Howrah	Poor	257	PM _{2.5}	3
65	Hubballi	Moderate	111	PM ₁₀	1
66	Hyderabad	Moderate	142	PM _{2.5} , PM ₁₀	4
67	Indore	Satisfactory	83	PM ₁₀	1
68	Jabalpur	Moderate	151	PM _{2.5}	1
69	Jaipur	Moderate	149	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Moderate	119	PM ₁₀	1
71	Jhansi	Moderate	134	PM ₁₀	1
72	Jind	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	198	PM _{2.5}	1
74	Kaithal	Satisfactory	87	PM _{2.5}	1
75	Kalaburgi	Moderate	122	PM ₁₀	1
76	Kalyan	Moderate	154	PM _{2.5}	1
77	Kannur	Satisfactory	64	PM ₁₀	1
78	Kanpur	Moderate	140	PM _{2.5} , PM ₁₀	3
79	Karnal	Moderate	102	PM ₁₀	1
80	Katihar	Poor	265	PM ₁₀	1
81	Katni	Poor	236	PM _{2.5}	1
82	Khanna	Moderate	112	PM ₁₀	1
83	Kishanganj	Very Poor	321	PM _{2.5}	1
84	Kochi	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	214	PM _{2.5} , PM ₁₀	7
86	Kollam	Moderate	114	PM ₁₀	1
87	Koppal	Moderate	155	O ₃	1
88	Kota	Moderate	121	PM _{2.5}	1
89	Kozhikode	Satisfactory	58	PM ₁₀	1
90	Kurukshetra	Moderate	110	PM ₁₀	1
91	Lucknow	Moderate	106	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	101	PM ₁₀	1
93	Madikeri	Satisfactory	73	PM ₁₀	1
94	Maihar	Good	25	PM ₁₀	1
95	Mandi Gobindgarh	Moderate	196	PM ₁₀	1
96	Mandideep	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	107	PM ₁₀	1
98	Manesar	Moderate	169	PM _{2.5}	1
99	Manglore	Good	43	со	1
100	Meerut	Moderate	145	O ₃ , PM ₁₀	3
101	Moradabad	Satisfactory	77	PM _{2.5} , PM ₁₀	4
102	Motihari	Moderate	150	03	1
103	Mumbai	Moderate	159	PM _{2.5} , PM ₁₀	17
104	Munger	Very Poor	331	PM _{2.5}	1
105	Muzaffarnagar	Moderate	160	03	1
106	Muzaffarpur	Poor	211	PM ₁₀ , PM _{2.5}	3
107	Mysuru	Satisfactory	81	03	1
108	Nagpur	Satisfactory	87	СО	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	100	со	1
110	Narnaul	Moderate	102	PM ₁₀	1
111	Navi Mumbai	Moderate	150	PM _{2.5} , PM ₁₀	3
112	Noida	Moderate	143	PM ₁₀	3
113	Pali	Satisfactory	85	PM _{2.5}	1
114	Palwal	Moderate	114	PM ₁₀	1
115	Patiala	Satisfactory	94	PM ₁₀	1
116	Patna	Moderate	171	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	90	PM _{2.5}	1
118	Prayagraj	Satisfactory	70	PM ₁₀ , O ₃	3
119	Puducherry	Satisfactory	64	PM ₁₀	1
120	Pune	Moderate	126	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	283	PM _{2.5}	1
122	Raichur	Moderate	144	PM ₁₀	1
123	Rajamahendravaram	Satisfactory	94	PM ₁₀	1
124	Rajgir	Poor	214	PM _{2.5}	1
125	Ramanagara	Satisfactory	86	PM ₁₀	1
126	Ratlam	Satisfactory	64	PM ₁₀	1
127	Rohtak	Moderate	180	PM _{2.5}	1
128	Rupnagar	Satisfactory	96	PM ₁₀	1
129	Sagar	Moderate	154	PM ₁₀	1
130	Saharsa	Poor	249	PM _{2.5}	1
131	Sasaram	Moderate	186	PM _{2.5}	1
132	Satna	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	52	O ₃	1
134	Siliguri	Moderate	126	PM ₁₀	1
135	Singrauli	Moderate	177	PM _{2.5}	1
136	Sirsa	Moderate	121	PM ₁₀	1
137	Siwan	Moderate	145	PM _{2.5}	1
138	Solapur	Moderate	101	PM ₁₀	1
139	Sonipat	Moderate	126	PM ₁₀	1
140	Srinagar	Moderate	198	PM ₁₀	1
141	Talcher	Moderate	106	PM _{2.5}	1
142	Thiruvananthapuram	Satisfactory	80	PM ₁₀ , PM _{2.5}	2
143	Thoothukudi	Good	45	PM ₁₀	1
144	Thrissur	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Satisfactory	63	PM _{2.5}	1
146	Udaipur	Moderate	107	PM ₁₀	1
147	Udupi	Satisfactory	52	SO ₂	1
148	Ujjain	Moderate	129	PM _{2.5}	1
149	Vapi	Moderate	113	PM ₁₀	1
150	Varanasi	Satisfactory	67	PM ₁₀ , O ₃	4
151	Vatva	Satisfactory	100	PM ₁₀	1
152	Vijayapura	Good	50	PM ₁₀	1
153	Visakhapatnam	Moderate	122	PM ₁₀	1
154	Vrindavan	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Chikkaballapur, Chikkamagaluru, Durgapur, Jorapokhar, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Panchkula, Panipat, Shillong, Thane, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.