

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	213	PM _{2.5}	2
2	Agra	Poor	231	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Poor	201	PM ₁₀	1
4	Aizawl	Good	26	со	1
5	Ajmer	Moderate	113	PM _{2.5}	1
6	Alwar	Poor	237	PM _{2.5}	1
7	Amaravati	Satisfactory	63	PM ₁₀	1
8	Ambala	Moderate	199	PM _{2.5}	1
9	Amritsar	Poor	236	PM _{2.5}	1
10	Anantapur	Satisfactory	73	PM _{2.5}	1
11	Ankleshwar	Poor	204	PM _{2.5}	1
12	Araria	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	209	PM ₁₀	1
14	Asansol	Poor	230	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	203	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	112	PM ₁₀	1
17	Baddi	Moderate	159	O ₃	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Baghpat	Poor	272	PM _{2.5}	1
20	Bahadurgarh	Severe	452	PM _{2.5}	1
21	Ballabgarh	Very Poor	372	PM _{2.5}	1
22	Bareilly	Moderate	112	PM ₁₀ , PM _{2.5}	2
23	Bathinda	Poor	220	PM _{2.5}	1
24	Begusarai	Very Poor	315	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	154	PM _{2.5}	1
26	Bengaluru	Satisfactory	54	PM ₁₀ , CO	9
27	Bhagalpur	Poor	212	PM _{2.5}	2
28	Bhiwadi	Severe	433	PM ₁₀	1
29	Bhiwani	Severe	412	PM _{2.5}	1
30	Bhopal	Moderate	154	PM ₁₀	2
31	Bidar	Satisfactory	69	со	1
32	Bihar Sharif	Moderate	192	PM _{2.5}	1
33	Bilaspur	Satisfactory	57	PM ₁₀	1
34	Bulandshahr	Poor	215	PM _{2.5}	1
35	Chamarajanagar	Good	42	PM ₁₀	1
36	Chandigarh	Moderate	145	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	195	PM _{2.5}	1
38	Charkhi Dadri	Severe	412	PM _{2.5}	1
39	Chengalpattu	Satisfactory	71	SO ₂	1
40	Chennai	Satisfactory	56	со	7
41	Chhapra	Poor	257	PM ₁₀	1
42	Chikkaballapur	Good	31	PM ₁₀	1
43	Chikkamagaluru	Good	42	PM ₁₀	1
44	Coimbatore	Satisfactory	72	СО	1
45	Damoh	Satisfactory	90	PM _{2.5}	1
46	Darbhanga	Very Poor	316	PM _{2.5}	1
47	Davanagere	Satisfactory	51	PM ₁₀	1
48	Delhi	Severe	447	PM _{2.5}	37

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Poor	232	PM ₁₀	1
50	Dharuhera	Very Poor	397	PM ₁₀	1
51	Dindigul	Good	38	SO ₂	1
52	Durgapur	Moderate	192	PM _{2.5}	1
53	Eloor	Satisfactory	59	PM ₁₀	1
54	Ernakulam	Satisfactory	52	со	1
55	Faridabad	Severe	425	PM _{2.5}	4
56	Fatehabad	Severe	402	PM _{2.5}	1
57	Firozabad	Poor	243	PM _{2.5}	2
58	Gadag	Good	50	PM ₁₀	1
59	Gandhinagar	Moderate	115	PM ₁₀	1
60	Gangtok	Good	30	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	184	PM ₁₀ , PM _{2.5}	3
62	Ghaziabad	Severe	411	PM _{2.5}	4
63	Gorakhpur	Moderate	181	PM _{2.5}	1
64	Greater Noida	Severe	425	PM _{2.5}	2
65	Gummidipoondi	Satisfactory	63	PM ₁₀	1
66	Gurugram	Severe	416	PM _{2.5}	4
67	Guwahati	Satisfactory	67	PM _{2.5}	3
68	Gwalior	Poor	294	PM _{2.5}	2
69	Hajipur	Moderate	169	PM ₁₀	1
70	Haldia	Moderate	117	PM ₁₀	1
71	Hapur	Poor	279	PM _{2.5}	1
72	Hassan	Good	23	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Satisfactory	60	PM ₁₀	1
74	Hisar	Severe	440	PM _{2.5}	1
75	Howrah	Poor	211	PM _{2.5} , O ₃	3
76	Hubballi	Moderate	114	PM _{2.5}	1
77	Hyderabad	Satisfactory	91	PM _{2.5} , PM ₁₀	14
78	Imphal	Satisfactory	91	PM ₁₀ , SO ₂	2
79	Indore	Moderate	175	PM ₁₀	1
80	Jabalpur	Moderate	139	PM ₁₀	1
81	Jaipur	Moderate	199	PM ₁₀	3
82	Jalandhar	Poor	223	PM _{2.5}	1
83	Jhansi	Poor	262	PM _{2.5}	1
84	Jind	Severe	429	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	140	PM _{2.5}	1
86	Kaithal	Very Poor	399	PM _{2.5}	1
87	Kalaburgi	Moderate	134	PM _{2.5}	1
88	Kalyan	Moderate	179	PM ₁₀	1
89	Kannur	Satisfactory	76	PM ₁₀	1
90	Kanpur	Very Poor	358	PM _{2.5}	3
91	Karnal	Poor	227	PM _{2.5}	1
92	Katihar	Very Poor	358	PM _{2.5}	1
93	Katni	Poor	229	PM ₁₀	1
94	Khanna	Moderate	198	PM _{2.5}	1
95	Khurja	Moderate	181	PM _{2.5}	1
96	Kishanganj	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Poor	210	PM _{2.5}	1
98	Kohima	Moderate	116	SO ₂	1
99	Kolar	Satisfactory	63	SO ₂	1
100	Kolkata	Moderate	176	PM _{2.5}	7
101	Kollam	Satisfactory	94	PM ₁₀	1
102	Koppal	Moderate	115	03	1
103	Kota	Moderate	142	PM _{2.5}	1
104	Kozhikode	Satisfactory	77	PM ₁₀	1
105	Kurukshetra	Poor	283	PM _{2.5}	1
106	Lucknow	Poor	290	PM _{2.5}	6
107	Ludhiana	Poor	299	PM _{2.5}	1
108	Madikeri	Good	40	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Satisfactory	72	PM ₁₀	1
110	Mandi Gobindgarh	Poor	277	PM _{2.5}	1
111	Mandideep	Poor	205	PM ₁₀	1
112	Mandikhera	Very Poor	360	PM ₁₀	1
113	Manesar	Very Poor	395	PM ₁₀	1
114	Manguraha	Satisfactory	75	PM _{2.5}	1
115	Meerut	Poor	299	PM _{2.5}	3
116	Moradabad	Moderate	115	PM _{2.5}	6
117	Motihari	Very Poor	363	PM _{2.5}	1
118	Mumbai	Moderate	145	PM _{2.5} , PM ₁₀	17
119	Munger	Moderate	180	PM _{2.5}	1
120	Muzaffarnagar	Very Poor	342	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Poor	250	PM _{2.5}	3
122	Mysuru	Good	36	PM ₁₀	1
123	Nagpur	Moderate	138	PM _{2.5}	1
124	Nandesari	Satisfactory	62	PM _{2.5}	1
125	Narnaul	Poor	269	PM _{2.5}	1
126	Nashik	Moderate	120	PM ₁₀	1
127	Navi Mumbai	Poor	226	PM _{2.5}	3
128	Noida	Severe	406	PM _{2.5}	4
129	Ooty	Good	49	SO ₂	1
130	Pali	Moderate	101	PM _{2.5}	1
131	Palwal	Moderate	164	PM ₁₀	1
132	Panchkula	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Very Poor	326	PM ₁₀	1
134	Patiala	Poor	240	PM _{2.5}	1
135	Patna	Poor	260	PM _{2.5} , PM ₁₀	6
136	Pithampur	Moderate	179	PM ₁₀	1
137	Prayagraj	Poor	204	PM _{2.5}	3
138	Puducherry	Good	35	со	1
139	Purnia	Poor	292	PM _{2.5}	1
140	Rajamahendravaram	Satisfactory	66	PM ₁₀	1
141	Rajgir	Moderate	123	PM _{2.5}	1
142	Ramanagara	Good	36	PM ₁₀	1
143	Ramanathapuram	Good	28	PM ₁₀	1
144	Ratlam	Moderate	161	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Severe	411	PM _{2.5}	1
146	Rupnagar	Moderate	112	PM ₁₀	1
147	Sagar	Satisfactory	99	O ₃ , CO	2
148	Salem	Good	24	со	1
149	Samastipur	Very Poor	311	PM _{2.5}	1
150	Sasaram	Moderate	159	PM _{2.5}	1
151	Satna	Satisfactory	67	PM ₁₀	1
152	Shillong	Good	30	PM _{2.5}	1
153	Shivamogga	Good	44	PM ₁₀	1
154	Siliguri	Satisfactory	92	PM ₁₀	1
155	Singrauli	Poor	281	PM _{2.5}	1
156	Sirsa	Very Poor	333	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sivasagar	Good	27	PM ₁₀	1
158	Siwan	Very Poor	334	PM _{2.5}	1
159	Solapur	Moderate	123	PM _{2.5}	1
160	Sonipat	Very Poor	365	PM _{2.5}	1
161	Srinagar	Poor	219	PM _{2.5}	1
162	Surat	Poor	251	PM _{2.5}	1
163	Talcher	Moderate	139	PM _{2.5}	1
164	Thane	Moderate	142	PM ₁₀	1
165	Thiruvananthapuram	Satisfactory	64	СО	2
166	Thoothukudi	Good	25	PM ₁₀	1
167	Thrissur	Satisfactory	61	PM ₁₀	1
168	Tirupati	Good	44	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Satisfactory	77	PM ₁₀	1
170	Udaipur	Moderate	109	PM ₁₀	1
171	Ujjain	Moderate	176	PM _{2.5}	1
172	Vapi	Poor	248	PM _{2.5}	1
173	Varanasi	Moderate	142	PM ₁₀ , PM _{2.5}	4
174	Vatva	Poor	230	PM ₁₀	1
175	Vijayapura	Good	47	PM ₁₀	1
176	Visakhapatnam	Moderate	105	PM _{2.5}	1
177	Vrindavan	Poor	227	PM _{2.5}	1
178	Yadgir	Satisfactory	91	PM _{2.5}	1
179	Yamunanagar	Moderate	183	PM _{2.5}	1
180	vellore	Good	40	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bettiah, Bhilai, Brajrajnagar, Buxar, Dehradun, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raichur, Raipur, Saharsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.