

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	208	PM _{2.5}	1
2	Ahmedabad	Moderate	127	NO ₂	1
3	Ajmer	Moderate	142	PM _{2.5}	1
4	Alwar	Moderate	135	PM ₁₀	1
5	Amaravati	Moderate	102	PM _{2.5}	1
6	Ambala	Moderate	176	PM _{2.5}	1
7	Amritsar	Satisfactory	70	PM ₁₀	1
8	Ankleshwar	Poor	220	PM _{2.5}	1
9	Asanol	Poor	259	PM _{2.5}	1
10	Aurangabad	Satisfactory	93	PM _{2.5}	1
11	Baghpat	Poor	299	PM _{2.5}	1
12	Bahadurgarh	Poor	224	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	281	PM _{2.5}	1
14	Bathinda	Moderate	119	PM _{2.5}	1
15	Bengaluru	Satisfactory	73	PM _{2.5} , PM ₁₀ , OZONE	9
16	Bhiwadi	Very Poor	324	PM _{2.5}	1
17	Bhiwani	Poor	262	PM _{2.5}	1
18	Bhopal	Poor	229	PM _{2.5}	1
19	Brajrajnagar	Moderate	200	PM _{2.5}	1
20	Bulandshahr	Poor	285	PM _{2.5}	1
21	Chandigarh	Poor	238	PM _{2.5}	1
22	Chandrapur	Moderate	185	PM _{2.5}	1
23	Chennai	Satisfactory	69	PM _{2.5}	3
24	Chikkaballapur	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	150	PM _{2.5}	1
26	Delhi	Very Poor	312	PM _{2.5}	33
27	Dewas	Moderate	135	PM _{2.5}	1
28	Dharuhera	Poor	268	PM _{2.5}	1
29	Eloor	Good	40	СО	1
30	Faridabad	Poor	280	PM _{2.5}	1
31	Fatehabad	Moderate	163	PM ₁₀	1
32	GandhiNagar	Satisfactory	80	PM ₁₀	1
33	Gaya	Very Poor	304	PM _{2.5}	1
34	Ghaziabad	Very Poor	347	PM _{2.5}	4
35	Greater_Noida	Very Poor	336	PM _{2.5}	2
36	Gurugram	Poor	278	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	157	PM _{2.5}	1
38	Haldia	Moderate	116	PM ₁₀	1
39	Hapur	Poor	221	PM ₁₀	1
40	Hisar	Poor	287	PM _{2.5}	1
41	Howrah	Very Poor	305	PM ₁₀ , PM _{2.5}	3
42	Hubballi	Moderate	102	PM ₁₀	1
43	Hyderabad	Moderate	167	PM _{2.5}	6
44	Indore	Poor	248	PM _{2.5}	1
45	Jabalpur	Poor	284	PM _{2.5}	1
46	Jaipur	Moderate	174	PM _{2.5} , PM ₁₀	2
47	Jalandhar	Moderate	105	PM _{2.5}	1
48	Jind	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	192	PM _{2.5}	1
50	Kaithal	Moderate	113	PM ₁₀	1
51	Kalaburagi	Moderate	126	PM _{2.5}	1
52	Kalyan	Moderate	191	PM _{2.5}	1
53	Kanpur	Very Poor	396	PM _{2.5}	1
54	Karnal	Moderate	196	PM _{2.5}	1
55	Katni	Poor	238	PM _{2.5}	1
56	Khanna	Moderate	118	PM ₁₀	1
57	Kolkata	Poor	241	PM _{2.5}	7
58	Kota	Poor	203	PM _{2.5}	1
59	Kurukshetra	Moderate	198	PM _{2.5}	1
60	Lucknow	Very Poor	314	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	82	PM _{2.5}	1
62	Maihar	Satisfactory	72	PM ₁₀	1
63	Mandi Gobindgarh	Poor	248	PM _{2.5}	1
64	Mandideep	Very Poor	303	PM ₁₀	1
65	Mandikhera	Moderate	192	PM _{2.5}	1
66	Manesar	Poor	262	PM _{2.5}	1
67	Meerut	Poor	296	PM _{2.5}	3
68	Moradabad	Poor	272	PM _{2.5}	1
69	Mumbai	Moderate	180	PM _{2.5}	10
70	Muzaffarpur	Very Poor	397	PM _{2.5}	1
71	Mysuru	Satisfactory	66	PM ₁₀	1
72	Nagpur	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Poor	218	PM _{2.5}	1
74	Nashik	Moderate	128	PM _{2.5}	1
75	Navi Mumbai	Poor	218	PM _{2.5}	2
76	Noida	Very Poor	322	PM _{2.5}	4
77	Pali	Satisfactory	97	PM ₁₀	1
78	Palwal	Very Poor	332	PM _{2.5}	1
79	Panchkula	Moderate	171	PM _{2.5}	1
80	Panipat	Poor	275	PM _{2.5}	1
81	Patiala	Satisfactory	100	PM ₁₀	1
82	Patna	Severe	407	PM _{2.5}	1
83	Pithampur	Moderate	138	PM _{2.5}	1
84	Pune	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Moderate	107	PM _{2.5}	1
86	Ramanagara	Satisfactory	69	PM ₁₀	1
87	Rohtak	Poor	226	PM _{2.5}	1
88	Rupnagar	Poor	220	PM _{2.5}	1
89	Satna	Moderate	146	PM ₁₀	1
90	Siliguri	Moderate	148	PM ₁₀	1
91	Sirsa	Moderate	148	PM ₁₀	1
92	Sonipat	Moderate	143	PM ₁₀	1
93	Talcher	Poor	252	PM ₁₀	1
94	Thane	Satisfactory	86	PM ₁₀	1
95	Thiruvananthapuram	Satisfactory	67	со	1
96	Tirupati	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	96	PM ₁₀	1
98	Ujjain	Poor	204	OZONE	1
99	Vapi	Poor	272	PM _{2.5}	1
100	Varanasi	Very Poor	330	PM _{2.5}	1
101	Vatva	Moderate	178	PM _{2.5}	1
102	Visakhapatnam	Moderate	117	PM _{2.5}	1
103	Yadgir	Satisfactory	79	PM _{2.5}	1
104	Yamunanagar	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Coimbatore, Jorapokhar, Muzaffarnagar, Ratlam, Shillong, Singrauli, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.