

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM <sub>10</sub>	1
2	Agra	Poor	252	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	20	со	1
5	Ajmer	Satisfactory	97	PM <sub>2.5</sub>	1
6	Alwar	Moderate	115	PM <sub>2.5</sub>	1
7	Amaravati	Good	30	PM <sub>10</sub>	1
8	Ambala	Moderate	118	PM <sub>10</sub>	1
9	Amritsar	Moderate	117	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	250	PM <sub>2.5</sub>	1
11	Asansol	Moderate	162	O <sub>3</sub>	1
12	Bagalkot	Good	48	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	264	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	278	PM <sub>2.5</sub>	1
15	Ballabgarh	Very Poor	380	PM <sub>2.5</sub>	1
16	Bathinda	Satisfactory	94	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	52	CO, PM <sub>10</sub> , NO <sub>2</sub>	6
18	Bhiwadi	Very Poor	348	PM <sub>2.5</sub>	1
19	Bhiwani	Poor	288	PM <sub>2.5</sub>	1
20	Bhopal	Poor	201	PM <sub>10</sub>	1
21	Bilaspur	Satisfactory	97	PM <sub>10</sub>	1
22	Brajrajnagar	Satisfactory	93	O <sub>3</sub>	1
23	Bulandshahr	Poor	259	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	43	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	120	O <sub>3</sub> , PM <sub>10</sub>	2
26	Chandrapur	Moderate	125	O <sub>3</sub> , PM <sub>10</sub>	2
27	Charkhi Dadri	Poor	281	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	56	PM <sub>10</sub> , CO	7
29	Chikkaballapur	Satisfactory	58	PM <sub>10</sub>	1
30	Coimbatore	Satisfactory	74	PM <sub>10</sub>	1
31	Davanagere	Good	42	PM <sub>10</sub>	1
32	Delhi	Poor	268	PM <sub>10</sub> , PM <sub>2.5</sub>	35
33	Dewas	Moderate	103	PM <sub>10</sub>	1
34	Dharuhera	Poor	285	PM <sub>2.5</sub>	1
35	Eloor	Good	47	со	1
36	Ernakulam	Satisfactory	54	СО	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	268	PM <sub>2.5</sub> , PM <sub>10</sub>	4
38	Fatehabad	Moderate	159	PM <sub>10</sub>	1
39	Firozabad	Poor	201	PM <sub>2.5</sub>	1
40	Gandhinagar	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Gaya	Satisfactory	89	PM <sub>2.5</sub> , O <sub>3</sub>	2
42	Ghaziabad	Poor	297	PM <sub>2.5</sub>	4
43	Gorakhpur	Poor	202	PM <sub>2.5</sub>	1
44	Greater Noida	Poor	273	PM <sub>10</sub> , PM <sub>2.5</sub>	2
45	Gurugram	Poor	272	PM <sub>2.5</sub>	4
46	Guwahati	Moderate	104	PM <sub>10</sub> , SO <sub>2</sub>	2
47	Gwalior	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	2
48	Hajipur	Moderate	182	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	94	PM <sub>10</sub>	1
50	Hapur	Poor	277	PM <sub>2.5</sub>	1
51	Hisar	Poor	292	PM <sub>2.5</sub>	1
52	Howrah	Moderate	104	PM <sub>10</sub>	3
53	Hubballi	Satisfactory	89	PM <sub>10</sub>	1
54	Hyderabad	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	5
55	Indore	Moderate	144	PM <sub>10</sub>	1
56	Jabalpur	Moderate	195	PM <sub>10</sub>	1
57	Jaipur	Moderate	199	PM <sub>2.5</sub>	2
58	Jalandhar	Moderate	126	PM <sub>2.5</sub>	1
59	Jind	Poor	271	PM <sub>2.5</sub>	1
60	Jodhpur	Moderate	178	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	162	PM <sub>10</sub>	1
62	Kalaburgi	Moderate	106	PM <sub>2.5</sub>	1
63	Kalyan	Satisfactory	99	PM <sub>2.5</sub>	1
64	Kannur	Satisfactory	58	PM <sub>10</sub>	1
65	Kanpur	Moderate	199	PM <sub>2.5</sub>	4
66	Karnal	Moderate	186	PM <sub>2.5</sub>	1
67	Katni	Poor	253	PM <sub>10</sub>	1
68	Khanna	Moderate	131	PM <sub>2.5</sub>	1
69	Kochi	Good	38	NO <sub>2</sub>	1
70	Kohima	Satisfactory	66	PM <sub>10</sub>	1
71	Kolar	Good	40	SO <sub>2</sub>	1
72	Kolkata	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	7

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	75	PM <sub>10</sub>	1
74	Kota	Moderate	167	PM <sub>2.5</sub>	1
75	Kozhikode	Good	50	PM <sub>10</sub>	1
76	Kurukshetra	Poor	228	PM <sub>2.5</sub>	1
77	Lucknow	Moderate	186	PM <sub>10</sub> , PM <sub>2.5</sub>	6
78	Ludhiana	Moderate	128	PM <sub>2.5</sub>	1
79	Mandi Gobindgarh	Moderate	132	PM <sub>10</sub>	1
80	Mandideep	Poor	204	PM <sub>10</sub>	1
81	Mandikhera	Moderate	159	PM <sub>2.5</sub>	1
82	Manesar	Poor	284	PM <sub>2.5</sub>	1
83	Manglore	Moderate	110	PM <sub>10</sub>	1
84	Medikeri	Good	22	СО	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Poor	248	PM <sub>2.5</sub>	2
86	Moradabad	Poor	224	PM <sub>2.5</sub>	1
87	Mumbai	Moderate	128	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	20
88	Muzaffarnagar	Poor	220	PM <sub>2.5</sub>	1
89	Muzaffarpur	Moderate	189	PM <sub>2.5</sub>	2
90	Mysuru	Good	35	PM <sub>10</sub>	1
91	Naharlagun	Good	46	SO <sub>2</sub>	1
92	Nandesari	Satisfactory	53	со	1
93	Narnaul	Poor	224	PM <sub>2.5</sub>	1
94	Nashik	Satisfactory	88	PM <sub>10</sub>	1
95	Navi Mumbai	Satisfactory	91	PM <sub>10</sub>	3
96	Noida	Poor	260	PM <sub>2.5</sub> , PM <sub>10</sub>	4

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	106	PM <sub>2.5</sub>	1
98	Panchkula	Satisfactory	74	PM <sub>2.5</sub>	1
99	Panipat	Moderate	190	PM <sub>10</sub>	1
100	Patiala	Moderate	133	PM <sub>10</sub>	1
101	Patna	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	5
102	Pithampur	Moderate	136	PM <sub>2.5</sub>	1
103	Prayagraj	Poor	213	PM <sub>2.5</sub>	3
104	Puducherry	Good	47	со	1
105	Pune	Moderate	108	PM <sub>2.5</sub>	3
106	Raichur	Satisfactory	94	PM <sub>10</sub>	1
107	Rajamahendravaram	Good	36	PM <sub>10</sub>	1
108	Ramanagara	Good	45	O <sub>3</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Moderate	137	PM <sub>10</sub>	1
110	Rohtak	Poor	244	PM <sub>2.5</sub>	1
111	Rupnagar	Moderate	128	PM <sub>10</sub>	1
112	Sagar	Satisfactory	71	PM <sub>2.5</sub>	1
113	Satna	Satisfactory	67	PM <sub>10</sub>	1
114	Shillong	Good	13	SO <sub>2</sub>	1
115	Shivamogga	Good	39	СО	1
116	Siliguri	Satisfactory	85	PM <sub>2.5</sub>	1
117	Sirsa	Moderate	157	PM <sub>10</sub>	1
118	Sonipat	Moderate	184	PM <sub>10</sub>	1
119	Srinagar	Moderate	104	со	1
120	Talcher	Satisfactory	84	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Poor	201	PM <sub>10</sub>	1
122	Thiruvananthapuram	Good	39	со	1
123	Thoothukudi	Satisfactory	57	со	1
124	Tirupati	Good	41	со	1
125	Udupi	Moderate	143	03	1
126	Ujjain	Moderate	177	03	1
127	Vapi	Moderate	176	PM <sub>2.5</sub>	1
128	Varanasi	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	4
129	Vatva	Moderate	140	NO <sub>2</sub>	1
130	Vijayapura	Good	44	PM <sub>2.5</sub>	1
131	Visakhapatnam	Good	28	со	1
132	Vrindavan	Poor	298	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Satisfactory	97	PM <sub>10</sub>	1
134	Yamunanagar	Poor	208	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Darbhanga, Durgapur, Gadag, Gummidipoondi, Hassan, Jorapokhar, Koppal, Maihar, Motihari, Nagpur, Palwal, Singrauli, Solapur, Thrissur, Udaipur as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.