

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	95	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Satisfactory	89	PM <sub>10</sub>	1
5	Ajmer	Moderate	129	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	78	PM <sub>10</sub>	1
7	Ambala	Moderate	118	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	108	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	159	PM <sub>2.5</sub>	1
10	Araria	Poor	226	PM <sub>2.5</sub>	1
11	Arrah	Poor	275	PM <sub>2.5</sub>	1
12	Asansol	Moderate	116	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	95	PM <sub>10</sub>	1
14	Bagalkot	Good	50	PM <sub>2.5</sub>	1
15	Baghpat	Moderate	141	PM <sub>2.5</sub>	1
16	Bahadurgarh	Moderate	110	PM <sub>2.5</sub>	1
17	Ballabgarh	Poor	295	PM <sub>2.5</sub>	1
18	Bathinda	Moderate	143	PM <sub>10</sub>	1
19	Bengaluru	Satisfactory	91	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	9
20	Bettiah	Poor	269	PM <sub>2.5</sub>	1
21	Bhagalpur	Poor	248	PM <sub>2.5</sub>	2
22	Bhilai	Good	39	PM <sub>10</sub>	1
23	Bhiwadi	Moderate	170	PM <sub>2.5</sub>	1
24	Bhiwani	Moderate	150	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	132	PM <sub>10</sub>	1
26	Bidar	Moderate	110	PM <sub>10</sub>	1
27	Bihar Sharif	Moderate	141	PM <sub>2.5</sub>	1
28	Bilaspur	Good	48	PM <sub>10</sub>	1
29	Brajrajnagar	Satisfactory	71	03	1
30	Bulandshahr	Moderate	173	PM <sub>2.5</sub>	1
31	Chamarajanagar	Good	33	PM <sub>10</sub>	1
32	Chandigarh	Moderate	122	O <sub>3</sub> , PM <sub>10</sub>	2
33	Chandrapur	Satisfactory	94	PM <sub>10</sub>	2
34	Charkhi Dadri	Moderate	102	PM <sub>10</sub>	1
35	Chennai	Satisfactory	68	PM <sub>10</sub> , O <sub>3</sub>	6
36	Chhapra	Very Poor	314	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	74	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
39	Coimbatore	Good	49	PM <sub>10</sub>	1
40	Damoh	Satisfactory	66	PM <sub>2.5</sub>	1
41	Darbhanga	Poor	261	PM <sub>2.5</sub>	1
42	Davanagere	Moderate	117	PM <sub>10</sub>	1
43	Delhi	Poor	215	PM <sub>10</sub> , PM <sub>2.5</sub>	35
44	Dewas	Satisfactory	84	PM <sub>10</sub>	1
45	Dharuhera	Moderate	157	PM <sub>2.5</sub>	1
46	Durgapur	Poor	206	PM <sub>10</sub>	1
47	Eloor	Satisfactory	53	PM <sub>2.5</sub>	1
48	Faridabad	Poor	208	PM <sub>2.5</sub>	4

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	113	PM <sub>10</sub>	1
50	Firozabad	Moderate	173	PM <sub>2.5</sub>	1
51	Gadag	Moderate	102	PM <sub>2.5</sub>	1
52	Gandhinagar	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Gaya	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Ghaziabad	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Gorakhpur	Satisfactory	98	PM <sub>10</sub>	1
56	Greater Noida	Moderate	146	PM <sub>2.5</sub>	2
57	Gurugram	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	2
58	Guwahati	Moderate	142	PM <sub>2.5</sub>	1
59	Gwalior	Moderate	170	PM <sub>2.5</sub>	1
60	Hajipur	Poor	221	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	124	PM <sub>10</sub>	1
62	Hapur	Moderate	147	PM <sub>2.5</sub>	1
63	Hassan	Satisfactory	65	PM <sub>10</sub>	1
64	Hisar	Moderate	145	PM <sub>2.5</sub>	1
65	Howrah	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	2
66	Hyderabad	Moderate	130	PM <sub>10</sub> , PM <sub>2.5</sub>	6
67	Indore	Satisfactory	81	PM <sub>10</sub>	1
68	Jabalpur	Moderate	119	PM <sub>10</sub>	1
69	Jaipur	Moderate	106	PM <sub>10</sub>	2
70	Jalandhar	Moderate	111	PM <sub>2.5</sub>	1
71	Jind	Moderate	152	PM <sub>2.5</sub>	1
72	Kaithal	Satisfactory	99	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	155	PM <sub>10</sub>	1
74	Kannur	Satisfactory	90	PM <sub>10</sub>	1
75	Kanpur	Moderate	167	PM <sub>2.5</sub> , PM <sub>10</sub>	3
76	Karnal	Satisfactory	93	PM <sub>10</sub>	1
77	Katihar	Poor	226	PM <sub>2.5</sub>	1
78	Katni	Moderate	188	PM <sub>2.5</sub>	1
79	Khanna	Moderate	114	PM <sub>10</sub>	1
80	Kishanganj	Very Poor	337	PM <sub>2.5</sub>	1
81	Kochi	Satisfactory	79	PM <sub>2.5</sub>	1
82	Kohima	Moderate	118	PM <sub>10</sub>	1
83	Kolar	Moderate	101	PM <sub>10</sub>	1
84	Kolkata	Moderate	160	PM <sub>2.5</sub>	3

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	79	PM <sub>10</sub>	1
86	Koppal	Satisfactory	98	PM <sub>10</sub>	1
87	Kota	Moderate	176	PM <sub>2.5</sub>	1
88	Kozhikode	Good	46	со	1
89	Kurukshetra	Moderate	116	PM <sub>2.5</sub>	1
90	Lucknow	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	6
91	Ludhiana	Moderate	106	PM <sub>10</sub>	1
92	Madikeri	Satisfactory	68	PM <sub>10</sub>	1
93	Maihar	Satisfactory	56	со	1
94	Mandi Gobindgarh	Poor	203	PM <sub>2.5</sub>	1
95	Mandideep	Satisfactory	97	PM <sub>2.5</sub>	1
96	Mandikhera	Satisfactory	90	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	131	PM <sub>2.5</sub>	1
98	Manglore	Satisfactory	56	NO <sub>2</sub>	1
99	Meerut	Moderate	161	PM <sub>2.5</sub> , PM <sub>10</sub>	2
100	Moradabad	Moderate	133	PM <sub>2.5</sub>	4
101	Motihari	Poor	224	PM <sub>2.5</sub>	1
102	Mumbai	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	17
103	Munger	Very Poor	324	PM <sub>2.5</sub>	1
104	Muzaffarnagar	Poor	229	PM <sub>2.5</sub>	1
105	Muzaffarpur	Very Poor	354	PM <sub>2.5</sub>	1
106	Mysuru	Moderate	176	O <sub>3</sub>	1
107	Narnaul	Moderate	115	PM <sub>2.5</sub>	1
108	Nashik	Satisfactory	78	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	182	PM <sub>10</sub>	2
110	Noida	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	4
111	Pali	Satisfactory	82	PM <sub>10</sub>	1
112	Palwal	Satisfactory	90	PM <sub>10</sub>	1
113	Panchkula	Moderate	107	PM <sub>2.5</sub>	1
114	Patiala	Satisfactory	98	PM <sub>10</sub>	1
115	Patna	Poor	246	PM <sub>2.5</sub> , PM <sub>10</sub>	6
116	Pithampur	Moderate	112	PM <sub>2.5</sub>	1
117	Prayagraj	Satisfactory	95	PM <sub>10</sub> , PM <sub>2.5</sub>	3
118	Puducherry	Good	40	PM <sub>10</sub>	1
119	Pune	Moderate	146	PM <sub>2.5</sub>	2
120	Raichur	Moderate	163	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	136	PM <sub>10</sub>	1
122	Rajgir	Poor	232	PM <sub>2.5</sub>	1
123	Ramanagara	Satisfactory	68	PM <sub>10</sub>	1
124	Ratlam	Satisfactory	94	PM <sub>10</sub>	1
125	Rohtak	Poor	273	PM <sub>2.5</sub>	1
126	Rupnagar	Moderate	162	PM <sub>2.5</sub>	1
127	Saharsa	Poor	254	PM <sub>2.5</sub>	1
128	Sasaram	Moderate	194	PM <sub>2.5</sub>	1
129	Satna	Satisfactory	56	PM <sub>10</sub>	1
130	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1
131	Singrauli	Moderate	136	PM <sub>10</sub>	1
132	Sirsa	Moderate	115	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Very Poor	344	PM <sub>2.5</sub>	1
134	Solapur	Satisfactory	78	PM <sub>10</sub>	1
135	Sonipat	Moderate	121	PM <sub>10</sub>	1
136	Srinagar	Moderate	113	PM <sub>10</sub>	1
137	Talcher	Moderate	131	NO <sub>2</sub>	1
138	Thane	Moderate	115	03	1
139	Thiruvananthapuram	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	2
140	Thoothukudi	Good	32	PM <sub>10</sub>	1
141	Thrissur	Satisfactory	97	PM <sub>10</sub>	1
142	Tirupati	Moderate	112	PM <sub>2.5</sub>	1
143	Udaipur	Moderate	171	PM <sub>2.5</sub>	1
144	Udupi	Good	39	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	127	PM <sub>10</sub>	1
146	Varanasi	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	4
147	Vatva	Moderate	128	PM <sub>10</sub>	1
148	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
149	Visakhapatnam	Moderate	168	PM <sub>10</sub>	1
150	Vrindavan	Satisfactory	78	PM <sub>2.5</sub>	1
151	Yamunanagar	Moderate	102	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amaravati, Buxar, Ernakulam, Gummidipoondi, Hubballi, Jodhpur, Jorapokhar, Kalaburgi, Manguraha, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Shillong, Siliguri, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.