

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	PM ₁₀	1
2	Agra	Satisfactory	71	PM ₁₀	4
3	Ahmedabad	Satisfactory	52	O ₃ , CO, PM ₁₀	8
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	54	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Satisfactory	53	O ₃	1
8	Ambala	Satisfactory	69	PM ₁₀	1
9	Amritsar	Satisfactory	78	PM ₁₀	1
10	Asansol	Satisfactory	56	PM _{2.5}	1
11	Aurangabad	Satisfactory	78	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	125	PM ₁₀	1
14	Bahadurgarh	Satisfactory	93	PM ₁₀	1
15	Ballabgarh	Moderate	153	PM ₁₀	1
16	Bengaluru	Satisfactory	53	CO, PM ₁₀ , NO ₂	8
17	Bhiwadi	Moderate	148	PM ₁₀	1
18	Bhiwani	Satisfactory	87	PM ₁₀	1
19	Bhopal	Satisfactory	60	PM ₁₀	1
20	Brajrajnagar	Good	46	PM ₁₀	1
21	Bulandshahr	Satisfactory	78	PM ₁₀	1
22	Chamarajanagar	Good	38	PM ₁₀	1
23	Chandigarh	Moderate	116	O ₃ , PM ₁₀	2
24	Chandrapur	Good	34	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	90	PM ₁₀	1
26	Chennai	Satisfactory	58	CO, PM ₁₀	5
27	Chikkaballapur	Good	34	NO ₂	1
28	Chikkamagaluru	Good	26	03	1
29	Damoh	Good	28	PM _{2.5}	1
30	Davanagere	Good	23	со	1
31	Delhi	Moderate	115	PM ₁₀	36
32	Dewas	Good	48	PM ₁₀	1
33	Dharuhera	Satisfactory	93	PM ₁₀	1
34	Durgapur	Moderate	167	PM _{2.5}	1
35	Eloor	Satisfactory	70	со	1
36	Ernakulam	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	123	PM ₁₀ , PM _{2.5}	3
38	Fatehabad	Moderate	142	PM ₁₀	1
39	Firozabad	Good	48	PM ₁₀	1
40	Gadag	Good	29	SO ₂	1
41	Gandhinagar	Satisfactory	54	CO, PM ₁₀	2
42	Gaya	Satisfactory	81	03	1
43	Ghaziabad	Moderate	130	PM ₁₀	4
44	Gorakhpur	Good	27	со	1
45	Greater Noida	Moderate	105	PM ₁₀	2
46	Gummidipoondi	Satisfactory	89	PM ₁₀	1
47	Gurugram	Moderate	114	PM _{2.5} , PM ₁₀	3
48	Guwahati	Satisfactory	63	SO ₂ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	79	PM ₁₀	2
50	Hajipur	Satisfactory	55	СО	1
51	Haldia	Satisfactory	67	PM ₁₀	1
52	Hapur	Satisfactory	96	PM ₁₀	1
53	Hassan	Satisfactory	75	PM ₁₀	1
54	Hisar	Satisfactory	100	PM ₁₀	1
55	Howrah	Satisfactory	76	PM ₁₀	3
56	Hubballi	Good	35	PM ₁₀	1
57	Hyderabad	Satisfactory	68	PM ₁₀ , NO ₂ , PM _{2.5}	6
58	Indore	Satisfactory	62	PM ₁₀	1
59	Jabalpur	Satisfactory	82	PM ₁₀	1
60	Jaipur	Satisfactory	72	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- # Some stations have data available at SFIVI
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Satisfactory	94	PM ₁₀	1
62	Jodhpur	Satisfactory	88	PM ₁₀	1
63	Kalaburgi	Good	32	PM ₁₀	1
64	Kannur	Good	45	со	1
65	Kanpur	Good	43	PM ₁₀ , NO ₂ , O ₃	3
66	Karnal	Satisfactory	65	PM ₁₀	1
67	Katni	Satisfactory	73	PM ₁₀	1
68	Khanna	Satisfactory	54	PM ₁₀	1
69	Kochi	Good	39	PM _{2.5}	1
70	Kohima	Satisfactory	53	PM ₁₀	1
71	Kolar	Good	42	со	1
72	Kolkata	Satisfactory	75	PM ₁₀ , PM _{2.5} , O ₃	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	100	со	1
74	Koppal	Good	47	со	1
75	Kota	Satisfactory	51	PM ₁₀	1
76	Kozhikode	Good	43	со	1
77	Kurukshetra	Satisfactory	90	PM ₁₀	1
78	Lucknow	Satisfactory	52	CO, PM ₁₀ , PM _{2.5}	6
79	Ludhiana	Satisfactory	66	PM ₁₀	1
80	Maihar	Good	22	NO ₂	1
81	Mandi Gobindgarh	Moderate	130	PM _{2.5}	1
82	Mandideep	Good	41	PM ₁₀	1
83	Mandikhera	Satisfactory	61	PM ₁₀	1
84	Manesar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	29	O ₃	1
86	Meerut	Moderate	110	PM ₁₀	3
87	Moradabad	Satisfactory	81	PM _{2.5}	1
88	Mumbai	Satisfactory	52	PM ₁₀ , CO	16
89	Muzaffarnagar	Moderate	158	PM _{2.5}	1
90	Muzaffarpur	Good	46	со	1
91	Mysuru	Good	33	PM ₁₀	1
92	Naharlagun	Good	39	SO ₂	1
93	Narnaul	Good	47	PM _{2.5}	1
94	Nashik	Good	30	PM _{2.5}	1
95	Navi Mumbai	Satisfactory	71	PM ₁₀ , CO	3
96	Noida	Moderate	115	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Satisfactory	56	PM ₁₀	1
98	Palwal	Satisfactory	85	PM ₁₀	1
99	Panchkula	Satisfactory	73	PM _{2.5}	1
100	Panipat	Moderate	147	PM ₁₀	1
101	Patiala	Satisfactory	70	PM ₁₀	1
102	Patna	Satisfactory	99	O ₃ , PM ₁₀ , CO	5
103	Pithampur	Satisfactory	69	PM ₁₀	1
104	Prayagraj	Good	34	PM ₁₀	3
105	Puducherry	Satisfactory	64	03	1
106	Pune	Satisfactory	66	PM _{2.5} , CO	4
107	Raichur	Good	48	PM ₁₀	1
108	Rajamahendravaram	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	36	O ₃	1
110	Ratlam	Good	43	PM ₁₀	1
111	Rohtak	Satisfactory	97	NO ₂	1
112	Rupnagar	Satisfactory	85	PM ₁₀	1
113	Sagar	Good	26	PM _{2.5}	1
114	Satna	Good	45	PM ₁₀	1
115	Shivamogga	Good	40	PM ₁₀	1
116	Siliguri	Good	40	PM ₁₀	1
117	Singrauli	Good	49	PM ₁₀	1
118	Sirsa	Moderate	142	PM ₁₀	1
119	Solapur	Good	48	PM ₁₀	1
120	Sonipat	Poor	234	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Satisfactory	82	PM ₁₀	1
122	Talcher	Satisfactory	53	PM ₁₀	1
123	Thane	Moderate	135	PM ₁₀	1
124	Thiruvananthapuram	Satisfactory	53	CO, PM ₁₀	2
125	Thoothukudi	Good	41	PM ₁₀	1
126	Tirupati	Good	40	со	1
127	Udaipur	Satisfactory	68	PM ₁₀	1
128	Ujjain	Satisfactory	83	PM ₁₀	1
129	Varanasi	Good	47	PM ₁₀	4
130	Vatva	Satisfactory	89	PM ₁₀	1
131	Visakhapatnam	Moderate	102	PM ₁₀	1
132	Vrindavan	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Jalandhar, Jorapokhar, Kaithal, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Shillong, Thrissur, Udupi, Vapi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.