

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	166	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	52	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	200	PM <sub>2.5</sub>	7
4	Ajmer	Moderate	104	PM <sub>10</sub>	1
5	Alwar	Satisfactory	85	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	76	PM <sub>10</sub>	1
7	Ambala	Satisfactory	79	PM <sub>10</sub>	1
8	Amritsar	Moderate	139	PM <sub>2.5</sub>	1
9	Anantapur	Satisfactory	72	PM <sub>10</sub>	1
10	Araria	Poor	220	PM <sub>10</sub>	1
11	Ariyalur	Moderate	126	со	1
12	Arrah	Moderate	180	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	202	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Moderate	184	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Moderate	126	PM <sub>10</sub>	1
16	Baddi	Moderate	125	PM <sub>10</sub>	1
17	Bagalkot	Good	49	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	90	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	135	PM <sub>2.5</sub>	1
20	Bareilly	Satisfactory	72	PM <sub>10</sub>	2
21	Baripada	Poor	222	O <sub>3</sub>	1
22	Bathinda	Good	38	со	1
23	Begusarai	Poor	280	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	150	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	74	PM <sub>10</sub>	11
26	Bettiah	Poor	281	PM <sub>2.5</sub>	1
27	Bhagalpur	Moderate	143	PM <sub>10</sub> , NO <sub>2</sub>	2
28	Bharatpur	Moderate	153	PM <sub>10</sub>	1
29	Bhilai	Satisfactory	91	PM <sub>10</sub>	2
30	Bhiwadi	Moderate	191	PM <sub>10</sub>	1
31	Bhiwani	Moderate	119	PM <sub>10</sub>	1
32	Bhopal	Moderate	127	03	3
33	Bihar Sharif	Moderate	112	PM <sub>10</sub>	1
34	Bilaspur	Satisfactory	61	со	1
35	Bileipada	Moderate	164	PM <sub>10</sub>	1
36	Brajrajnagar	Moderate	105	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	192	03	1
38	Chamarajanagar	Good	44	PM <sub>10</sub>	1
39	Chandigarh	Moderate	117	PM <sub>2.5</sub>	3
40	Chandrapur	Moderate	184	PM <sub>2.5</sub>	1
41	Charkhi Dadri	Moderate	165	PM <sub>2.5</sub>	1
42	Chengalpattu	Satisfactory	83	PM <sub>10</sub>	1
43	Chennai	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	8
44	Chhapra	Moderate	180	PM <sub>10</sub>	1
45	Chikkaballapur	Satisfactory	89	PM <sub>10</sub>	1
46	Chikkamagaluru	Satisfactory	58	PM <sub>10</sub>	1
47	Chittoor	Satisfactory	57	03	1
48	Damoh	Satisfactory	58	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	90	PM <sub>10</sub>	1
50	Delhi	Moderate	171	PM <sub>2.5</sub>	36
51	Dewas	Moderate	157	PM <sub>10</sub>	1
52	Dharuhera	Moderate	174	PM <sub>2.5</sub>	1
53	Dindigul	Poor	260	NO <sub>2</sub>	1
54	Durgapur	Moderate	195	PM <sub>2.5</sub>	1
55	Faridabad	Moderate	165	PM <sub>10</sub> , PM <sub>2.5</sub>	3
56	Firozabad	Moderate	118	O <sub>3</sub> , PM <sub>10</sub>	2
57	Gadag	Satisfactory	84	O <sub>3</sub>	1
58	Gandhinagar	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Gangtok	Moderate	126	PM <sub>2.5</sub>	1
60	Gaya	Moderate	156	PM <sub>10</sub> , PM <sub>2.5</sub>	3

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	141	PM <sub>10</sub>	4
62	Gorakhpur	Moderate	103	PM <sub>10</sub>	1
63	Greater Noida	Moderate	152	PM <sub>10</sub>	2
64	Gummidipoondi	Moderate	132	PM <sub>2.5</sub>	1
65	Gurugram	Moderate	146	PM <sub>2.5</sub>	4
66	Guwahati	Satisfactory	85	O <sub>3</sub> , PM <sub>2.5</sub>	4
67	Gwalior	Poor	224	PM <sub>2.5</sub>	3
68	Hajipur	Moderate	178	PM <sub>2.5</sub>	1
69	Haldia	Satisfactory	84	PM <sub>10</sub>	1
70	Hapur	Satisfactory	79	O <sub>3</sub>	1
71	Hassan	Satisfactory	61	PM <sub>10</sub>	1
72	Hisar	Moderate	160	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Moderate	104	PM <sub>10</sub>	3
74	Hyderabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	14
75	Imphal	Satisfactory	100	PM <sub>2.5</sub> , SO <sub>2</sub>	2
76	Indore	Moderate	106	PM <sub>10</sub>	1
77	Jabalpur	Moderate	196	PM <sub>10</sub>	1
78	Jaipur	Moderate	115	PM <sub>2.5</sub>	3
79	Jalandhar	Moderate	160	PM <sub>2.5</sub>	1
80	Jhansi	Moderate	101	PM <sub>10</sub>	1
81	Jind	Satisfactory	84	PM <sub>2.5</sub>	1
82	Jodhpur	Moderate	173	PM <sub>2.5</sub>	2
83	Jorapokhar	Moderate	193	PM <sub>10</sub>	1
84	Kadapa	Satisfactory	68	03	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	106	PM <sub>10</sub>	1
86	Kalaburgi	Moderate	154	PM <sub>2.5</sub>	1
87	Kalyan	Poor	206	PM <sub>10</sub>	1
88	Kannur	Satisfactory	67	PM <sub>10</sub>	1
89	Kanpur	Satisfactory	92	PM <sub>10</sub> , O <sub>3</sub>	3
90	Karnal	Satisfactory	73	PM <sub>10</sub>	1
91	Kashipur	Satisfactory	90	PM <sub>10</sub>	1
92	Katihar	Poor	240	PM <sub>10</sub>	1
93	Katni	Poor	236	PM <sub>10</sub>	1
94	Keonjhar	Moderate	175	PM <sub>2.5</sub>	1
95	Khanna	Satisfactory	85	PM <sub>10</sub>	1
96	Khurja	Satisfactory	89	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Poor	210	PM <sub>10</sub>	1
98	Kochi	Moderate	133	PM <sub>2.5</sub>	1
99	Kohima	Satisfactory	89	PM <sub>10</sub>	1
100	Kolkata	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	7
101	Kollam	Satisfactory	73	PM <sub>10</sub>	1
102	Koppal	Satisfactory	87	PM <sub>10</sub>	1
103	Korba	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub>	2
104	Kota	Poor	224	PM <sub>2.5</sub>	3
105	Kurukshetra	Moderate	113	PM <sub>2.5</sub>	1
106	Lucknow	Satisfactory	99	PM <sub>10</sub>	6
107	Ludhiana	Moderate	128	PM <sub>10</sub>	1
108	Madikeri	Good	46	O <sub>3</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Satisfactory	55	PM <sub>10</sub>	1
110	Mandi Gobindgarh	Moderate	184	PM <sub>2.5</sub>	1
111	Mandideep	Poor	280	PM <sub>10</sub>	1
112	Mandikhera	Satisfactory	62	PM <sub>10</sub>	1
113	Manesar	Moderate	104	PM <sub>2.5</sub>	1
114	Mangalore	Moderate	115	PM <sub>10</sub>	1
115	Manguraha	Moderate	175	O <sub>3</sub>	1
116	Meerut	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
117	Moradabad	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	6
118	Mumbai	Poor	219	PM <sub>2.5</sub> , PM <sub>10</sub>	18
119	Munger	Moderate	180	PM <sub>10</sub>	1
120	Muzaffarnagar	Satisfactory	93	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not coloulated for today's bulletin for Aizawl, Ankleshwar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Poor	218	PM <sub>2.5</sub>	3
122	Nagaon	Moderate	102	PM <sub>2.5</sub>	1
123	Nagpur	Moderate	128	PM <sub>2.5</sub>	1
124	Naharlagun	Good	28	PM <sub>2.5</sub>	1
125	Nalbari	Satisfactory	77	PM <sub>10</sub>	1
126	Nandesari	Good	23	PM <sub>2.5</sub>	1
127	Narnaul	Moderate	118	PM <sub>10</sub>	1
128	Nashik	Satisfactory	87	PM <sub>2.5</sub>	1
129	Navi Mumbai	Very Poor	302	PM <sub>2.5</sub> , PM <sub>10</sub>	3
130	Nayagarh	Poor	264	PM <sub>10</sub>	1
131	Noida	Moderate	142	PM <sub>10</sub>	4
132	Ooty	Satisfactory	53	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Satisfactory	90	PM <sub>10</sub>	1
134	Palwal	Satisfactory	55	PM <sub>10</sub>	1
135	Panchkula	Satisfactory	78	со	1
136	Panipat	Moderate	101	PM <sub>10</sub>	1
137	Patiala	Moderate	105	PM <sub>10</sub>	1
138	Patna	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	6
139	Pithampur	Moderate	138	PM <sub>10</sub>	1
140	Prayagraj	Satisfactory	96	O <sub>3</sub> , PM <sub>10</sub>	3
141	Puducherry	Good	38	PM <sub>10</sub>	1
142	Pune	Moderate	148	PM <sub>2.5</sub>	2
143	Purnia	Moderate	132	PM <sub>10</sub>	1
144	Raichur	Moderate	148	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Moderate	109	PM <sub>10</sub> , NO <sub>2</sub>	4
146	Rairangpur	Moderate	148	PM <sub>2.5</sub>	1
147	Rajamahendravaram	Satisfactory	92	PM <sub>10</sub>	1
148	Rajgir	Moderate	116	PM <sub>10</sub>	1
149	Ramanagara	Satisfactory	76	PM <sub>10</sub>	1
150	Ramanathapuram	Satisfactory	58	PM <sub>10</sub>	1
151	Ratlam	Moderate	119	PM <sub>2.5</sub>	1
152	Rishikesh	Satisfactory	54	PM <sub>10</sub>	1
153	Rohtak	Satisfactory	75	PM <sub>2.5</sub>	1
154	Rourkela	Moderate	181	PM <sub>10</sub>	3
155	Rupnagar	Moderate	105	PM <sub>10</sub>	1
156	Sagar	Satisfactory	73	O <sub>3</sub> , CO	2

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Salem	Satisfactory	100	SO <sub>2</sub>	1
158	Samastipur	Poor	240	PM <sub>2.5</sub>	1
159	Sasaram	Satisfactory	99	PM <sub>10</sub>	1
160	Satna	Moderate	140	PM <sub>2.5</sub>	1
161	Shillong	Moderate	111	PM <sub>2.5</sub>	1
162	Shivamogga	Satisfactory	59	03	1
163	Siliguri	Moderate	108	PM <sub>2.5</sub>	1
164	Singrauli	Poor	285	PM <sub>10</sub>	1
165	Sirsa	Moderate	136	PM <sub>10</sub>	1
166	Siwan	Moderate	175	PM <sub>2.5</sub>	1
167	Solapur	Moderate	139	PM <sub>10</sub>	1
168	Sonipat	Moderate	133	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Srinagar	Good	44	PM <sub>10</sub>	1
170	Suakati	Moderate	158	PM <sub>2.5</sub>	1
171	Surat	Moderate	193	PM <sub>2.5</sub>	1
172	Tensa	Moderate	121	PM <sub>10</sub>	1
173	Thiruvananthapuram	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	2
174	Thoothukudi	Good	47	03	1
175	Thrissur	Moderate	150	PM <sub>2.5</sub>	1
176	Tirupati	Satisfactory	58	NO <sub>2</sub>	2
177	Tirupur	Satisfactory	68	PM <sub>10</sub>	1
178	Udaipur	Satisfactory	95	PM <sub>10</sub>	1
179	Udupi	Moderate	106	со	1
180	Varanasi	Satisfactory	55	PM <sub>10</sub> , SO <sub>2</sub>	4

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not coloulated for today's bulletin for Aizawl, Ankleshwar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Poor	206	PM <sub>2.5</sub>	1
182	Vijayapura	Good	46	PM <sub>10</sub>	1
183	Vijayawada	Moderate	185	PM <sub>2.5</sub>	1
184	Visakhapatnam	Moderate	127	PM <sub>10</sub>	1
185	Vrindavan	Moderate	131	PM <sub>10</sub>	1
186	Yadgir	Satisfactory	95	PM <sub>10</sub>	1
187	Yamunanagar	Moderate	113	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.