

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	PM <sub>10</sub>	1
2	Agra	Moderate	166	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Aizawl	Good	26	PM <sub>10</sub>	1
5	Ajmer	Moderate	135	PM <sub>2.5</sub>	1
6	Alwar	Moderate	146	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	PM <sub>10</sub>	1
8	Ambala	Moderate	156	PM <sub>10</sub>	1
9	Amritsar	Moderate	121	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	87	PM <sub>10</sub>	1
11	Arrah	Satisfactory	93	PM <sub>10</sub>	1
12	Asansol	Satisfactory	68	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	116	PM <sub>10</sub>	1
14	Baddi	Moderate	146	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Moderate	163	PM <sub>10</sub>	1
17	Bahadurgarh	Poor	290	PM <sub>10</sub>	1
18	Ballabgarh	Moderate	109	PM <sub>10</sub>	1
19	Bathinda	Satisfactory	95	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	73	PM <sub>10</sub> , NO <sub>2</sub>	10
21	Bhiwadi	Very Poor	361	PM <sub>2.5</sub>	1
22	Bhopal	Moderate	138	PM <sub>10</sub>	1
23	Bihar Sharif	Moderate	111	PM <sub>10</sub>	1
24	Bilaspur	Good	50	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes: Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimba

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	206	PM <sub>10</sub>	1
26	Buxar	Moderate	134	PM <sub>10</sub>	1
27	Chamarajanagar	Good	44	PM <sub>10</sub>	1
28	Chandigarh	Moderate	115	PM <sub>10</sub>	3
29	Chandrapur	Satisfactory	98	PM <sub>10</sub>	2
30	Charkhi Dadri	Very Poor	306	PM <sub>2.5</sub>	1
31	Chennai	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
32	Chhapra	Satisfactory	88	PM <sub>10</sub>	1
33	Chikkaballapur	Satisfactory	60	PM <sub>10</sub>	1
34	Chikkamagaluru	Satisfactory	61	PM <sub>10</sub>	1
35	Damoh	Satisfactory	81	PM <sub>10</sub>	1
36	Darbhanga	Moderate	102	PM <sub>10</sub>	1

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	62	PM <sub>10</sub>	1
38	Delhi	Poor	269	PM <sub>10</sub> , PM <sub>2.5</sub>	33
39	Dewas	Moderate	128	PM <sub>10</sub>	1
40	Dharuhera	Severe	439	PM <sub>10</sub>	1
41	Eloor	Satisfactory	67	PM <sub>10</sub>	1
42	Ernakulam	Satisfactory	52	NO <sub>2</sub>	1
43	Faridabad	Poor	283	PM <sub>10</sub> , PM <sub>2.5</sub>	3
44	Firozabad	Moderate	156	O <sub>3</sub> , PM <sub>10</sub>	2
45	Gadag	Satisfactory	61	PM <sub>10</sub>	1
46	Gandhinagar	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	2
47	Gaya	Moderate	107	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
48	Ghaziabad	Poor	252	PM <sub>10</sub>	4

#### Possible Health Impacts


#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Dehradun, Durgapur, Fatehabad, Gangtok, Imphal, Jhansi, Jorapokhar, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Sagar, Saharsa, Shillong, Siwan, Solapur, Sonipat, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM

\* AQI is not calculated for today's bulletin for Araria, Begusarai,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Good	42	O <sub>3</sub>	1
50	Greater Noida	Poor	250	PM <sub>10</sub>	2
51	Gummidipoondi	Good	37	PM <sub>10</sub>	1
52	Gurugram	Very Poor	346	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Guwahati	Good	37	PM <sub>10</sub>	2
54	Gwalior	Poor	236	PM <sub>10</sub>	1
55	Hajipur	Satisfactory	67	PM <sub>10</sub>	1
56	Haldia	Good	44	PM <sub>10</sub>	1
57	Hapur	Poor	214	PM <sub>10</sub>	1
58	Hassan	Satisfactory	56	PM <sub>10</sub>	1
59	Haveri	Satisfactory	58	PM <sub>10</sub>	1
60	Hisar	Poor	249	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	3
62	Hubballi	Satisfactory	74	PM <sub>10</sub>	1
63	Hyderabad	Satisfactory	93	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	6
64	Indore	Moderate	128	PM <sub>10</sub>	1
65	Jabalpur	Moderate	158	PM <sub>10</sub>	1
66	Jaipur	Moderate	168	PM <sub>2.5</sub>	3
67	Jalandhar	Moderate	126	PM <sub>10</sub>	1
68	Jind	Very Poor	314	PM <sub>10</sub>	1
69	Jodhpur	Moderate	196	PM <sub>2.5</sub>	1
70	Kaithal	Poor	254	PM <sub>2.5</sub>	1
71	Kalaburgi	Moderate	104	PM <sub>10</sub>	1
72	Kalyan	Satisfactory	94	PM <sub>10</sub>	1

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	56	PM <sub>10</sub>	1
74	Kanpur	Satisfactory	83	O <sub>3</sub> , PM <sub>10</sub>	3
75	Karnal	Moderate	157	PM <sub>10</sub>	1
76	Katihar	Satisfactory	65	PM <sub>10</sub>	1
77	Katni	Poor	235	PM <sub>10</sub>	1
78	Khanna	Moderate	147	PM <sub>10</sub>	1
79	Kishanganj	Satisfactory	95	O <sub>3</sub>	1
80	Kochi	Moderate	183	PM <sub>2.5</sub>	1
81	Kohima	Good	47	SO <sub>2</sub>	1
82	Kolkata	Satisfactory	59	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	7
83	Kollam	Satisfactory	83	PM <sub>10</sub>	1
84	Kota	Moderate	138	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes:

Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Dehradun, Durgapur, Fatehabad, Gangtok, Imphal, Jhansi, Jorapokhar, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Sagar, Saharsa, Shillong, Siwan, Solapur, Sonipat, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	62	PM <sub>10</sub>	1
86	Kurukshetra	Moderate	190	PM <sub>2.5</sub>	1
87	Lucknow	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Moderate	182	PM <sub>2.5</sub>	1
89	Madikeri	Satisfactory	51	03	1
90	Mandi Gobindgarh	Poor	225	PM <sub>2.5</sub>	1
91	Mandideep	Satisfactory	71	PM <sub>10</sub>	1
92	Mandikhera	Moderate	101	PM <sub>10</sub>	1
93	Manglore	Satisfactory	67	со	1
94	Meerut	Moderate	192	PM <sub>10</sub>	3
95	Moradabad	Moderate	105	PM <sub>10</sub>	4
96	Mumbai	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	17

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Dehradun, Durgapur, Fatehabad, Gangtok, Imphal, Jhansi, Jorapokhar, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Sagar, Saharsa, Shillong, Siwan, Solapur, Sonipat, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarnagar	Poor	208	PM <sub>2.5</sub>	1
98	Muzaffarpur	Satisfactory	94	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
99	Mysuru	Good	47	PM <sub>10</sub>	1
100	Nagpur	Moderate	150	03	1
101	Nashik	Satisfactory	56	PM <sub>10</sub>	1
102	Navi Mumbai	Satisfactory	92	PM <sub>10</sub> , CO	3
103	Noida	Poor	254	PM <sub>10</sub>	3
104	Pali	Moderate	139	PM <sub>10</sub>	1
105	Palwal	Poor	252	PM <sub>10</sub>	1
106	Panchkula	Moderate	143	PM <sub>2.5</sub>	1
107	Panipat	Poor	252	PM <sub>10</sub>	1
108	Patiala	Moderate	156	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	5
110	Pithampur	Moderate	107	PM <sub>10</sub>	1
111	Prayagraj	Satisfactory	90	PM <sub>10</sub>	3
112	Pune	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	6
113	Purnia	Satisfactory	73	PM <sub>10</sub>	1
114	Raichur	Satisfactory	81	PM <sub>10</sub>	1
115	Rajamahendravaram	Satisfactory	57	PM <sub>10</sub>	1
116	Rajgir	Satisfactory	68	O <sub>3</sub>	1
117	Ramanagara	Satisfactory	51	PM <sub>10</sub>	1
118	Ratlam	Moderate	112	PM <sub>10</sub>	1
119	Rohtak	Poor	298	PM <sub>2.5</sub>	1
120	Rupnagar	Moderate	103	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Araria, Begusarai, Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Samastipur	Satisfactory	92	PM <sub>10</sub>	1
122	Sasaram	Moderate	174	03	1
123	Satna	Satisfactory	61	PM <sub>10</sub>	1
124	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1
125	Siliguri	Satisfactory	51	03	1
126	Singrauli	Poor	231	PM <sub>10</sub>	1
127	Sirsa	Moderate	162	PM <sub>10</sub>	1
128	Srinagar	Good	29	NH <sub>3</sub>	1
129	Talcher	Satisfactory	69	03	1
130	Thiruvananthapuram	Good	48	PM <sub>10</sub> , CO	2
131	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
132	Tirupati	Satisfactory	85	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Dehradun, Durgapur, Fatehabad, Gangtok, Imphal, Jhansi, Jorapokhar, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Sagar, Saharsa, Shillong, Siwan, Solapur, Sonipat, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Udaipur	Moderate	178	PM <sub>10</sub>	1
134	Varanasi	Satisfactory	75	O <sub>3</sub> , PM <sub>10</sub>	4
135	Vatva	Satisfactory	87	PM <sub>10</sub>	1
136	Vijayapura	Good	50	PM <sub>10</sub>	1
137	Visakhapatnam	Satisfactory	88	PM <sub>10</sub>	1
138	Vrindavan	Moderate	186	PM <sub>10</sub>	1
139	Yadgir	Satisfactory	61	PM <sub>10</sub>	1
140	Yamunanagar	Moderate	187	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Begusarai,
  Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
  Dehradun, Durgapur, Fatehabad, Gangtok, Imphal, Jhansi, Jorapokhar, Kolar,
  Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun,
  Nandesari, Narnaul, Puducherry, Sagar, Saharsa, Shillong, Siwan, Solapur,
  Sonipat, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.