

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	117	PM _{2.5}	2
2	Agra	Satisfactory	74	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	164	NO ₂	1
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Ajmer	Satisfactory	100	PM ₁₀	1
6	Alwar	Moderate	117	PM _{2.5}	1
7	Amaravati	Good	44	PM _{2.5}	1
8	Ambala	Moderate	198	PM _{2.5}	1
9	Amritsar	Poor	280	PM _{2.5}	1
10	Anantapur	Good	37	со	1
11	Ankleshwar	Poor	255	PM _{2.5}	1
12	Araria	Very Poor	354	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	38	NO ₂	1
14	Arrah	Poor	297	PM _{2.5}	1
15	Asansol	Poor	289	PM _{2.5}	1
16	Aurangabad (Bihar)	Poor	282	PM _{2.5}	1
17	Baddi	Poor	289	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	213	PM _{2.5}	1
20	Bahadurgarh	Poor	201	PM _{2.5}	1
21	Ballabgarh	Poor	255	PM _{2.5}	1
22	Bareilly	Moderate	160	PM _{2.5} , PM ₁₀	2
23	Baripada	Poor	253	PM _{2.5}	1
24	Bathinda	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data

was not available.
Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	394	PM _{2.5}	1
26	Belgaum	Moderate	131	PM ₁₀	1
27	Bengaluru	Good	47	PM ₁₀	7
28	Bhagalpur	Very Poor	359	PM _{2.5}	2
29	Bhiwadi	Poor	232	PM _{2.5}	1
30	Bhiwani	Poor	217	PM _{2.5}	1
31	Bhopal	Moderate	171	PM _{2.5}	2
32	Bidar	Satisfactory	70	SO ₂	1
33	Bilaspur	Satisfactory	57	PM ₁₀	1
34	Bileipada	Moderate	175	PM ₁₀	1
35	Brajrajnagar	Satisfactory	100	PM ₁₀	1
36	Bulandshahr	Moderate	197	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	40	PM ₁₀	1
38	Chandigarh	Very Poor	332	PM _{2.5}	2
39	Chandrapur	Moderate	145	03	2
40	Charkhi Dadri	Moderate	184	PM _{2.5}	1
41	Chennai	Satisfactory	59	PM _{2.5} , CO	8
42	Chhapra	Very Poor	351	PM _{2.5}	1
43	Chikkaballapur	Satisfactory	70	PM ₁₀	1
44	Chikkamagaluru	Good	37	03	1
45	Coimbatore	Satisfactory	81	PM _{2.5}	1
46	Darbhanga	Very Poor	375	PM _{2.5}	1
47	Davanagere	Satisfactory	83	PM ₁₀	1
48	Dehradun	Poor	228	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	321	PM _{2.5}	39
50	Dewas	Moderate	144	PM _{2.5}	1
51	Dharuhera	Poor	299	PM _{2.5}	1
52	Durgapur	Moderate	160	PM ₁₀	1
53	Faridabad	Poor	248	PM _{2.5}	4
54	Fatehabad	Very Poor	307	PM _{2.5}	1
55	Firozabad	Satisfactory	87	PM ₁₀	2
56	Gadag	Good	36	O ₃	1
57	Gandhinagar	Moderate	108	PM ₁₀	1
58	Gangtok	Moderate	140	PM _{2.5}	1
59	Gaya	Poor	242	PM _{2.5}	3
60	Ghaziabad	Poor	269	PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	128	PM ₁₀	1
62	Greater Noida	Poor	286	PM _{2.5}	2
63	Gummidipoondi	Moderate	160	PM _{2.5}	1
64	Gurugram	Poor	261	PM _{2.5}	3
65	Guwahati	Moderate	191	PM _{2.5}	4
66	Gwalior	Poor	275	PM _{2.5}	3
67	Hajipur	Poor	211	PM ₁₀	1
68	Haldia	Moderate	151	PM ₁₀	1
69	Hapur	Moderate	104	PM _{2.5}	1
70	Haveri	Good	49	PM ₁₀	1
71	Howrah	Poor	247	PM _{2.5}	3
72	Hubballi	Satisfactory	69	СО	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	66	PM ₁₀ , CO	13
74	Imphal	Satisfactory	64	SO ₂	1
75	Indore	Moderate	126	PM ₁₀	1
76	Jabalpur	Poor	232	PM _{2.5}	1
77	Jaipur	Moderate	176	PM _{2.5} , PM ₁₀	3
78	Jalandhar	Moderate	183	PM _{2.5}	1
79	Jhansi	Moderate	138	PM _{2.5}	1
80	Jodhpur	Moderate	136	PM _{2.5}	1
81	Kaithal	Poor	237	PM _{2.5}	1
82	Kalaburgi	Good	36	PM _{2.5}	1
83	Kalyan	Moderate	181	PM ₁₀	1
84	Kanchipuram	Satisfactory	57	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	73	PM _{2.5}	1
86	Kanpur	Moderate	166	PM _{2.5}	4
87	Karnal	Poor	267	PM _{2.5}	1
88	Katihar	Very Poor	386	PM _{2.5}	1
89	Katni	Poor	206	PM _{2.5}	1
90	Keonjhar	Moderate	119	PM _{2.5}	1
91	Khanna	Moderate	132	PM ₁₀	1
92	Khurja	Moderate	188	PM _{2.5}	1
93	Kishanganj	Very Poor	340	PM _{2.5}	1
94	Kochi	Satisfactory	91	PM _{2.5}	1
95	Kohima	Moderate	111	PM ₁₀	1
96	Kolkata	Poor	215	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	60	PM ₁₀	1
98	Koppal	Satisfactory	86	со	1
99	Kota	Moderate	164	PM _{2.5}	1
100	Kurukshetra	Poor	246	PM _{2.5}	1
101	Lucknow	Poor	228	PM _{2.5}	6
102	Ludhiana	Poor	230	PM _{2.5}	1
103	Madikeri	Good	20	O ₃	1
104	Maihar	Good	40	PM ₁₀	1
105	Mandi Gobindgarh	Poor	264	PM _{2.5}	1
106	Mandideep	Moderate	111	PM _{2.5}	1
107	Mandikhera	Satisfactory	90	PM ₁₀	1
108	Manesar	Poor	239	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Good	50	PM ₁₀	1
110	Manguraha	Very Poor	321	PM _{2.5}	1
111	Meerut	Poor	262	PM _{2.5} , PM ₁₀	3
112	Moradabad	Moderate	181	PM _{2.5}	6
113	Motihari	Moderate	188	PM ₁₀	1
114	Mumbai	Poor	240	PM _{2.5} , PM ₁₀	18
115	Munger	Very Poor	319	PM _{2.5}	1
116	Muzaffarnagar	Very Poor	372	PM _{2.5}	1
117	Muzaffarpur	Very Poor	307	PM _{2.5}	3
118	Mysuru	Good	48	O ₃	1
119	Nagpur	Poor	220	PM _{2.5}	1
120	Nalbari	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Floor, Ernakulam, Hassan, Hisar, Hosur, Jing

Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Narnaul	Moderate	125	PM _{2.5}	1
122	Navi Mumbai	Very Poor	324	PM _{2.5}	3
123	Nayagarh	Moderate	119	PM ₁₀	1
124	Noida	Poor	264	PM _{2.5}	4
125	Pali	Satisfactory	99	PM _{2.5}	1
126	Palwal	Satisfactory	59	PM ₁₀	1
127	Panchkula	Moderate	192	PM _{2.5}	1
128	Panipat	Moderate	146	PM ₁₀	1
129	Patiala	Moderate	184	PM _{2.5}	1
130	Patna	Very Poor	336	PM ₁₀ , PM _{2.5}	6
131	Pithampur	Poor	203	PM _{2.5}	1
132	Prayagraj	Satisfactory	93	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Puducherry	Good	33	PM ₁₀	1
134	Raichur	Good	43	PM _{2.5}	1
135	Rairangpur	Moderate	191	PM _{2.5}	1
136	Rajamahendravaram	Good	46	PM ₁₀	1
137	Rajgir	Very Poor	333	PM _{2.5}	1
138	Ramanagara	Good	34	PM ₁₀	1
139	Ramanathapuram	Good	25	PM ₁₀	1
140	Ratlam	Moderate	102	PM ₁₀	1
141	Rohtak	Poor	208	PM _{2.5}	1
142	Rourkela	Poor	218	PM ₁₀	1
143	Rupnagar	Moderate	168	PM _{2.5}	1
144	Sagar	Satisfactory	88	PM _{2.5} , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Very Poor	336	PM _{2.5}	1
146	Salem	Satisfactory	71	SO ₂	1
147	Samastipur	Very Poor	336	PM _{2.5}	1
148	Sasaram	Poor	232	PM _{2.5}	1
149	Satna	Satisfactory	88	PM ₁₀	1
150	Shillong	Moderate	123	PM _{2.5}	1
151	Shivamogga	Good	43	PM ₁₀	1
152	Siliguri	Poor	274	PM _{2.5}	1
153	Singrauli	Poor	208	PM _{2.5}	1
154	Sirsa	Poor	235	PM _{2.5}	1
155	Sivasagar	Good	29	PM _{2.5}	1
156	Siwan	Very Poor	362	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Solapur	Satisfactory	80	PM _{2.5}	1
158	Srinagar	Satisfactory	84	PM ₁₀	1
159	Suakati	Moderate	137	PM _{2.5}	1
160	Surat	Very Poor	330	PM _{2.5}	1
161	Talcher	Moderate	153	PM _{2.5}	1
162	Thane	Moderate	169	PM ₁₀	1
163	Thiruvananthapuram	Satisfactory	73	PM _{2.5} , CO	2
164	Thoothukudi	Good	35	O ₃	1
165	Thrissur	Satisfactory	62	O ₃	1
166	Tirupati	Satisfactory	60	NO ₂	1
167	Tirupur	Good	28	PM ₁₀	1
168	Udaipur	Poor	207	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ujjain	Moderate	136	PM _{2.5}	1
170	Vapi	Very Poor	353	PM _{2.5}	1
171	Varanasi	Satisfactory	63	PM _{2.5}	4
172	Vatva	Moderate	131	PM ₁₀	1
173	Vijayapura	Satisfactory	57	PM ₁₀	1
174	Visakhapatnam	Satisfactory	82	PM ₁₀	1
175	Yadgir	Good	47	PM ₁₀	1
176	Yamunanagar	Moderate	152	PM ₁₀	1
177	vellore	Satisfactory	67	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Bettiah, Bhilai, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Ooty, Pune, Purnia, Raipur, Sonipat, Tensa, Tumakuru, Udupi, Vrindavan as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.