

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	271	PM _{2.5}	1
2	Ahmedabad	Satisfactory	99	NO ₂	1
3	Ajmer	Moderate	106	PM _{2.5}	1
4	Alwar	Satisfactory	82	PM ₁₀	1
5	Amaravati	Moderate	140	PM _{2.5}	1
6	Ambala	Moderate	124	PM ₁₀	1
7	Amritsar	Moderate	124	PM ₁₀	1
8	Ankleshwar	Moderate	133	PM _{2.5}	1
9	Asanol	Moderate	107	PM _{2.5}	1
10	Aurangabad	Satisfactory	94	OZONE	1
11	Baghpat	Poor	249	PM _{2.5}	1
12	Bahadurgarh	Poor	225	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	225	PM _{2.5}	1
14	Bathinda	Moderate	144	PM ₁₀	1
15	Bengaluru	Satisfactory	72	PM ₁₀ , PM _{2.5}	7
16	Bhiwadi	Very Poor	352	PM _{2.5}	1
17	Bhiwani	Satisfactory	99	PM ₁₀	1
18	Brajrajnagar	Moderate	142	PM _{2.5}	1
19	Bulandshahr	Poor	271	PM _{2.5}	1
20	Chandrapur	Moderate	128	PM ₁₀	1
21	Chennai	Satisfactory	58	PM _{2.5} , OZONE	2
22	Damoh	Satisfactory	83	PM ₁₀	1
23	Delhi	Very Poor	309	PM _{2.5} , PM ₁₀	36
24	Dewas	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Poor	261	PM _{2.5}	1
26	Faridabad	Moderate	182	NO ₂	1
27	Fatehabad	Moderate	182	PM ₁₀	1
28	GandhiNagar	Satisfactory	87	СО	1
29	Gaya	Poor	290	PM _{2.5}	1
30	Ghaziabad	Very Poor	333	PM _{2.5}	1
31	Greater_Noida	Very Poor	302	PM _{2.5}	1
32	Gurugram	Poor	288	PM _{2.5}	2
33	Haldia	Moderate	128	PM ₁₀	1
34	Hapur	Poor	257	PM _{2.5}	1
35	Hisar	Poor	224	PM _{2.5}	1
36	Howrah	Moderate	170	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	114	PM ₁₀ , PM _{2.5}	4
38	Jaipur	Moderate	103	PM ₁₀	3
39	Jalandhar	Moderate	188	PM ₁₀	1
40	Jind	Moderate	198	PM _{2.5}	1
41	Jodhpur	Moderate	125	PM _{2.5}	1
42	Jorapokhar	Moderate	135	PM ₁₀	1
43	Kalaburgi	Moderate	156	PM ₁₀	1
44	Kanpur	Poor	251	PM _{2.5}	1
45	Khanna	Satisfactory	73	PM ₁₀	1
46	Kolkata	Moderate	178	PM _{2.5}	2
47	Kota	Moderate	117	PM _{2.5}	1
48	Kurushketra	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Poor	202	PM _{2.5}	4
50	Ludhiana	Very Poor	395	PM ₁₀	1
51	Maihar	Satisfactory	91	со	1
52	Mandi Gobindgarh	Poor	202	PM _{2.5}	1
53	Mandideep	Satisfactory	93	OZONE	1
54	Mandikhera	Moderate	157	PM _{2.5}	1
55	Manesar	Poor	245	PM _{2.5}	1
56	Mumbai	Poor	225	PM _{2.5}	1
57	Muzaffarnagar	Poor	214	PM _{2.5}	1
58	Muzaffarpur	Poor	265	PM _{2.5}	1
59	Nagpur	Moderate	157	OZONE	1
60	Nashik	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Navi Mumbai	Moderate	159	PM ₁₀	1
62	Noida	Very Poor	304	PM _{2.5}	2
63	Pali	Satisfactory	99	PM _{2.5}	1
64	Palwal	Poor	224	PM _{2.5}	1
65	Panchkula	Satisfactory	65	PM _{2.5}	1
66	Panipat	Moderate	127	PM _{2.5}	1
67	Patiala	Moderate	131	PM ₁₀	1
68	Patna	Poor	270	PM _{2.5}	1
69	Pithampur	Moderate	115	PM ₁₀	1
70	Pune	Moderate	191	PM _{2.5}	1
71	Rajamahendravaram	Moderate	130	PM _{2.5}	1
72	Rohtak	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Satna	Moderate	106	со	1
74	Siliguri	Moderate	111	PM _{2.5}	1
75	Singrauli	Poor	243	PM _{2.5}	1
76	Sirsa	Moderate	123	PM ₁₀	1
77	Solapur	Moderate	135	PM ₁₀	1
78	Sonipat	Poor	242	PM _{2.5}	1
79	Talcher	Poor	263	PM ₁₀	1
80	Thane	Poor	274	PM _{2.5}	1
81	Thiruvananthapuram	Satisfactory	63	PM ₁₀	1
82	Tirupati	Satisfactory	61	PM ₁₀	1
83	Udaipur	Moderate	179	PM _{2.5}	1
84	Ujjain	Moderate	180	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Varanasi	Poor	274	PM _{2.5}	1
86	Vatva	Moderate	110	PM ₁₀	1
87	Vijayawada	Satisfactory	85	PM ₁₀	1
88	Visakhapatnam	Moderate	120	PM _{2.5}	1
89	Yamunanagar	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Karnal, Moradabad, Narnaul, Ratlam, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.