

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀ , SO ₂	2
2	Agra	Satisfactory	58	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Good	45	CO, PM ₁₀	6
4	Aizawl	Good	49	O ₃	1
5	Ajmer	Moderate	140	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Good	27	03	1
8	Ambala	Satisfactory	85	PM _{2.5}	1
9	Amritsar	Moderate	151	PM _{2.5}	1
10	Ankleshwar	Satisfactory	56	PM ₁₀	1
11	Araria	Satisfactory	72	PM ₁₀	1
12	Arrah	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	155	PM ₁₀	1
14	Bagalkot	Good	46	PM ₁₀	1
15	Baghpat	Satisfactory	52	03	1
16	Bahadurgarh	Satisfactory	90	PM ₁₀	1
17	Ballabgarh	Satisfactory	63	PM ₁₀	1
18	Bareilly	Satisfactory	59	PM ₁₀	1
19	Bathinda	Moderate	109	PM ₁₀	1
20	Bengaluru	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	7
21	Bhagalpur	Satisfactory	72	PM ₁₀	2
22	Bhiwadi	Satisfactory	96	PM ₁₀	1
23	Bhiwani	Moderate	114	PM _{2.5}	1
24	Bhopal	Satisfactory	52	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	168	PM ₁₀	1
26	Bilaspur	Satisfactory	82	со	1
27	Brajrajnagar	Good	47	со	1
28	Bulandshahr	Satisfactory	90	PM ₁₀	1
29	Buxar	Moderate	118	PM _{2.5}	1
30	Chamarajanagar	Good	40	PM ₁₀	1
31	Chandigarh	Satisfactory	61	PM _{2.5} , PM ₁₀	2
32	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
33	Charkhi Dadri	Moderate	144	PM _{2.5}	1
34	Chennai	Satisfactory	52	CO, PM ₁₀	7
35	Chhapra	Moderate	137	PM ₁₀	1
36	Chikkaballapur	Good	28	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi,

Some stations have data available at 3PM

Vatva as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	34	PM ₁₀	1
38	Coimbatore	Good	47	СО	1
39	Damoh	Good	29	PM _{2.5}	1
40	Darbhanga	Moderate	117	PM ₁₀	1
41	Davanagere	Good	13	PM ₁₀	1
42	Dehradun	Good	41	PM ₁₀	1
43	Delhi	Moderate	104	PM ₁₀ , PM _{2.5}	33
44	Dewas	Good	40	03	1
45	Dharuhera	Moderate	112	PM ₁₀	1
46	Ernakulam	Good	35	со	1
47	Faridabad	Satisfactory	100	PM ₁₀	3
48	Fatehabad	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	72	PM ₁₀ , O ₃	2
50	Gandhinagar	Good	38	PM ₁₀	2
51	Gaya	Good	46	CO, O ₃	2
52	Ghaziabad	Satisfactory	89	PM ₁₀	4
53	Gorakhpur	Good	48	SO ₂	1
54	Greater Noida	Satisfactory	88	PM ₁₀	2
55	Gummidipoondi	Good	19	PM _{2.5}	1
56	Gurugram	Moderate	166	PM _{2.5}	1
57	Guwahati	Satisfactory	58	O ₃ , PM ₁₀	2
58	Hajipur	Satisfactory	92	PM ₁₀	1
59	Haldia	Good	33	03	1
60	Hapur	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	46	со	1
62	Haveri	Satisfactory	54	со	1
63	Hisar	Moderate	135	PM _{2.5}	1
64	Howrah	Good	36	со	2
65	Hubballi	Good	50	со	1
66	Hyderabad	Good	45	CO, PM ₁₀ , NO ₂	12
67	Imphal	Satisfactory	60	O ₃ , SO ₂	2
68	Indore	Good	50	PM ₁₀	1
69	Jabalpur	Satisfactory	58	PM ₁₀	1
70	Jaipur	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
71	Jalandhar	Satisfactory	98	PM ₁₀	1
72	Jind	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Satisfactory	73	PM ₁₀	1
74	Kaithal	Satisfactory	75	03	1
75	Kalaburgi	Good	23	SO ₂	1
76	Kalyan	Satisfactory	57	со	1
77	Kannur	Satisfactory	66	PM ₁₀	1
78	Kanpur	Satisfactory	78	PM _{2.5} , PM ₁₀	4
79	Karnal	Satisfactory	78	PM ₁₀	1
80	Katihar	Satisfactory	93	PM ₁₀	1
81	Katni	Satisfactory	76	PM ₁₀	1
82	Khanna	Satisfactory	66	PM ₁₀	1
83	Kishanganj	Satisfactory	64	PM ₁₀	1
84	Kochi	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	53	SO ₂	1
86	Kolkata	Good	32	PM ₁₀ , O ₃ , NO ₂	7
87	Kollam	Satisfactory	71	PM ₁₀	1
88	Koppal	Good	26	PM ₁₀	1
89	Kota	Satisfactory	74	PM ₁₀	1
90	Kozhikode	Satisfactory	58	PM ₁₀	1
91	Kurukshetra	Satisfactory	78	PM _{2.5}	1
92	Lucknow	Satisfactory	78	PM ₁₀ , O ₃	6
93	Ludhiana	Moderate	108	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	111	PM _{2.5}	1
95	Mandideep	Satisfactory	51	O ₃	1
96	Mandikhera	Satisfactory	74	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	108	PM _{2.5}	1
98	Manglore	Good	49	СО	1
99	Meerut	Satisfactory	83	PM ₁₀	3
100	Moradabad	Satisfactory	73	PM _{2.5} , PM ₁₀ , CO	5
101	Motihari	Satisfactory	77	03	1
102	Mumbai	Satisfactory	61	PM ₁₀ , CO, SO ₂	17
103	Muzaffarnagar	Satisfactory	98	PM _{2.5}	1
104	Muzaffarpur	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
105	Mysuru	Good	40	PM ₁₀	1
106	Narnaul	Satisfactory	94	PM _{2.5}	1
107	Noida	Satisfactory	93	CO, PM ₁₀	3
108	Pali	Good	46	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Moderate	101	PM ₁₀	1
110	Panchkula	Satisfactory	93	PM _{2.5}	1
111	Panipat	Satisfactory	88	PM ₁₀	1
112	Patiala	Satisfactory	66	PM ₁₀	1
113	Patna	Moderate	124	PM ₁₀ , PM _{2.5} , NO ₂	5
114	Pithampur	Satisfactory	67	PM ₁₀	1
115	Prayagraj	Moderate	103	PM ₁₀ , SO ₂	2
116	Puducherry	Good	38	PM ₁₀	1
117	Pune	Satisfactory	86	со	4
118	Purnia	Satisfactory	92	PM ₁₀	1
119	Raichur	Satisfactory	62	со	1
120	Rajamahendravaram	Good	20	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Good	35	O ₃	1
122	Ramanagara	Good	33	PM ₁₀	1
123	Ratlam	Good	21	PM _{2.5}	1
124	Rohtak	Moderate	145	PM _{2.5}	1
125	Rupnagar	Satisfactory	79	PM ₁₀	1
126	Sagar	Satisfactory	55	со	1
127	Saharsa	Moderate	168	PM _{2.5}	1
128	Satna	Good	34	PM ₁₀	1
129	Shillong	Good	26	PM ₁₀ , O ₃	2
130	Shivamogga	Good	47	PM ₁₀	1
131	Siliguri	Satisfactory	55	PM ₁₀	1
132	Singrauli	Satisfactory	97	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	110	O ₃	1
134	Siwan	Poor	207	PM ₁₀	1
135	Solapur	Satisfactory	55	PM ₁₀	1
136	Sonipat	Moderate	131	PM ₁₀	1
137	Srinagar	Satisfactory	70	PM ₁₀	1
138	Talcher	Good	37	со	1
139	Thiruvananthapuram	Satisfactory	74	PM _{2.5} , CO	2
140	Thoothukudi	Satisfactory	62	PM ₁₀	1
141	Thrissur	Good	44	PM _{2.5}	1
142	Udaipur	Satisfactory	58	PM _{2.5}	1
143	Ujjain	Satisfactory	59	PM ₁₀	1
144	Varanasi	Satisfactory	77	O ₃ , PM ₁₀ , NO ₂	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	49	PM ₁₀	1
146	Visakhapatnam	Satisfactory	73	PM ₁₀	1
147	Vrindavan	Good	48	PM ₁₀	1
148	Yadgir	Good	29	со	1
149	Yamunanagar	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Durgapur, Eloor, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Khurja, Kolar, Madikeri, Maihar, Manguraha, Munger, Nagpur, Naharlagun, Nandesari, Nashik, Navi Mumbai, Samastipur, Sasaram, Thane, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.