

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	135	PM _{2.5}	1
2	Ajmer	Moderate	116	PM _{2.5}	1
3	Alwar	Satisfactory	88	PM ₁₀	1
4	Amaravati	Satisfactory	79	PM ₁₀	1
5	Ambala	Moderate	152	PM _{2.5}	1
6	Amritsar	Satisfactory	80	PM ₁₀	1
7	Asanol	Satisfactory	68	PM ₁₀	1
8	Aurangabad	Satisfactory	91	OZONE	1
9	Baghpat	Moderate	157	PM ₁₀	1
10	Bahadurgarh	Moderate	161	PM ₁₀	1
11	Ballabgarh	Poor	221	PM _{2.5}	1
12	Bathinda	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	135	PM _{2.5} , PM ₁₀	9
14	Bhiwadi	Poor	273	PM ₁₀	1
15	Bhiwani	Poor	240	PM _{2.5}	1
16	Brajrajnagar	Moderate	118	PM _{2.5}	1
17	Chennai	Satisfactory	58	PM _{2.5} , CO	3
18	Chikkaballapur	Satisfactory	100	PM ₁₀	1
19	Damoh	Satisfactory	81	PM ₁₀	1
20	Delhi	Poor	215	PM ₁₀ , PM _{2.5}	31
21	Dewas	Moderate	162	OZONE	1
22	Dharuhera	Moderate	169	PM ₁₀	1
23	Durgapur	Satisfactory	88	PM ₁₀	1
24	Faridabad	Moderate	186	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Poor	284	PM ₁₀	1
26	GandhiNagar	Moderate	102	PM ₁₀	1
27	Gaya	Moderate	161	PM _{2.5}	1
28	Ghaziabad	Poor	259	PM ₁₀	3
29	Greater_Noida	Poor	207	PM ₁₀	1
30	Gurugram	Poor	260	PM _{2.5} , PM ₁₀	2
31	Guwahati	Poor	210	PM _{2.5}	1
32	Hapur	Moderate	164	PM ₁₀	1
33	Hisar	Poor	203	PM ₁₀	1
34	Howrah	Satisfactory	80	PM ₁₀ , PM _{2.5}	2
35	Hyderabad	Moderate	101	PM ₁₀ , PM _{2.5}	5
36	Jaipur	Moderate	181	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jalandhar	Moderate	121	PM ₁₀	1
38	Jind	Moderate	196	PM ₁₀	1
39	Jodhpur	Moderate	195	PM _{2.5}	1
40	Jorapokhar	Satisfactory	77	со	1
41	Kaithal	Moderate	164	PM _{2.5}	1
42	Kalaburagi	Moderate	112	PM ₁₀	1
43	Kanpur	Moderate	198	PM _{2.5}	1
44	Karnal	Poor	222	PM _{2.5}	1
45	Khanna	Satisfactory	79	PM ₁₀	1
46	Kolkata	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
47	Kota	Moderate	156	PM _{2.5}	1
48	Kurukshetra	Moderate	122	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Poor	267	PM ₁₀	1
50	Lucknow	Very Poor	304	PM _{2.5}	3
51	Ludhiana	Satisfactory	86	PM ₁₀	1
52	Mandi Gobindgarh	Moderate	125	PM ₁₀	1
53	Mandideep	Moderate	184	PM ₁₀	1
54	Mandikhera	Moderate	141	PM ₁₀	1
55	Manesar	Moderate	177	PM ₁₀	1
56	Moradabad	Poor	209	PM ₁₀	1
57	Mumbai	Satisfactory	92	со	1
58	Muzaffarnagar	Moderate	184	PM _{2.5}	1
59	Muzaffarpur	Satisfactory	94	PM _{2.5}	1
60	Nagpur	Moderate	167	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Moderate	192	PM _{2.5}	1
62	Nashik	Satisfactory	69	PM ₁₀	1
63	Navi Mumbai	Moderate	120	PM ₁₀	1
64	Noida	Poor	232	PM ₁₀	2
65	Pali	Moderate	147	PM ₁₀	1
66	Palwal	Poor	295	PM _{2.5}	1
67	Panchkula	Satisfactory	79	PM _{2.5}	1
68	Panipat	Moderate	168	PM ₁₀	1
69	Patiala	Moderate	141	PM ₁₀	1
70	Patna	Moderate	173	OZONE	1
71	Pithampur	Moderate	122	PM ₁₀	1
72	Pune	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	77	OZONE	1
74	Ratlam	Satisfactory	99	PM ₁₀	1
75	Rohtak	Moderate	158	PM _{2.5}	1
76	Rupnagar	Satisfactory	65	PM _{2.5}	1
77	Siliguri	Satisfactory	93	PM _{2.5}	1
78	Singrauli	Very Poor	343	PM ₁₀	1
79	Sirsa	Moderate	125	PM ₁₀	1
80	Sonipat	Moderate	189	PM ₁₀	1
81	Thane	Moderate	131	PM ₁₀	1
82	Thiruvananthapuram	Satisfactory	65	OZONE	1
83	Tirupati	Satisfactory	72	PM ₁₀	1
84	Udaipur	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ujjain	Moderate	111	PM ₁₀	1
86	Vapi	Moderate	117	PM _{2.5}	1
87	Varanasi	Poor	264	PM ₁₀	1
88	Vatva	Moderate	132	PM ₁₀	1
89	Visakhapatnam	Moderate	112	PM ₁₀	1
90	Yamunanagar	Poor	265	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bulandshahr, Chandrapur, Maihar, Satna, Solapur, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.