

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	94	PM <sub>2.5</sub>	1
2	Agra	Very Poor	352	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	110	PM <sub>10</sub>	1
4	Aizawl	Good	25	PM <sub>2.5</sub>	1
5	Ajmer	Moderate	183	PM <sub>2.5</sub>	1
6	Alwar	Moderate	111	PM <sub>10</sub>	1
7	Amaravati	Poor	229	PM <sub>2.5</sub>	1
8	Ambala	Poor	226	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	172	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	284	PM <sub>2.5</sub>	1
11	Asansol	Moderate	195	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	97	03	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	92	NO <sub>2</sub>	1
14	Baghpat	Very Poor	334	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	341	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	266	PM <sub>2.5</sub>	1
17	Bathinda	Moderate	136	PM <sub>10</sub>	1
18	Bengaluru	Moderate	102	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	9
19	Bhiwadi	Very Poor	370	PM <sub>2.5</sub>	1
20	Bhiwani	Moderate	131	PM <sub>10</sub>	1
21	Bhopal	Moderate	167	PM <sub>2.5</sub>	1
22	Brajrajnagar	Poor	230	PM <sub>2.5</sub>	1
23	Bulandshahr	Very Poor	380	PM <sub>2.5</sub>	1
24	Chandigarh	Moderate	110	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	156	PM <sub>10</sub>	2
26	Charkhi Dadri	Poor	254	PM <sub>10</sub>	1
27	Chennai	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	6
28	Chikkaballapur	Moderate	101	PM <sub>2.5</sub>	1
29	Chikkamagaluru	Satisfactory	87	03	1
30	Damoh	Moderate	152	PM <sub>2.5</sub>	1
31	Delhi	Very Poor	357	PM <sub>2.5</sub>	38
32	Dewas	Moderate	187	O <sub>3</sub>	1
33	Dharuhera	Very Poor	375	PM <sub>2.5</sub>	1
34	Durgapur	Poor	220	PM <sub>10</sub>	1
35	Eloor	Satisfactory	56	PM <sub>10</sub>	1
36	Faridabad	Very Poor	328	PM <sub>10</sub> , PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	171	PM <sub>2.5</sub>	1
38	Gandhinagar	Moderate	101	PM <sub>10</sub>	1
39	Gaya	Moderate	162	PM <sub>2.5</sub>	2
40	Ghaziabad	Very Poor	391	PM <sub>2.5</sub>	4
41	Greater Noida	Very Poor	376	PM <sub>2.5</sub>	2
42	Gurugram	Very Poor	302	PM <sub>2.5</sub>	4
43	Guwahati	Very Poor	330	PM <sub>2.5</sub>	1
44	Gwalior	Very Poor	400	PM <sub>2.5</sub>	1
45	Hajipur	Poor	271	PM <sub>10</sub>	1
46	Haldia	Moderate	149	PM <sub>10</sub>	1
47	Hapur	Moderate	153	PM <sub>10</sub>	1
48	Hisar	Very Poor	308	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	292	PM <sub>10</sub> , PM <sub>2.5</sub>	3
50	Hubballi	Moderate	107	PM <sub>10</sub>	1
51	Hyderabad	Moderate	176	PM <sub>2.5</sub>	6
52	Indore	Satisfactory	100	PM <sub>10</sub>	1
53	Jabalpur	Poor	215	PM <sub>2.5</sub>	1
54	Jaipur	Moderate	169	PM <sub>10</sub> , PM <sub>2.5</sub>	3
55	Jalandhar	Moderate	197	PM <sub>2.5</sub>	1
56	Jind	Very Poor	337	PM <sub>2.5</sub>	1
57	Jodhpur	Moderate	193	PM <sub>2.5</sub>	1
58	Kaithal	Moderate	164	PM <sub>2.5</sub>	1
59	Kalaburgi	Moderate	142	PM <sub>10</sub>	1
60	Kalyan	Poor	254	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	103	PM <sub>2.5</sub>	1
62	Kanpur	Very Poor	326	PM <sub>2.5</sub>	2
63	Karnal	Poor	262	PM <sub>2.5</sub>	1
64	Katni	Poor	299	PM <sub>2.5</sub>	1
65	Khanna	Moderate	133	PM <sub>10</sub>	1
66	Kochi	Satisfactory	100	PM <sub>2.5</sub>	1
67	Kohima	Satisfactory	67	PM <sub>10</sub>	1
68	Kolkata	Poor	275	PM <sub>2.5</sub>	7
69	Kollam	Moderate	151	PM <sub>2.5</sub>	1
70	Koppal	Satisfactory	95	PM <sub>2.5</sub>	1
71	Kota	Poor	265	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	72	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Very Poor	302	PM <sub>2.5</sub>	1
74	Lucknow	Very Poor	352	PM <sub>2.5</sub>	4
75	Ludhiana	Moderate	126	PM <sub>2.5</sub>	1
76	Maihar	Moderate	150	PM <sub>2.5</sub>	1
77	Mandi Gobindgarh	Moderate	165	PM <sub>2.5</sub>	1
78	Mandideep	Moderate	136	PM <sub>10</sub>	1
79	Mandikhera	Poor	226	PM <sub>2.5</sub>	1
80	Manesar	Poor	296	PM <sub>2.5</sub>	1
81	Medikeri	Moderate	151	O <sub>3</sub>	1
82	Meerut	Very Poor	338	PM <sub>2.5</sub>	2
83	Moradabad	Poor	294	PM <sub>2.5</sub>	1
84	Mumbai	Poor	209	PM <sub>2.5</sub> , PM <sub>10</sub>	17

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Very Poor	325	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Nandesari	Moderate	113	СО	1
87	Narnaul	Poor	281	PM <sub>2.5</sub>	1
88	Nashik	Moderate	137	PM <sub>2.5</sub>	1
89	Navi Mumbai	Poor	255	PM <sub>2.5</sub>	3
90	Noida	Very Poor	386	PM <sub>2.5</sub>	2
91	Pali	Moderate	138	PM <sub>2.5</sub>	1
92	Palwal	Moderate	180	PM <sub>10</sub>	1
93	Panchkula	Moderate	144	PM <sub>2.5</sub>	1
94	Panipat	Moderate	184	PM <sub>2.5</sub>	1
95	Patiala	Moderate	195	PM <sub>2.5</sub>	1
96	Patna	Very Poor	334	PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	123	PM <sub>2.5</sub>	1
98	Pune	Moderate	170	PM <sub>2.5</sub>	4
99	Raichur	Moderate	126	PM <sub>10</sub>	1
100	Rajamahendravaram	Poor	214	PM <sub>2.5</sub>	1
101	Ratlam	Moderate	116	PM <sub>10</sub>	1
102	Rohtak	Poor	292	PM <sub>2.5</sub>	1
103	Rupnagar	Moderate	188	PM <sub>10</sub>	1
104	Sagar	Satisfactory	86	PM <sub>2.5</sub>	1
105	Satna	Moderate	116	PM <sub>10</sub>	1
106	Shillong	Good	23	03	1
107	Shivamogga	Satisfactory	81	PM <sub>2.5</sub>	1
108	Siliguri	Poor	209	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Very Poor	304	PM <sub>2.5</sub>	1
110	Sirsa	Moderate	129	PM <sub>2.5</sub>	1
111	Solapur	Moderate	132	PM <sub>10</sub>	1
112	Sonipat	Poor	208	PM <sub>2.5</sub>	1
113	Talcher	Moderate	175	PM <sub>2.5</sub>	1
114	Thane	Poor	241	PM <sub>10</sub>	1
115	Thiruvananthapuram	Satisfactory	62	PM <sub>10</sub>	1
116	Thoothukudi	Satisfactory	71	O <sub>3</sub>	1
117	Thrissur	Moderate	112	O <sub>3</sub>	1
118	Tirupati	Moderate	113	PM <sub>2.5</sub>	1
119	Udaipur	Moderate	195	PM <sub>2.5</sub>	1
120	Ujjain	Moderate	173	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Poor	300	PM <sub>2.5</sub>	1
122	Varanasi	Very Poor	346	PM <sub>2.5</sub>	1
123	Vatva	Moderate	170	PM <sub>2.5</sub>	1
124	Vijayapura	Satisfactory	58	PM <sub>10</sub>	1
125	Visakhapatnam	Poor	295	PM <sub>2.5</sub>	1
126	Yadgir	Moderate	104	O <sub>3</sub>	1
127	Yamunanagar	Very Poor	305	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Ernakulam, Jorapokhar, Muzaffarnagar, Mysuru, Nagpur, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.