

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	PM _{2.5}	2
2	Agra	Satisfactory	82	PM ₁₀	6
3	Ahmedabad	Moderate	110	NO ₂	1
4	Aizawl	Good	27	PM ₁₀	1
5	Ajmer	Moderate	119	PM _{2.5}	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Moderate	120	PM _{2.5}	1
8	Ambala	Satisfactory	93	PM _{2.5}	1
9	Amritsar	Poor	201	PM _{2.5}	1
10	Anantapur	Good	42	O ₃	1
11	Ankleshwar	Poor	203	PM _{2.5}	1
12	Araria	Very Poor	340	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	186	PM ₁₀	1
14	Asansol	Poor	240	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	193	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	142	PM _{2.5}	1
17	Baddi	Moderate	102	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Baghpat	Moderate	193	O ₃	1
20	Bahadurgarh	Poor	234	PM _{2.5}	1
21	Ballabgarh	Poor	251	PM _{2.5}	1
22	Bareilly	Satisfactory	88	PM ₁₀	2
23	Bathinda	Moderate	195	PM ₁₀	1
24	Belgaum	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Good	33	PM ₁₀	7
26	Bettiah	Very Poor	377	PM _{2.5}	1
27	Bhagalpur	Poor	237	PM _{2.5}	2
28	Bhiwadi	Moderate	196	PM ₁₀	1
29	Bhiwani	Poor	221	PM _{2.5}	1
30	Bhopal	Poor	233	PM _{2.5}	2
31	Bihar Sharif	Poor	259	PM _{2.5}	1
32	Bilaspur	Satisfactory	59	PM ₁₀	1
33	Bulandshahr	Moderate	191	PM _{2.5}	1
34	Buxar	Very Poor	313	PM _{2.5}	1
35	Chamarajanagar	Good	35	PM ₁₀	1
36	Chandigarh	Moderate	125	O ₃ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	140	PM _{2.5}	1
38	Charkhi Dadri	Moderate	176	PM _{2.5}	1
39	Chennai	Good	38	со	7
40	Chhapra	Poor	274	PM _{2.5}	1
41	Chikkaballapur	Satisfactory	72	со	1
42	Chikkamagaluru	Good	28	PM ₁₀	1
43	Coimbatore	Moderate	118	PM ₁₀	1
44	Damoh	Satisfactory	94	PM _{2.5}	1
45	Darbhanga	Very Poor	316	PM _{2.5}	1
46	Davanagere	Satisfactory	55	PM ₁₀	1
47	Delhi	Very Poor	303	PM _{2.5}	36
48	Dewas	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dindigul	Good	42	SO ₂	1
50	Durgapur	Moderate	135	PM ₁₀	1
51	Eloor	Satisfactory	61	PM ₁₀	1
52	Ernakulam	Good	50	со	1
53	Faridabad	Poor	272	PM _{2.5}	4
54	Fatehabad	Very Poor	306	PM _{2.5}	1
55	Firozabad	Satisfactory	83	NO ₂ , PM _{2.5}	2
56	Gadag	Satisfactory	52	O ₃	1
57	Gandhinagar	Satisfactory	100	PM _{2.5}	1
58	Gangtok	Satisfactory	59	PM _{2.5}	1
59	Gaya	Moderate	150	PM _{2.5}	3
60	Ghaziabad	Poor	230	PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	130	PM ₁₀	1
62	Greater Noida	Poor	234	PM _{2.5}	2
63	Gurugram	Poor	282	PM _{2.5}	4
64	Guwahati	Moderate	142	PM _{2.5}	3
65	Gwalior	Poor	211	PM _{2.5}	2
66	Hajipur	Poor	228	PM _{2.5}	1
67	Haldia	Moderate	138	PM ₁₀	1
68	Hapur	Moderate	145	PM _{2.5}	1
69	Hassan	Good	25	PM _{2.5}	1
70	Haveri	Satisfactory	99	PM _{2.5}	1
71	Hisar	Very Poor	311	PM _{2.5}	1
72	Hosur	Satisfactory	85	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	248	PM _{2.5}	3
74	Hubballi	Satisfactory	96	PM _{2.5}	1
75	Hyderabad	Satisfactory	82	PM _{2.5} , PM ₁₀	14
76	Imphal	Poor	239	03	2
77	Indore	Moderate	117	PM ₁₀	1
78	Jabalpur	Poor	226	PM _{2.5}	1
79	Jaipur	Moderate	157	PM _{2.5} , PM ₁₀	3
80	Jalandhar	Poor	229	PM _{2.5}	1
81	Jhansi	Moderate	155	PM _{2.5}	1
82	Jind	Poor	287	PM _{2.5}	1
83	Jodhpur	Poor	203	PM ₁₀	1
84	Kaithal	Poor	221	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	113	PM _{2.5}	1
86	Kalyan	Poor	202	PM ₁₀	1
87	Kanpur	Poor	208	PM _{2.5}	3
88	Karnal	Moderate	150	PM _{2.5}	1
89	Katihar	Very Poor	337	PM _{2.5}	1
90	Katni	Poor	210	PM _{2.5}	1
91	Khanna	Moderate	137	PM _{2.5}	1
92	Khurja	Satisfactory	71	PM _{2.5}	1
93	Kishanganj	Poor	249	PM ₁₀	1
94	Kochi	Moderate	193	PM _{2.5}	1
95	Kohima	Moderate	116	SO ₂	1
96	Kolar	Satisfactory	67	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	233	PM _{2.5}	7
98	Kollam	Satisfactory	69	PM ₁₀	1
99	Koppal	Satisfactory	65	со	1
100	Kota	Poor	258	PM _{2.5}	1
101	Kurukshetra	Moderate	154	PM _{2.5}	1
102	Lucknow	Moderate	199	PM _{2.5}	6
103	Ludhiana	Moderate	198	PM _{2.5}	1
104	Madikeri	Good	21	SO ₂	1
105	Maihar	Satisfactory	66	PM ₁₀	1
106	Mandi Gobindgarh	Poor	223	PM _{2.5}	1
107	Mandideep	Moderate	168	PM ₁₀	1
108	Mandikhera	Satisfactory	86	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Moderate	145	PM _{2.5}	1
110	Meerut	Poor	247	PM _{2.5}	3
111	Moradabad	Moderate	111	PM _{2.5} , PM ₁₀	6
112	Motihari	Severe	413	PM _{2.5}	1
113	Mumbai	Moderate	161	NO ₂ , PM _{2.5}	18
114	Muzaffarnagar	Poor	203	PM _{2.5}	1
115	Muzaffarpur	Poor	278	PM _{2.5}	3
116	Mysuru	Good	42	PM ₁₀	1
117	Nagpur	Poor	216	PM _{2.5}	1
118	Nandesari	Good	50	СО	1
119	Narnaul	Moderate	116	PM ₁₀	1
120	Nashik	Moderate	182	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Poor	232	PM _{2.5}	3
122	Noida	Poor	231	PM _{2.5}	4
123	Pali	Moderate	156	PM _{2.5}	1
124	Palwal	Satisfactory	73	PM ₁₀	1
125	Panchkula	Satisfactory	63	PM _{2.5}	1
126	Panipat	Satisfactory	65	PM _{2.5}	1
127	Patiala	Moderate	148	PM _{2.5}	1
128	Patna	Poor	265	PM ₁₀ , PM _{2.5}	6
129	Pithampur	Moderate	159	PM _{2.5}	1
130	Prayagraj	Moderate	118	PM _{2.5} , PM ₁₀	3
131	Puducherry	Good	32	со	1
132	Purnia	Very Poor	378	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Moderate	107	PM ₁₀	1
134	Rajamahendravaram	Moderate	128	PM _{2.5}	1
135	Rajgir	Moderate	181	PM _{2.5}	1
136	Ramanagara	Good	31	O ₃	1
137	Ramanathapuram	Good	31	PM ₁₀	1
138	Ratlam	Moderate	115	PM _{2.5}	1
139	Rohtak	Moderate	167	PM _{2.5}	1
140	Rupnagar	Moderate	153	PM ₁₀	1
141	Sagar	Moderate	106	PM _{2.5} , CO	2
142	Saharsa	Very Poor	322	PM _{2.5}	1
143	Salem	Good	25	СО	1
144	Samastipur	Very Poor	317	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sasaram	Moderate	161	PM _{2.5}	1
146	Satna	Satisfactory	51	O ₃	1
147	Shillong	Good	38	PM _{2.5}	2
148	Shivamogga	Satisfactory	55	PM ₁₀	1
149	Siliguri	Moderate	151	PM _{2.5}	1
150	Singrauli	Very Poor	302	PM _{2.5}	1
151	Sirsa	Poor	251	PM _{2.5}	1
152	Sivasagar	Good	37	PM ₁₀	1
153	Siwan	Very Poor	372	PM _{2.5}	1
154	Solapur	Satisfactory	90	PM ₁₀	1
155	Sonipat	Poor	219	PM _{2.5}	1
156	Srinagar	Moderate	136	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Moderate	154	PM ₁₀	1
158	Talcher	Moderate	136	PM _{2.5}	1
159	Thane	Moderate	156	03	1
160	Thiruvananthapuram	Satisfactory	57	PM ₁₀ , PM _{2.5}	2
161	Thoothukudi	Good	26	PM ₁₀	1
162	Thrissur	Satisfactory	57	PM ₁₀	1
163	Tirupur	Satisfactory	72	PM ₁₀	1
164	Udaipur	Poor	203	PM _{2.5}	1
165	Ujjain	Moderate	129	PM ₁₀	1
166	Varanasi	Satisfactory	72	PM ₁₀ , NO ₂	4
167	Vatva	Moderate	104	PM ₁₀	1
168	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Visakhapatnam	Moderate	134	PM _{2.5}	1
170	Vrindavan	Moderate	130	PM ₁₀	1
171	Yadgir	Moderate	111	PM _{2.5}	1
172	Yamunanagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Dharuhera, Gummidipoondi, Jorapokhar, Kanchipuram, Kannur, Korba, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Ooty, Pune, Raipur, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.