



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	295	PM _{2.5}	1
2	Agra	Satisfactory	82	PM ₁₀	6
3	Ahmedabad	Moderate	141	PM _{2.5} , PM ₁₀	7
4	Ajmer	Satisfactory	79	PM ₁₀	1
5	Alwar	Satisfactory	72	PM ₁₀	1
6	Amaravati	Satisfactory	57	PM ₁₀	1
7	Ambala	Satisfactory	68	PM ₁₀	1
8	Amritsar	Moderate	144	PM _{2.5}	1
9	Anantapur	Good	42	PM _{2.5}	1
10	Ankleshwar	Moderate	110	PM ₁₀	1
11	Araria	Poor	240	PM ₁₀	1
12	Ariyalur	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	145	PM ₁₀	1
14	Asansol	Moderate	183	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	68	PM ₁₀	1
16	Baddi	Moderate	155	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Poor	269	O ₃	1
19	Bahadurgarh	Moderate	137	PM _{2.5}	1
20	Ballabgarh	Satisfactory	80	PM ₁₀	1
21	Banswara	Moderate	155	O ₃	1
22	Bareilly	Satisfactory	83	PM ₁₀	2
23	Baripada	Moderate	161	O ₃	1
24	Barmer	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	114	PM _{2.5}	1
26	Begusarai	Very Poor	331	PM ₁₀	1
27	Belgaum	Satisfactory	62	PM _{2.5}	1
28	Bengaluru	Satisfactory	59	PM _{2.5} , PM ₁₀	9
29	Bettiah	Moderate	119	PM _{2.5}	1
30	Bhagalpur	Moderate	173	PM ₁₀	2
31	Bharatpur	Moderate	188	PM ₁₀	1
32	Bhilai	Good	41	PM ₁₀ , O ₃	3
33	Bhiwadi	Moderate	181	PM ₁₀	1
34	Bhiwani	Moderate	117	PM _{2.5}	1
35	Bhopal	Moderate	174	PM _{2.5}	3
36	Bihar Sharif	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	177	PM ₁₀	1
38	Bilaspur	Satisfactory	52	CO	1
39	Bileipada	Poor	230	PM ₁₀	1
40	Brajrajnagar	Satisfactory	97	CO	1
41	Bulandshahr	Moderate	131	PM ₁₀	1
42	Byrnihat	Very Poor	332	PM _{2.5}	1
43	Chamarajanagar	Good	47	PM ₁₀	1
44	Chandigarh	Satisfactory	88	PM ₁₀	3
45	Chandrapur	Moderate	103	PM _{2.5}	1
46	Charkhi Dadri	Poor	223	PM _{2.5}	1
47	Chennai	Satisfactory	60	CO, O ₃	6
48	Chhal	Satisfactory	85	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	212	PM ₁₀	1
50	Chikkaballapur	Satisfactory	55	PM ₁₀	1
51	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
52	Chittorgarh	Poor	253	PM _{2.5}	1
53	Churu	Moderate	106	O ₃	1
54	Coimbatore	Moderate	181	PM ₁₀	1
55	Damoh	Good	26	CO	1
56	Dausa	Moderate	164	PM ₁₀	1
57	Davanagere	Satisfactory	61	PM _{2.5}	1
58	Dehradun	Satisfactory	78	O ₃	1
59	Delhi	Moderate	195	PM _{2.5} , PM ₁₀	35
60	Dewas	Moderate	118	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Poor	210	PM _{2.5}	1
62	Dharuhera	Poor	206	PM ₁₀	1
63	Dholpur	Satisfactory	95	PM ₁₀	1
64	Dindigul	Good	41	SO ₂	1
65	Durgapur	Moderate	147	PM _{2.5}	1
66	Eloor	Satisfactory	68	PM ₁₀	1
67	Faridabad	Moderate	156	PM _{2.5} , PM ₁₀	4
68	Firozabad	Satisfactory	98	PM ₁₀	2
69	Gadag	Good	33	CO	1
70	Gandhinagar	Moderate	152	PM _{2.5} , PM ₁₀	3
71	Gangtok	Satisfactory	72	O ₃	1
72	Gaya	Moderate	126	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirahi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	196	PM ₁₀	4
74	Gorakhpur	Satisfactory	88	PM ₁₀	1
75	Greater Noida	Poor	228	PM ₁₀	2
76	Gummidipoondi	Moderate	103	PM ₁₀	1
77	Gurugram	Moderate	172	PM _{2.5}	4
78	Guwahati	Poor	240	PM _{2.5}	3
79	Gwalior	Moderate	126	PM _{2.5}	2
80	Hajipur	Moderate	170	PM ₁₀	1
81	Hanumangarh	Moderate	120	PM ₁₀	1
82	Hapur	Satisfactory	96	O ₃	1
83	Hassan	Satisfactory	74	PM ₁₀	1
84	Haveri	Satisfactory	72	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Moderate	133	CO	1
86	Howrah	Moderate	116	PM ₁₀ , PM _{2.5}	3
87	Hubballi	Satisfactory	97	PM ₁₀	2
88	Hyderabad	Satisfactory	95	PM ₁₀	14
89	Imphal	Satisfactory	91	SO ₂	2
90	Indore	Moderate	104	PM ₁₀	2
91	Jaipur	Moderate	104	PM ₁₀ , PM _{2.5}	5
92	Jalandhar	Moderate	107	PM ₁₀	1
93	Jhalawar	Moderate	126	PM ₁₀	1
94	Jhansi	Satisfactory	82	PM ₁₀	1
95	Jhunjhunu	Poor	293	O ₃	1
96	Jind	Satisfactory	71	CO	1

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	162	PM ₁₀	2
98	Jorapokhar	Moderate	154	PM ₁₀	1
99	Kaithal	Moderate	103	PM _{2.5}	1
100	Kalaburgi	Satisfactory	68	PM ₁₀	2
101	Kalyan	Moderate	158	PM ₁₀	1
102	Kanchipuram	Good	42	PM ₁₀	1
103	Kannur	Satisfactory	76	PM ₁₀	1
104	Kanpur	Moderate	114	PM ₁₀ , PM _{2.5}	3
105	Karnal	Satisfactory	73	PM ₁₀	1
106	Katihar	Poor	229	PM ₁₀	1
107	Katni	Satisfactory	99	PM ₁₀	1
108	Keonjhar	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	90	PM ₁₀	1
110	Khurja	Moderate	105	PM _{2.5}	1
111	Kishanganj	Moderate	168	PM ₁₀	1
112	Kohima	Moderate	114	PM ₁₀	1
113	Kolar	Satisfactory	59	PM ₁₀	1
114	Kolkata	Moderate	134	O ₃	6
115	Koppal	Satisfactory	88	O ₃	1
116	Korba	Satisfactory	64	PM ₁₀	2
117	Kota	Moderate	131	O ₃ , PM _{2.5}	3
118	Kurukshetra	Satisfactory	98	PM ₁₀	1
119	Lucknow	Moderate	126	PM _{2.5}	6
120	Ludhiana	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Satisfactory	51	PM ₁₀	1
122	Maihar	Good	47	CO	1
123	Mandi Gobindgarh	Satisfactory	77	PM ₁₀	1
124	Mandideep	Moderate	141	PM ₁₀	1
125	Mandikhera	Moderate	104	PM ₁₀	1
126	Manesar	Poor	218	PM _{2.5}	1
127	Mangalore	Moderate	106	PM ₁₀	1
128	Meerut	Moderate	174	PM _{2.5}	3
129	Milupara	Satisfactory	53	PM ₁₀	1
130	Moradabad	Moderate	150	PM _{2.5}	6
131	Motihari	Moderate	142	PM _{2.5}	1
132	Mumbai	Moderate	132	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	220	PM ₁₀	1
134	Muzaffarnagar	Poor	225	PM _{2.5}	1
135	Muzaffarpur	Poor	251	PM _{2.5} , O ₃	3
136	Mysuru	Satisfactory	60	PM ₁₀	1
137	Nagpur	Satisfactory	79	PM _{2.5}	1
138	Nalbari	Poor	223	PM ₁₀	1
139	Nashik	Satisfactory	58	PM ₁₀	1
140	Navi Mumbai	Moderate	153	PM ₁₀	2
141	Nayagarh	Poor	264	PM _{2.5}	1
142	Noida	Moderate	187	PM ₁₀ , PM _{2.5}	4
143	Ooty	Good	49	SO ₂	1
144	Pali	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	51	SO ₂	1
146	Palwal	Moderate	102	PM ₁₀	1
147	Panchkula	Moderate	107	CO	1
148	Panipat	Moderate	112	PM ₁₀	1
149	Patiala	Satisfactory	66	O ₃	1
150	Patna	Poor	277	PM ₁₀	5
151	Pithampur	Moderate	158	PM _{2.5}	1
152	Pratapgarh	Moderate	199	PM ₁₀	1
153	Prayagraj	Moderate	125	O ₃ , PM ₁₀	3
154	Puducherry	Good	34	PM ₁₀	1
155	Pune	Moderate	106	NO ₂ , PM ₁₀	3
156	Purnia	Poor	207	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raichur	Satisfactory	84	PM ₁₀	1
158	Raipur	Satisfactory	74	PM ₁₀ , NO ₂	4
159	Rajgir	Moderate	128	PM ₁₀	1
160	Rajsamand	Moderate	107	PM ₁₀	1
161	Ramanagara	Good	43	PM ₁₀	1
162	Ramanathapuram	Good	35	PM ₁₀	1
163	Ratlam	Moderate	108	PM ₁₀	1
164	Rishikesh	Satisfactory	53	PM ₁₀	1
165	Rohtak	Satisfactory	79	PM _{2.5}	1
166	Rourkela	Moderate	175	PM ₁₀	3
167	Rupnagar	Moderate	121	PM ₁₀	1
168	Sagar	Satisfactory	98	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Salem	Satisfactory	89	SO ₂	1
170	Samastipur	Poor	220	PM ₁₀	1
171	Sasaram	Moderate	166	O ₃	1
172	Satna	Moderate	200	PM ₁₀	1
173	Sawai Madhopur	Moderate	150	PM ₁₀	1
174	Shillong	Moderate	134	PM _{2.5}	1
175	Shivamogga	Satisfactory	51	O ₃	1
176	Sikar	Moderate	144	PM ₁₀	1
177	Silchar	Satisfactory	59	CO	1
178	Siliguri	Moderate	113	PM ₁₀	1
179	Singrauli	Moderate	128	PM _{2.5}	1
180	Sirsa	Satisfactory	91	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirahi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sivasagar	Satisfactory	64	PM ₁₀	1
182	Siwan	Moderate	190	PM ₁₀	1
183	Sonipat	Moderate	144	PM ₁₀	1
184	Sri Ganganagar	Poor	266	PM ₁₀	1
185	Srinagar	Satisfactory	83	PM ₁₀	1
186	Suakati	Moderate	144	PM _{2.5}	1
187	Surat	Satisfactory	83	CO	1
188	Talcher	Moderate	137	PM _{2.5}	1
189	Tensa	Moderate	110	PM ₁₀	1
190	Thiruvananthapuram	Good	49	CO	2
191	Thoothukudi	Satisfactory	86	O ₃	1
192	Tirupati	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupur	Satisfactory	57	PM ₁₀	1
194	Tonk	Moderate	169	PM ₁₀	1
195	Tumakuru	Moderate	164	CO	1
196	Udaipur	Moderate	103	PM ₁₀	1
197	Ujjain	Moderate	138	PM ₁₀	1
198	Vapi	Poor	215	PM _{2.5}	1
199	Varanasi	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
200	Vatva	Moderate	147	PM _{2.5}	1
201	Vijayapura	Good	42	PM ₁₀	1
202	Vijayawada	Satisfactory	52	O ₃	1
203	Visakhapatnam	Moderate	127	PM ₁₀	1
204	Vrindavan	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	72	PM ₁₀	1
206	Yamunanagar	Moderate	135	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Aurangabad

(Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Cuddalore, Darbhanga, Dharwad, Ernakulam, Fatehabad, Haldia, Hisar, Jabalpur, Kadapa, Karauli, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Manguraha, Nagaon, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajamahendravaram, Saharsa, Sirohi, Solapur, Thane, Thrissur, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: