

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	359	PM _{2.5}	1
2	Ahmedabad	Moderate	151	PM _{2.5}	1
3	Ajmer	Moderate	171	PM _{2.5}	1
4	Alwar	Moderate	109	PM _{2.5}	1
5	Amaravati	Poor	270	PM _{2.5}	1
6	Amritsar	Good	33	NO ₂	1
7	Asanol	Poor	249	PM _{2.5}	1
8	Aurangabad	Moderate	161	OZONE	1
9	Baghpat	Very Poor	356	PM _{2.5}	1
10	Bahadurgarh	Very Poor	367	PM _{2.5}	1
11	Bathinda	Moderate	105	PM ₁₀	1
12	Bengaluru	Moderate	116	PM _{2.5}	9

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Very Poor	356	PM _{2.5}	1
14	Bhiwani	Moderate	199	PM _{2.5}	1
15	Brajrajnagar	Poor	201	PM _{2.5}	1
16	Chandrapur	Satisfactory	98	OZONE	1
17	Chennai	Moderate	104	PM _{2.5}	2
18	Chikkaballapur	Moderate	182	PM ₁₀	1
19	Damoh	Moderate	195	PM _{2.5}	1
20	Delhi	Very Poor	378	PM _{2.5}	34
21	Dewas	Satisfactory	91	PM ₁₀	1
22	Durgapur	Satisfactory	78	PM ₁₀	1
23	Faridabad	Very Poor	355	PM _{2.5}	1
24	Gaya	Very Poor	395	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ghaziabad	Very Poor	313	PM ₁₀	1
26	Greater_Noida	Very Poor	381	PM _{2.5}	1
27	Gurugram	Very Poor	368	PM _{2.5}	1
28	Haldia	Moderate	188	PM ₁₀	1
29	Hapur	Severe	405	PM _{2.5}	1
30	Howrah	Very Poor	377	PM _{2.5}	2
31	Hubballi	Moderate	102	PM ₁₀	1
32	Hyderabad	Moderate	154	PM _{2.5}	5
33	Jaipur	Poor	227	PM _{2.5} , PM ₁₀	3
34	Jalandhar	Satisfactory	87	PM ₁₀	1
35	Jodhpur	Very Poor	306	PM _{2.5}	1
36	Jorapokhar	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kalaburgi	Moderate	187	PM _{2.5}	1
38	Kanpur	Very Poor	359	PM _{2.5}	1
39	Khanna	Moderate	109	PM ₁₀	1
40	Kolkata	Very Poor	399	PM _{2.5}	2
41	Kota	Moderate	152	PM _{2.5}	1
42	Kurushketra	Poor	246	PM _{2.5}	1
43	Lucknow	Poor	294	PM _{2.5}	4
44	Ludhiana	Moderate	116	PM _{2.5}	1
45	Mandi Gobindgarh	Moderate	187	PM ₁₀	1
46	Mandideep	Moderate	152	PM ₁₀	1
47	Moradabad	Very Poor	340	PM _{2.5}	1
48	Mumbai	Poor	202	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Muzaffarnagar	Very Poor	331	PM _{2.5}	1
50	Muzaffarpur	Very Poor	388	PM _{2.5}	1
51	Nagpur	Poor	228	PM _{2.5}	1
52	Nashik	Moderate	180	OZONE	1
53	Navi Mumbai	Moderate	158	PM ₁₀	1
54	Noida	Severe	403	PM ₁₀ , PM _{2.5}	2
55	Pali	Moderate	165	PM ₁₀	1
56	Panchkula	Moderate	145	PM _{2.5}	1
57	Panipat	Poor	225	PM _{2.5}	1
58	Patiala	Good	46	PM _{2.5}	1
59	Patna	Severe	419	PM _{2.5}	1
60	Pithampur	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pune	Poor	218	PM _{2.5}	1
62	Rajamahendravaram	Poor	231	PM _{2.5}	1
63	Ratlam	Moderate	133	PM ₁₀	1
64	Rohtak	Poor	208	PM _{2.5}	1
65	Rupnagar	Moderate	131	PM _{2.5}	1
66	Satna	Moderate	165	PM ₁₀	1
67	Siliguri	Poor	212	PM _{2.5}	1
68	Singrauli	Very Poor	310	PM _{2.5}	1
69	Solapur	Moderate	161	PM ₁₀	1
70	Sonipat	Poor	274	PM _{2.5}	1
71	Talcher	Very Poor	304	PM ₁₀	1
72	Thane	Poor	241	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Thiruvananthapuram	Moderate	159	PM _{2.5}	1
74	Tirupati	Moderate	144	PM _{2.5}	1
75	Udaipur	Poor	215	PM ₁₀	1
76	Ujjain	Moderate	148	PM ₁₀	1
77	Varanasi	Very Poor	325	PM _{2.5}	1
78	Vijayawada	Satisfactory	83	PM ₁₀	1
79	Yamunanagar	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bulandshahr, Manesar, Palwal, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.