



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	260	PM _{2.5}	1
2	Agra	Satisfactory	77	PM ₁₀	5
3	Ahmedabad	Moderate	138	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	84	PM ₁₀	1
5	Ajmer	Good	49	O ₃	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Moderate	120	PM ₁₀	1
8	Amritsar	Moderate	113	PM _{2.5}	1
9	Anantapur	Satisfactory	69	PM ₁₀	1
10	Ankleshwar	Satisfactory	82	PM _{2.5}	1
11	Araria	Poor	272	PM _{2.5}	1
12	Ariyalur	Satisfactory	71	NO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	235	PM _{2.5}	1
14	Asansol	Moderate	157	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	111	PM ₁₀	1
16	Baddi	Moderate	106	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Moderate	186	PM _{2.5}	1
19	Bahadurgarh	Moderate	166	PM _{2.5}	1
20	Ballabgarh	Poor	208	PM _{2.5}	1
21	Bareilly	Moderate	104	PM ₁₀	2
22	Baripada	Poor	208	O ₃	1
23	Bathinda	Satisfactory	85	PM _{2.5}	1
24	Begusarai	Very Poor	302	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	110	PM ₁₀	1
26	Bengaluru	Satisfactory	82	PM _{2.5} , PM ₁₀	11
27	Bettiah	Poor	290	PM _{2.5}	1
28	Bhagalpur	Poor	226	PM _{2.5}	2
29	Bharatpur	Poor	236	PM _{2.5}	1
30	Bhilai	Satisfactory	60	O ₃	2
31	Bhiwadi	Moderate	164	PM _{2.5}	1
32	Bhiwani	Moderate	120	PM _{2.5}	1
33	Bhopal	Moderate	194	PM _{2.5}	3
34	Bidar	Good	39	PM ₁₀	1
35	Bihar Sharif	Satisfactory	62	PM ₁₀	1
36	Bilaspur	Moderate	137	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	216	PM _{2.5}	1
38	Brajrajnagar	Moderate	126	PM ₁₀	1
39	Bulandshahr	Moderate	161	PM _{2.5}	1
40	Byrnihat	Very Poor	335	PM ₁₀	1
41	Chamarajanagar	Good	47	PM ₁₀	1
42	Chandigarh	Moderate	164	PM _{2.5}	3
43	Chandrapur	Satisfactory	88	PM ₁₀	1
44	Charkhi Dadri	Moderate	113	PM _{2.5}	1
45	Chennai	Satisfactory	74	PM _{2.5} , CO	8
46	Chhapra	Poor	229	PM _{2.5}	1
47	Chikkaballapur	Satisfactory	89	PM ₁₀	1
48	Chikkamagaluru	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	60	PM _{2.5}	1
50	Damoh	Good	33	PM _{2.5}	1
51	Dehradun	Satisfactory	95	PM ₁₀	1
52	Delhi	Poor	213	PM _{2.5}	38
53	Dhanbad	Moderate	192	PM _{2.5}	1
54	Dharuhera	Moderate	164	PM ₁₀	1
55	Dindigul	Very Poor	332	NO ₂	1
56	Durgapur	Moderate	113	PM ₁₀	1
57	Eloor	Satisfactory	99	PM ₁₀	1
58	Faridabad	Moderate	172	PM ₁₀	3
59	Fatehabad	Moderate	152	PM ₁₀	1
60	Firozabad	Moderate	118	PM ₁₀ , PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	64	O ₃	1
62	Gandhinagar	Satisfactory	76	PM _{2.5} , PM ₁₀	3
63	Gangtok	Moderate	107	PM _{2.5}	1
64	Gaya	Moderate	123	PM _{2.5}	3
65	Ghaziabad	Poor	219	PM _{2.5}	4
66	Gorakhpur	Satisfactory	83	PM _{2.5}	1
67	Greater Noida	Moderate	160	PM ₁₀	2
68	Gummidipoondi	Moderate	169	PM _{2.5}	1
69	Gurugram	Moderate	193	PM _{2.5}	4
70	Guwahati	Moderate	158	O ₃ , PM _{2.5}	4
71	Gwalior	Moderate	158	PM _{2.5}	2
72	Hajipur	Moderate	170	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Moderate	113	PM ₁₀	1
74	Hapur	Satisfactory	76	O ₃	1
75	Hassan	Satisfactory	74	PM ₁₀	1
76	Haveri	Moderate	107	PM ₁₀	1
77	Hosur	Moderate	108	CO	1
78	Howrah	Moderate	114	PM _{2.5} , PM ₁₀	3
79	Hubballi	Satisfactory	86	PM ₁₀	2
80	Hyderabad	Satisfactory	80	PM ₁₀	14
81	Imphal	Moderate	174	PM _{2.5}	1
82	Indore	Satisfactory	66	NO ₂	1
83	Jabalpur	Moderate	132	PM _{2.5}	1
84	Jaipur	Satisfactory	59	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Moderate	114	PM ₁₀	1
86	Jhansi	Satisfactory	59	SO ₂	1
87	Jind	Satisfactory	80	PM _{2.5}	1
88	Jodhpur	Moderate	116	PM ₁₀	2
89	Jorapokhar	Moderate	152	PM ₁₀	1
90	Kadapa	Satisfactory	93	PM _{2.5}	1
91	Kaithal	Satisfactory	94	PM ₁₀	1
92	Kalaburgi	Satisfactory	82	PM ₁₀	1
93	Kalyan	Moderate	171	PM ₁₀	1
94	Kanchipuram	Satisfactory	78	PM ₁₀	1
95	Kannur	Moderate	118	CO	1
96	Kanpur	Satisfactory	85	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Satisfactory	63	PM ₁₀	1
98	Kashipur	Satisfactory	86	PM ₁₀	1
99	Katihar	Poor	224	PM _{2.5}	1
100	Katni	Moderate	155	PM _{2.5}	1
101	Keonjhar	Moderate	146	PM _{2.5}	1
102	Khanna	Satisfactory	79	PM ₁₀	1
103	Khurja	Moderate	163	PM _{2.5}	1
104	Kishanganj	Moderate	181	PM _{2.5}	1
105	Kochi	Moderate	158	PM _{2.5}	1
106	Kohima	Moderate	149	PM _{2.5}	1
107	Kolar	Moderate	112	PM ₁₀	1
108	Kolkata	Moderate	110	PM _{2.5}	7

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kollam	Satisfactory	100	PM ₁₀	1
110	Koppal	Satisfactory	64	O ₃	1
111	Korba	Satisfactory	58	PM ₁₀	2
112	Kota	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
113	Kozhikode	Satisfactory	75	PM _{2.5}	1
114	Kurukshetra	Satisfactory	96	PM _{2.5}	1
115	Lucknow	Moderate	149	PM _{2.5}	6
116	Ludhiana	Moderate	133	PM ₁₀	1
117	Maihar	Good	41	CO	1
118	Mandi Gobindgarh	Poor	268	PM _{2.5}	1
119	Mandideep	Moderate	105	PM ₁₀	1
120	Mandikhera	Satisfactory	96	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Moderate	156	PM _{2.5}	1
122	Mangalore	Moderate	142	PM ₁₀	1
123	Manguraha	Moderate	177	PM _{2.5}	1
124	Meerut	Poor	219	PM _{2.5}	3
125	Moradabad	Moderate	162	PM _{2.5}	6
126	Motihari	Moderate	178	PM ₁₀	1
127	Mumbai	Moderate	136	NO ₂ , O ₃	17
128	Munger	Moderate	170	PM _{2.5}	1
129	Muzaffarnagar	Poor	221	PM _{2.5}	1
130	Muzaffarpur	Poor	204	PM _{2.5}	3
131	Mysuru	Good	42	O ₃	1
132	Nagaon	Poor	209	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	96	PM ₁₀	1
134	Naharlagun	Good	50	PM _{2.5}	1
135	Nalbari	Moderate	148	PM _{2.5}	1
136	Nandesari	Satisfactory	75	PM _{2.5}	1
137	Narnaul	Satisfactory	96	PM _{2.5}	1
138	Nashik	Satisfactory	96	PM _{2.5}	1
139	Navi Mumbai	Moderate	165	PM _{2.5}	2
140	Nayagarh	Poor	257	PM ₁₀	1
141	Noida	Poor	214	PM _{2.5}	4
142	Ooty	Good	48	SO ₂	1
143	Pali	Satisfactory	59	O ₃	1
144	Palwal	Satisfactory	84	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panchkula	Satisfactory	70	CO	1
146	Panipat	Moderate	127	PM ₁₀	1
147	Patiala	Satisfactory	81	PM ₁₀	1
148	Patna	Poor	216	PM _{2.5}	6
149	Pithampur	Satisfactory	64	PM ₁₀	1
150	Prayagraj	Satisfactory	98	O ₃ , PM ₁₀	3
151	Puducherry	Satisfactory	62	PM ₁₀	1
152	Pune	Moderate	136	PM _{2.5} , PM ₁₀	4
153	Purnia	Moderate	138	PM _{2.5}	1
154	Raipur	Satisfactory	91	NO ₂ , PM ₁₀	4
155	Rairangpur	Poor	249	PM _{2.5}	1
156	Rajamahendravaram	Moderate	139	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajgir	Moderate	108	PM _{2.5}	1
158	Ramanagara	Satisfactory	79	PM ₁₀	1
159	Ramanathapuram	Satisfactory	52	PM ₁₀	1
160	Ratlam	Satisfactory	70	PM ₁₀	1
161	Rishikesh	Satisfactory	69	PM ₁₀	1
162	Rohtak	Satisfactory	93	PM _{2.5}	1
163	Rourkela	Poor	246	PM _{2.5}	3
164	Rupnagar	Satisfactory	92	PM ₁₀	1
165	Sagar	Satisfactory	72	O ₃ , CO	2
166	Saharsa	Poor	238	PM _{2.5}	1
167	Salem	Satisfactory	65	PM ₁₀	1
168	Samastipur	Poor	250	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Moderate	128	PM _{2.5}	1
170	Satna	Satisfactory	54	O ₃	1
171	Shillong	Moderate	146	PM _{2.5}	1
172	Shivamogga	Good	33	PM ₁₀	1
173	Siliguri	Moderate	112	PM ₁₀	1
174	Singrauli	Satisfactory	79	PM ₁₀	1
175	Sirsa	Satisfactory	90	PM ₁₀	1
176	Sivasagar	Good	46	PM _{2.5}	1
177	Siwan	Poor	265	PM _{2.5}	1
178	Sonipat	Moderate	128	PM ₁₀	1
179	Suakati	Moderate	181	PM _{2.5}	1
180	Surat	Moderate	149	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Talcher	Satisfactory	72	PM _{2.5}	1
182	Thiruvananthapuram	Satisfactory	90	PM _{2.5}	2
183	Thoothukudi	Satisfactory	52	PM ₁₀	1
184	Thrissur	Moderate	123	PM _{2.5}	1
185	Tirupati	Satisfactory	74	PM _{2.5} , PM ₁₀	2
186	Tirupur	Satisfactory	75	PM ₁₀	1
187	Udaipur	Good	48	PM ₁₀	1
188	Udupi	Moderate	121	O ₃	1
189	Ujjain	Poor	279	PM _{2.5}	1
190	Vapi	Poor	221	PM _{2.5}	1
191	Varanasi	Satisfactory	54	PM ₁₀	4
192	Vatva	Satisfactory	97	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	46	PM ₁₀	1
194	Vijayawada	Poor	213	PM _{2.5}	1
195	Visakhapatnam	Moderate	183	PM ₁₀	1
196	Vrindavan	Moderate	144	PM ₁₀	1
197	Yadgir	Satisfactory	56	PM ₁₀	1
198	Yamunanagar	Moderate	127	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Aurangabad

(Maharashtra), Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Jhunjhunu, Karauli, Kunjemura, Madikeri, Milupara, Pratapgarh, Raichur, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Tensa, Thane, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases