

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM <sub>10</sub>	1
2	Agra	Satisfactory	82	PM <sub>2.5</sub>	3
3	Ahmedabad	Moderate	118	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	19	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	76	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	78	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	69	O <sub>3</sub>	1
8	Ambala	Moderate	162	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	94	PM <sub>10</sub>	1
10	Ankleshwar	Poor	262	PM <sub>2.5</sub>	1
11	Bagalkot	Satisfactory	61	PM <sub>2.5</sub>	1
12	Baghpat	Moderate	137	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	210	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	218	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	127	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	81	PM <sub>10</sub>	6
17	Bettiah	Moderate	164	PM <sub>10</sub>	1
18	Bhagalpur	Poor	260	PM <sub>2.5</sub>	1
19	Bhiwadi	Moderate	141	PM <sub>10</sub>	1
20	Bhiwani	Moderate	104	PM <sub>10</sub>	1
21	Bhopal	Moderate	162	PM <sub>2.5</sub>	1
22	Bidar	Moderate	147	PM <sub>10</sub>	1
23	Bihar Sharif	Very Poor	301	PM <sub>2.5</sub>	1
24	Bilaspur	Satisfactory	99	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	115	03	1
26	Bulandshahr	Poor	226	PM <sub>2.5</sub>	1
27	Buxar	Poor	252	PM <sub>10</sub>	1
28	Chamarajanagar	Good	46	PM <sub>2.5</sub>	1
29	Chandigarh	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Chandrapur	Moderate	186	PM <sub>2.5</sub>	2
31	Charkhi Dadri	Moderate	146	PM <sub>2.5</sub>	1
32	Chennai	Satisfactory	59	PM <sub>10</sub> , CO	7
33	Chhapra	Poor	274	PM <sub>2.5</sub>	1
34	Chikkaballapur	Satisfactory	59	PM <sub>2.5</sub>	1
35	Chikkamagaluru	Good	48	PM <sub>10</sub>	1
36	Coimbatore	Satisfactory	95	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	120	PM <sub>2.5</sub>	1
38	Darbhanga	Very Poor	323	PM <sub>2.5</sub>	1
39	Davanagere	Satisfactory	75	PM <sub>10</sub>	1
40	Delhi	Poor	237	PM <sub>2.5</sub> , PM <sub>10</sub>	38
41	Dewas	Moderate	110	PM <sub>10</sub>	1
42	Durgapur	Moderate	180	PM <sub>10</sub>	1
43	Eloor	Satisfactory	62	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	55	PM <sub>2.5</sub>	1
45	Faridabad	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	4
46	Fatehabad	Moderate	123	PM <sub>2.5</sub>	1
47	Firozabad	Moderate	149	PM <sub>2.5</sub>	1
48	Gadag	Satisfactory	60	03	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gaya	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Ghaziabad	Poor	229	PM <sub>2.5</sub>	4
52	Gorakhpur	Satisfactory	71	PM <sub>10</sub>	1
53	Greater Noida	Moderate	154	PM <sub>2.5</sub>	2
54	Gurugram	Moderate	185	PM <sub>2.5</sub>	4
55	Guwahati	Satisfactory	94	PM <sub>2.5</sub>	2
56	Gwalior	Moderate	112	PM <sub>2.5</sub>	2
57	Hajipur	Poor	233	PM <sub>2.5</sub>	1
58	Haldia	Satisfactory	55	PM <sub>10</sub>	1
59	Hapur	Moderate	197	PM <sub>2.5</sub>	1
60	Hassan	Satisfactory	54	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	225	PM <sub>2.5</sub>	1
62	Howrah	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	3
63	Hyderabad	Moderate	123	PM <sub>2.5</sub> , PM <sub>10</sub>	5
64	Indore	Moderate	146	PM <sub>2.5</sub>	1
65	Jaipur	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Jalandhar	Moderate	114	PM <sub>2.5</sub>	1
67	Jind	Poor	230	PM <sub>2.5</sub>	1
68	Jodhpur	Moderate	158	PM <sub>2.5</sub>	1
69	Kaithal	Satisfactory	97	PM <sub>10</sub>	1
70	Kalyan	Poor	274	PM <sub>2.5</sub>	1
71	Kannur	Satisfactory	73	PM <sub>2.5</sub>	1
72	Kanpur	Moderate	158	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Satisfactory	94	PM <sub>10</sub>	1
74	Katihar	Poor	285	PM <sub>10</sub>	1
75	Katni	Moderate	173	PM <sub>2.5</sub>	1
76	Khanna	Moderate	114	PM <sub>2.5</sub>	1
77	Kishanganj	Poor	285	PM <sub>2.5</sub>	1
78	Kochi	Satisfactory	93	PM <sub>2.5</sub>	1
79	Kohima	Satisfactory	63	PM <sub>2.5</sub>	1
80	Kolar	Satisfactory	73	PM <sub>10</sub>	1
81	Kolkata	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	7
82	Kollam	Moderate	109	PM <sub>10</sub>	1
83	Koppal	Satisfactory	78	03	1
84	Kota	Moderate	186	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Good	46	СО	1
86	Kurukshetra	Moderate	150	O <sub>3</sub>	1
87	Lucknow	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Moderate	126	PM <sub>10</sub>	1
89	Maihar	Satisfactory	66	со	1
90	Mandi Gobindgarh	Moderate	183	PM <sub>10</sub>	1
91	Mandideep	Satisfactory	91	PM <sub>10</sub>	1
92	Mandikhera	Good	33	PM <sub>2.5</sub>	1
93	Manglore	Satisfactory	63	03	1
94	Medikeri	Satisfactory	72	PM <sub>10</sub>	1
95	Meerut	Moderate	190	PM <sub>2.5</sub> , PM <sub>10</sub>	3
96	Moradabad	Moderate	175	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Poor	235	PM <sub>2.5</sub>	1
98	Mumbai	Poor	216	PM <sub>2.5</sub>	21
99	Muzaffarnagar	Poor	272	PM <sub>2.5</sub>	1
100	Muzaffarpur	Poor	286	PM <sub>2.5</sub>	3
101	Mysuru	Satisfactory	59	PM <sub>10</sub>	1
102	Nagpur	Moderate	106	PM <sub>10</sub>	1
103	Narnaul	Moderate	161	PM <sub>2.5</sub>	1
104	Nashik	Poor	258	PM <sub>2.5</sub>	1
105	Navi Mumbai	Poor	235	PM <sub>2.5</sub>	2
106	Noida	Moderate	186	PM <sub>2.5</sub>	3
107	Pali	Satisfactory	88	PM <sub>10</sub>	1
108	Palwal	Satisfactory	97	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Satisfactory	100	PM <sub>2.5</sub>	1
110	Panipat	Moderate	122	PM <sub>10</sub>	1
111	Patiala	Satisfactory	95	PM <sub>10</sub>	1
112	Patna	Poor	255	PM <sub>2.5</sub> , PM <sub>10</sub>	6
113	Pithampur	Moderate	183	PM <sub>2.5</sub>	1
114	Prayagraj	Satisfactory	77	PM <sub>2.5</sub> , PM <sub>10</sub>	3
115	Puducherry	Good	43	PM <sub>10</sub>	1
116	Pune	Moderate	175	PM <sub>2.5</sub>	3
117	Purnia	Poor	287	PM <sub>2.5</sub>	1
118	Raichur	Moderate	167	PM <sub>10</sub>	1
119	Rajamahendravaram	Satisfactory	83	03	1
120	Ramanagara	Satisfactory	88	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	103	PM <sub>10</sub>	1
122	Rohtak	Moderate	160	PM <sub>2.5</sub>	1
123	Rupnagar	Moderate	131	PM <sub>10</sub>	1
124	Sagar	Satisfactory	72	PM <sub>2.5</sub>	1
125	Saharsa	Poor	290	PM <sub>10</sub>	1
126	Sasaram	Moderate	196	PM <sub>2.5</sub>	1
127	Satna	Satisfactory	59	PM <sub>10</sub>	1
128	Shivamogga	Good	39	PM <sub>10</sub>	1
129	Siliguri	Satisfactory	99	PM <sub>10</sub>	1
130	Sirsa	Moderate	128	PM <sub>10</sub>	1
131	Siwan	Poor	203	PM <sub>2.5</sub>	1
132	Sonipat	Moderate	105	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	67	PM <sub>10</sub>	1
134	Talcher	Satisfactory	70	PM <sub>10</sub>	1
135	Thane	Poor	257	PM <sub>10</sub>	1
136	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
137	Thrissur	Satisfactory	67	PM <sub>10</sub>	1
138	Tirupati	Good	45	PM <sub>2.5</sub>	1
139	Udaipur	Moderate	174	PM <sub>2.5</sub>	1
140	Ujjain	Moderate	110	PM <sub>2.5</sub>	1
141	Vapi	Poor	236	PM <sub>2.5</sub>	1
142	Varanasi	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	4
143	Vatva	Moderate	152	PM <sub>2.5</sub>	1
144	Vijayapura	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Satisfactory	77	O <sub>3</sub>	1
146	Vrindavan	Satisfactory	93	PM <sub>2.5</sub>	1
147	Yamunanagar	Moderate	148	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhilai, Dharuhera, Gummidipoondi, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Rajgir, Shillong, Singrauli, Solapur, Thoothukudi, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.